# Home Comfort Certified System®







# The Best Heating & Air

Anywhere USA City, ST 12345 (123) 123-12345



The area's leading comfort experts for all your Heating and Air Conditioning needs

# **Price Book Set Up Instructions**

BSI's **Mitsubishi Ductless Mini-Split Home Comfort Flat Rate Installation Price Book** is designed to help our Mitsubishi Dealers outperform the competition with a "customized-to-your-business" replacement installation "*Upfront*" consumer pricing guide.

We designed the price book to be used by both *Comfort Advisors* on a replacement sales call or for the *Selling Technicians* on a service call where they have identified a replacement opportunity.

### Formatted for Easy Upselling:

The proven price book format has proven to help you to easily up-sell via the "good-better-best-premium" system consumer installation pricing options.

### **Easy 1-Page Price Book Set-up:**

Located on this email, as well as, you will find the Set-up/Order Form. On this Form you provide us your unique labor costs, gross profit margin, finance rates, and your local utility rates.

### **Set-up of Installation Cost-of-Goods-Sold:**

You provide us your preferred equipment vendor pricing from your vendor which we import your actual costs for equipment, materials, and warranties by system type and size.

We multiply by your provided labor cost rates by the "built-in" installation labor hours for a Crew Chief and Helper to arrive at your *Total Installation Labor Cost*. You may modify the "built-in" labor hours for any system configuration by faxing us your changes via marked up *User Guide* pages also located on this www.GrowMyHVAC.com page.

### **Your Unique Installed Sell Price:**

Your unique Installed Sell Price will be based on your provided gross profit margin rate.

### **Finance Tables:**

We provide finance and energy savings tables to help the Comfort Advisor to show consumer affordability of a system installation. We create your finance tables using your unique local finance options and national *Home Equity Rates*, *Personal Bank Loan Rates*.

### **Customizing Configurations:**

If your configuration are different from or is missing any system type versus this demo price book, we provide three easy ways for you to quickly communicate your unique price book configuration requirements:

- 1. For minor modifications, simply print the demo book price pages and mark them up with your equipment component match-ups and desired warranty offering and fax them back to us.
- 2. Or you can simply set up with us a telephone or on-line GoToMeeting workout session to assist in expediting setting up of your price book.

### **Configuration Options:**

This price book includes all of these common residential HVAC ducttless mini-split configurations:

- SINGLE ZONE COOLING ONLY up to 3 TON
- SINGLE ZONE COOLING ONLY up to 3.5 TON
- TWIN SINGLE ZONE COOLING ONLY up to 3.5 TON
- SINGLE ZONE HEAT PUMP up to 3 TON
- SINGLE ZONE Hyper-Heating HP up to 1.5 TON
- SINGLE ZONE HEAT PUMP up to 3.5 TON
- TWIN SINGLE ZONE HEAT PUMP up to 3.5 TON
- SINGLE ZONE Hyper-Heating HP up to 3 TON
- SINGLE ZONE HEAT PUMP up to 3.5 TON
- TWIN SINGLE ZONE HEAT PUMP up to 3.5 TON
- TWIN SINGLE ZONE Hyper-Heating HP up to 3 TON
- SINGLE ZONE HEAT PUMP up to 1.5 TON
- MULTI-ZONE HEAT PUMP 2 ZONES up to 1.5 TON
- MULTI-ZONE Hyper-Heating HP 2 ZONES up to 1.5 TON
- MULTI-ZONE HEAT PUMP 2 ZONES up to 2 TON
- MULTI-ZONE HEAT PUMP 2 ZONES up to 2.5 TON
- MULTI-ZONE HEAT PUMP 2 ZONES up to 3 TON
- MULTI-ZONE Hyper-Heating HP 2 ZONES up to 3 TON
- MULTI-ZONE HEAT PUMP 2 ZONES up to 3.5 TON
- MULTI-ZONE Hyper-Heating HP 2 ZONES up to 3.5 TON
- MULTI-ZONE HEAT PUMP 2 ZONES up to 4 TON
- MULTI-ZONE Hyper-Heating HP 2 ZONES up to 4 TON
- MULTI-ZONE HEAT PUMP 3 ZONES up to 2 TON
- MULTI-ZONE Hyper-Heating HP 3 ZONES up to 2 TON
- MULTI-ZONE HEAT PUMP 3 ZONES up to 2.5 TON
- MULTI-ZONE Hyper-Heating HP 3 ZONES up to 2.5 TON
- MULTI-ZONE HEAT PUMP 3 ZONES up to 3 TON
- MULTI-ZONE HEAT PUMP 3 ZONES up to 3 TON
- MULTI-ZONE Hyper-Heating HP 3 ZONES up to 3 TON
- MULTI-ZONE Hyper-Heating HP 3 ZONES up to 3 TON
- MULTI-ZONE HEAT PUMP 3 ZONES up to 3.5 TON
- MULTI-ZONE HEAT PUMP 3 ZONES up to 3.5 TON
- MULTI-ZONE Hyper-Heating HP 3 ZONES up to 3.5 TON
- MULTI-ZONE Hyper-Heating HP 3 ZONES up to 4 TON
- MULTI-ZONE HEAT PUMP 3 ZONES up to 4.5 TON
- MULTI-ZONE HEAT PUMP 4 ZONES up to 3 TON
- MULTI-ZONE Hyper-Heating HP 4 ZONES up to 3 TON
- MULTI-ZONE HEAT PUMP 4 ZONES up to 3.5 TON
- MULTI-ZONE Hyper-Heating HP 4 ZONES up to 3.5 TON
- MULTI-ZONE Hyper-Heating HP 4 ZONES up to 4 TON
- MULTI-ZONE HEAT PUMP 4 ZONES up to 4.5 TON
- MULTI-ZONE HEAT PUMP 5 ZONES up to 3.5 TON
- MULTI-ZONE HEAT PUMP 5 ZONES up to 4.5 TON
- MULTI-ZONE Hyper-Heating HP 5 ZONES up to 3.5 TON

- MULTI-ZONE Hyper-Heating HP 5 ZONES up to 3.5 TON
- MULTI-ZONE Hyper-Heating HP 5 ZONES up to 4 TON
- MULTI-ZONE Hyper-Heating HP 6 ZONES up to 4 TON
- MULTI-ZONE HEAT PUMP 6 ZONES up to 4.5 TON
- MULTI-ZONE Hyper-Heating HP 7 ZONES up to 4 TON
- MULTI-ZONE Hyper-Heating HP 8 ZONES up to 4 TON
- MULTI-ZONE HEAT PUMP 8 ZONES up to 4.5 TON

# **Prices Shown are Illustrative Only**

- This "demo" price book was designed for demonstration purposes only.
- The pricing shown is for a fictitious contractor and climate zone, and is not meant to be representative to local area pricing.
- Your pricing will be accurate to your business based on your unique local area labor costs, unique overhead and net profit set-up requirements, local financing options, and your energy savings tables according to your climate zone.

# **Questions?**

Call our Price Book Hot Line at 800-240-2823 24/7 or email us at customercare@GrowMyHVAC.com.

# Mission Statement

- Our Commitment: We are committed to providing the highest quality and performance in all aspects of the equipment replacement industry, utilizing our core strengths to ensure the continued success of our employees and our customers.
- Core Services: Design, fabrication, installation, and service of heating, air conditioning, indoor air quality, and ventilation systems, as well as electrical, temperature, and humidity controls.
- **Core Strengths:** Experienced leadership, excellence, trustworthiness, loyalty, and pride in our reputation for quality workmanship and teamwork, our multitrade capabilities, and our knowledge of and commitment to innovativeness.
- Success for Employees: Provide fair compensation, security, trust, recognition, and a good working atmosphere.
- **Success for Customers:** Provide quality, competitive pricing, trust, partnership, and our ability to meet their unique requirements.

### Who we are:

- A premiere residential commercial service company.
- We have consistently grown each year due to our competitive programs and services.
- Our company has continued to invest in state-of-the-art technology that allows us to deliver the highest level of service with the lowest possible cost.
- Our written training and employee development programs ensure the delivery of safe, reliable service in and around your home.
- We have a written drugfree hiring policy to protect our customers and their property.

# What makes us different:

- We offer the industry's best Install-Right® guarantees, warranties and assurances.
- Our field management and equipment installation procedures enable us to take care of everything and assume responsibility for everything.
- We are an unbiased independent contractor, not a manufacturer-sponsored dealer.
- We minimize all personal risk from doing business with us through our delivery systems and our liability coverage.
- We Guard both your time and your equipment replacement investment money.

The Home Comfort Certified System® 7-Step Approach



Conduct the Home Use and Livability Survey to ensure your personal, technical and timing objectives are met.



 Conduct Manual-J heat gain/loss measurement to right-size the capacity of replacement equipment and the duct distribution system installation.



 Analyze the data gathered to ensure proper equipment sizing and inclusion of any accessories to meet your special requirements.



Sit down with you to explore your installation and purchase options.



5. Back up all of our work with unsurpassed written Install-Right<sup>®</sup> guarantees, warranties and assurances.



 Organize, educate and schedule installation personnel and manage your installation requirements.



7. Precision tune and implement a warranty management system and a 4-hour or less, 24/7 emergency response.

Licensed to The Best Heating & Airunder the Grant of License terms of the Home Comfort User License Agreement.

5

# Why we set the Standards of Performance

- 90% of all installations have problems resulting in unnecessary energy inefficiencies due to:
  - Too large or too small equipment sizing
  - Improper match between condensel and evaporator
  - Improper duct sizing or distribution
  - Improper duct insulation or sealing
  - Leaking or disconnected ductwork or diffusers
  - Improper system balancing
  - Improper system charging and calibration

- 40% of all installations fail to meet airflow requirements resulting in poor indoor comfort due to:
  - Improperly sized equipment
  - Improper duct distribution design
  - Improper diffuser type or location
  - Leaking or disconnected ducts and diffusers
  - Improper system balancing
- 50% of all installations are not charged properly resulting in up to 50% higher operating costs due to:
  - Improper start-up, test and installation verification per manufacturer's specifications and industry best practices
  - Untrained installation personnel
  - Poor contractor installation methods

Source: studies conducted by North Carolina Alternative Energy Corporation, Texas A&M University, Louisiana State University and BSI client customer surveys.

With our Home Comfort Certified System® we guarantee that your equipment will be in the top 10% of all installations.

# Quality Installations by Design

### **Pre-installation:**

- Our proven Home Use & Livability Survey data gathering techniques enable us to provide our customers with unconditional performance quarantees.
- Our computerized Manual-J home load modeling guarantees that heating, cooling and comfort capacities will be met.
- Our equipment/s) stem selection process guarentees that we meet both your personal requirements and home aesthetics requirements.
- 4. We select the most appropriate installation implementation process that guarantees our customers the lowest possible installation costs.

### **Installation:**

5. We will assign an installation team that will take care of everything, manage everything, and be totally responsible for everything.

- 6. We specialize in working in occupied spaces and know the challenges; therefore we keep our work areas clean and actively plan our work methods to minimize any possible disruption.
- We verify and test all completed work to guarantee that everything was installed per specifications and according to best industry standards.
- 8. Our in-depth homeowner training guarantees that you will maximize your investment.

### **Post-Installation:**

9. Our installations are performed per industry best practice, which has continuously proven to reduce emergency or trouble calls. However, if an emergency does occur, you will receive our highest priority response. We respond to emergency trouble calls, even during peak periods, within four (4) hours or less of your call.

# PRICE BOOK

### NOTE: Important installation pricing information:

- 1. All installation prices are based on gravity condensate drain.
- All installation prices are based on one (1) wall penetration per indoor wall unit for piping and electrical lines.
- 3. The *Line Hide*® used on all installations, to hide exposed exterior electrical/piping from the outdoor unit to the wall penetration, is based on a single riser up to 8-feet.
- 4. Single-zone installation prices are based on wall unit being mounted directly opposite of wall penetration.
- 5. Multi-zone installation prices are based on electrical/piping lines from outdoor unit to wall units being run exposed in ceiling/cellar open spaces.
- 6. Power wiring is included and based on existing available capacity in the electrical panel as well as being run exposed on open ceiling or walls from electrical panel to outdoor unit.

If needed, adjustments can be made to the customer's installation investment on the *Investment Option Worksheet* for the following scenarios and more: swapping Wall-mounted indoor units with Ceiiling-ducted or Floor-Standing units; adding condensate drain pumps; creating additional wall penetrations; running line-sets and wiring through walls or closed ceilings; above average electrical subcontract install; using additional *Line Hide®*; adjusting labor for difficult access; or adding unclassified materials or optional accessories and labor.



# SINGLE ZONE COOLING ONLY - up to 3 TON

SYSTEM	$\wedge$	IN	DOC JNIT	R	/	COOL KBTU	INVESTMENT	SEER

### M-Series MS/MU Single-Zone Split-ductless 115V Air Conditioner

- ☑ Complete comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless remote controller
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor

MS-A09WA-1	9.5	13.0
MS-A12V(A-1	12.0	13.0

### M-Series MSY/MUY Single-Zone Split-ductless 230V Air Conditioner

- ☑ Complete comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless remote controller
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hyond Catechin" Pre-filter
- ☑ 7-Year compressor, 5-Year parts, 1-Ye v labor
- Energy Star® rated as noted (would qualify for Tax Credit)

MSY-GE09NA-8	9.0	\$ 3,438	21.0
MSY-GE12NA-8	12.0	\$ 3,585	20.5
MSY-GE15NA-8	14.0	\$ 4,123	21.0
MSY-GE18NA-8	17.2	\$ 4,656	19.2
MSY-GE24NA	22.5	\$ 5,163	19.0
MSY-D30NA-8	30.7	\$ 5,842	16.0
MSY-D36NA-8	34.6	\$ 7.008	15.1







### All Systems Include (as needed):

- $\ensuremath{\,\boxtimes\,}$  New equipment mounting pad
- $\ensuremath{\square}$  Set and level unit
- ☑ New 15ft refrigerant line-set
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- $\ensuremath{\square}$  Equipment start-up and safety inspection




### SINGLE ZONE COOLING ONLY - up to 3.5 TON

SYSTEM	$\wedge$	IN	DODI JNIT	R	/	_	OOL BTU	INVESTMENT	SEER
	$\overline{}$		_ V			7			

### P-Series PKA/PUY or PCA/PUY Single-Zone Split-ductiess Air Conditioner

- ☑ Complete comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless remote controller
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor



	PKA-A12HA4	12.0	\$ 5,563	15.2
1	PKA-A18HA4	18.0	\$ 6,164	15.3
	PKA-A24KA I.TH	24.0	\$ 7,313	17.0
1	PCA-A24KA4.TH	24.0	\$ 7,915	16.8
	KA-A30KA4.TH	30.0	\$ 8,743	15.5
	FCA-A30KA4.TH	30.0	\$ 9,326	14.5
1	PKA-A36KA4.TH	34.2	\$ 10,115	14.0
	CA-A36KA4.TH	35.0	\$ 10,278	14.4
	PCA-A42KA5.TH	42.0	\$ 11,924	15.8

Optional PEA(D) Ducted Indoor Unit



To substitute the Wall Mounted hodor Unit with the PEA(D) unit please see the "Investment Option Work heet"





### P-Series PLA/PUY Single-Zone Split-ductless Air Conditioner

- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless MHK1 remote thermostat
- ☑ Variable-speed Compressor technology
- ☑ Optional i-see™ sensor (see Investment Option Worksheet)
- ☑ Additional 15ft refrigerant line-set (30ft total)
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor

PLA-A12BA4	12.0	\$ 7,839	13.5
PLA-A18BA4	18.0	\$ 8,418	14.2
PLA-A24BA4	24.0	\$ 9,769	13.6
PLA-A30BA4	30.0	\$ 10,270	13.6
PLA-A36BA4	35.0	\$ 12,577	14.2
PLA-A42BA4	42.0	\$ 14,100	14.4





PLA

PUY-A42NHA5

### All Systems Include (as needed):

- ✓ New equipment mounting pad
- ☑ Set and level unit
- ☑ New 15ft refrigerant line-set
- ✓ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection





PUY-A24NHA4 PUY-A30NHA4 PUY-A36NHA4





PUY-A12NHA4R1 PUY-A18NHA4R1

# TWIN SINGLE ZONE COOLING ONLY - up to 3.5 TON

SYSIEM UNIT x2 MBTU INVESTMENT SEER
-------------------------------------

### P-Series PKA/PUY or Single-Zone Twinned Split-ductless Air Conditioner

- ☑ Two-in-One Twinning for maximum comfort zone control
- $\ensuremath{\,\boxtimes\,}$  Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless remote controller
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor

1	PKA-	A12	HA4	24.0	\$ 8,911	17.0
1	PKA-	-A18	HA4	36.0	\$ 10,761	14.0
-			1			



### Optional PEA Ducted Indoor Unit



To substitute the Wall Mounted Indoor Unit with the PEA unit please see the "Investment Option Worksheet"

### P-Series PLA/PUY Single-Zone Twinned Split-ductless Air Conditioner

- ☑ Two-in-One Twinning for maximum comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless MHK1 remote thermostat
- ☑ Variable-speed Compressor technology
- ☑ Optional i-see™ sensor (see Investment Option Worksheet)
- ☑ Additional 15ft refrigerant line sets to each PLA (30ft total)
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor

PLA-A12BA4	24.0	\$ 12,734	13.6
PLA-A18BA4	36.0	\$ 14,685	14.2









PUY-A24NHA4

PUY-A36NHA4

### All Systems Include (as needed):


- $\ensuremath{\,\boxtimes\,}$  New equipment mounting pad
- $\ensuremath{\square}$  Set and level unit
- ☑ New 15ft refrigerant line-set to twinning pipe and each Indoor unit
- ☑ New condensate drain lines
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- $\ensuremath{\square}$  Equipment start-up and safety inspection



# SINGLE ZONE HEAT PUMP - up to 3 TON

SYSTEM	Δ	. "	JNI			/KB1		INVEST	MENT	HSPF
M-Series MSZ-GE/MUZ-GE Single-Zone Split-ductle	ess	leal P	ulgp	, <		7				
☑ Complete comfort zone control	•	' '	' '							
☑ Easily accessible and long lasting washable filters	and it	MSZ-	G10	9NA	8-8	12.2 /	14.1	\$	3,834	21.0 / 10.0
☑ Easy, low cost installation	N.	MSZ	GE1	NA	4-8	13.6 /	18.1	\$	4,129	20.5 /10.0
☑ Wireless remote controller		MSZ-	GE1	5NA	-8	18.2 /	20.9	\$	4,740	21.0 / 10.0
☑ Variable-speed Compressor technology		MSX-	GE1	δNA	<b>-8</b>	18.7 /	25.2	\$	5,247	19.2 / 10.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	700	MS	-GE	24N	Α	31.4 /	36.9	\$	5,704	17.5 / 10.0

☑ 7-Year compressor, 5-Year parts, 1-Year labor Energy Star® rated as noted (could qualify for Tax Credit)



SEER /







### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft refrigerant line-set
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection



# SINGLE ZONE Hyper-Heating HP - up to 1.5 TON

CVCTEM		IN	OOR	)	7	CL / HT		SEER /
SYSIEM	$\triangle$	ارا	NIT		_	<b>KBTU</b>	INVESTMENT	HSPF

MSZ-PH09NA

MSZ-FH12NA

### M-Series MSZ-FH/MUZ-FH Single-Zone Split-ductless Heat Pump

- ☑ Complete comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Mulit-Function wireless remote controller
- ☑ Heat Pump operation down to -13° F outdoor temperature
- ☑ Variable-speed Compressor technology
- ☑ i-see™ sensor for smooth temperature control
- ☑ Triple-action filtration (Nano-platinum, Anti-allergen, Deodorizing)
- ☑ H²i Hyper-Heating performance
- Energy Star® rated (all qualify for Tax Cadit



9.0 / 18.0 \$

12.0 / 21.0 \$

4,234

4,551

30.5 / 13.5

26.1 / 12.5



### M-Series MSZ-FE/MUZ-FE Single-Zone Split-ductless Heat Pump

- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Whisper quiet operation
- ☑ Wireless remote controller
- ☑ Variable-speed Compressor technology
- ☑ i-see™ sensor for smooth temperature control (FE09/FE12)
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ Catalyst deodorizing filter
- ☑ H²i Hyper-Heating performance
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor

MSZ-FE09NA-8	9.0 / 18.0	26.0 / 10.0
MSZ-FE12NA-8	12.0 / 21.0	23.0 / 10.5
MSZ-FE18NA	25.2 / 29.7	20.2 / 10.3

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- $\ensuremath{\square}$  Set and level unit
- ☑ New 15ft refrigerant line-set
- ✓ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection



# SINGLE ZONE HEAT PUMP - up to 3.5 TON

CVCTEM		IN	OOR	>	7	CL / HT		SEER /
SYSTEM	Δ	11	NIT		_	<b>K</b> BTU	INVESTMENT	HSPF

### P-Series PKA/PUZ or PCA/PUZ Single-Zone Split-ductless Heal Pump

- ☑ Complete comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless remote controller
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor

PKA-A18HA4	18.0 / 20.0	\$	6,924	15.3 / 9.5
PKA A24KA4.TH	24.0 / 28.0	\$	8,217	17.0 / 10.8
PCA-A24KA I.TH	24.0 / 28.0	\$	8,819	16.8 / 10.9
PKA-A30KA4.TH	30.0 / 34.0	\$	9,683	15.5 / 8.9
PCA-A30KA4.TH	30.0 / 34.0	\$	10,266	14.5 / 9.2
FKA-A36KA4.TH	34.2 / 38.0	\$	11,244	14.0 / 9.3
PC4-A36KA4.TH	35.0 / 38.0	\$	11,407	14.4 / 10.2
CA-A42KA5.TH	42.0 / 48.0	<b>\$</b>	13,091	15.8 / 10.2

### Optional PEA(D) Ducted Indoor Unix



To substitute the Wall Mounted Indoor Unit with the PEA(D) unit please see the "Investment Option Work heet"







PKA

### P-Series PLA/PUZ Single Zone Split-ductless Heat Pump

- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless MHK1 remote thermostat
- ☑ Variable-speed Compressor technology
- ☑ Additional 15ft refrigerant line set (30ft total)
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor

PLA-A18BA4	18.0 / 20.0	\$ 9,178	14.2 / 9.8
PLA-A24BA4	24.0 / 28.0	\$ 10,673	13.6 / 8.5
PLA-A30BA4	30.0 / 34.0	\$ 11,211	13.6 / 8.7
PLA-A36BA4	35.0 / 38.0	\$ 13,706	14.2 / 9.3
PLA-A42BA4	42.0 / 48.0	\$ 15,266	14.4 / 9.3





PLA

### PUZ-A42NHA5

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft refrigerant line-set
- ✓ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection





PUZ-A24NHA4 PUZ-A30NHA4 PUZ-A36NHA4





PUZ-A18NHA4R1

# TWIN SINGLE ZONE HEAT PUMP - up to 3.5 TON

SYSTEM	INDOOR UNIT x2	CL/HT KBTU INVESTMENT	SEER / HSPF
P-Series PKA/PUZ Single-Zone Twinned Split-ductles	Heat Pump	//	
<ul> <li>✓ Two-in-One Twinning for maximum comfort zone control</li> <li>✓ Easily accessible and long lasting washable filters</li> </ul>	PKA-A18HA4	  36.0 / 40.0   <b>\$ 11.961</b>	14.0 / 9.3

- ☑ Easy, low cost installation
- ☑ Wireless remote controller
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor







To substitute the Wall Mounted Indoor Unit with the PEA unit please see the "Investment Option Worksheet"

### P-Series PLA/PUZ Single-Zone Twinned Split-ductless Heat Pump

- ☑ Two-in-One Twinning for maximum comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless MHK1 remote thermostat
- ☑ Variable-speed Compressor technology
- ☑ Optional i-see™ sensor (see Investment Option Worksheet)
- ☑ Additional 15ft refrigerant line sets to each PLA (30ft total)
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor

PLA-A18BA4	36.0 / 40.0	\$ 15,924	14.2 / 9.3
		ner	
7 - 1 e		1	
Sees.	J	***************************************	
	4		



PUZ-A36NHA4

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft refrigerant line-set to twinning pipe and each Indoor unit
- ☑ New condensate drain lines
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection





## SINGLE ZONE Hyper-Heating HP - up to 3 TON

SYSTEM INDOOR CL/HT SEER/ UNIT x2 KBTU INVESTMENT HSPF

### P-Series PKA/PUZ or PCA/PUZ Single-Zone Split-ductless Heal Pump

- ☑ Complete comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless remote controller
- ☑ Variable-speed Compressor technology
- ☑ H²i Hyper-Heating performance
- ☑ Optional i-see<sup>™</sup> sensor for PCA (see Investment Option Worksheet)
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor







PKA







To replace the PKA Wall Mounted Indoor Unit with the PEAD unit please see the "Investment Option Worksheet"

### P-Series PLA/PUZ Single-Zone Split-ductless Heat Pump

- ☑ Complete comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless MMK1 remote ther mostate
- ☑ Variable-speed Compressor technology
- ☑ H<sup>2</sup>i Hyper-Heating performance
- ☑ Optional i-see<sup>™</sup> sensor (see Investment Option Worksheet)
- ☑ Additional 15ft refrigerant line-set (30ft total)
- - Energy Star® rated (could qualify for Tax Credit)









### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft refrigerant line-set
- ✓ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- $\ensuremath{\square}$  Equipment start-up and safety inspection

PUZ-HA30NHA4 PUZ-HA36NHA4





### TWIN SINGLE ZONE Hyper-Heating HP up to 3 TON

# SYSTEM INDOOR JINIT KBTU INVESTMENT SEER / HSPF P-Series PKA/PUZ Single-Zone Twinned Split-ductless Heat Pump ☑ Two-in-One Twinning for maximum comfort zone control ☑ Easily accessible and long lasting washable filters ☑ Easy, low cost installation INDOOR CL / HT KBTU INVESTMENT HSPF SEER / HSPF PKA-A18HA4 36.0 / 40.0 \$ 14,708 16.2 / 10.0



✓ Variable-speed Compressor technology
 ✓ H<sup>2</sup>i Hyper-Heating performance

☑ 7-Year compressor, 5-Year parts, 1-Year labor





### Optional PEAD Ducted Indoor Unit



To replace the PKA Wall Mounted Indoor Unit with the PEAD unit please see the "Investment Option Worksheet"

### P-Series PLA/PUZ Single-Zone Twinned Split-ductless Heat Pump

- ☑ Two-in-One Twinning for maximum con fort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Wireless Mh K1 remote ther most at
- ☑ Variable-speed Compressor technology
- ☑ H<sup>2</sup>i Hyper-Heating performance
- ☑ Optional i-see<sup>™</sup> sensor (see Investment Option Worksheet)
- ☑ Additional 15ft refrigerant line-set (30ft total)
- ☑ 7-Year compressor, 5 Year parts, 1-Year labor



### All Systems Include (as needed):

- $\ensuremath{\,\boxtimes\,}$  New equipment mounting pad & pump-up risers
- $\ensuremath{\square}$  Set and level unit
- ☑ New 15ft refrigerant line-set to twinning pipe and each Indoor unit
- ☑ New condensate drain lines
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- $\ensuremath{\square}$  Equipment start-up and safety inspection





# SINGLE ZONE HEAT PUMP - up to 1.5 TON

CVCTEM		INDC	OR	>	/	CL / HT		SEER /
SYSTEM	$\triangle$	UN		_/		KBTU	INVESTMENT	HSPF

### M-Series SEZ/SUZ Single-Zone Ceiling-Ducted Split Heat Pump

- ☑ Complete comfort zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Whisper quiet operation
- ☑ Wired remote controller (PAR-31MAA)
- ☑ Variable-speed Compressor technology
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor
- Energy Star® rated (could qualify for Tax Credit)

	SEZ-KD03NA4R1.TH	10 0 / 1/ 1	¢	5 5/18	15.0 / 10.0
	SEZ-KD12NA4R1.TH				16.0 / 10.0
				,	
Sec.	SEZ-KD15NA R1.TH			-,	15.5 / 10.0
	SEZ-KD18NA4R1.TH	19.0 / 24.9	\$	7,332	17.5 / 10.0







### M-Series SLZ/SUZ Single-Zone Celling-Recessed Split-ductless Heat Pump

- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ Whisper quiet operation
- ☑ Wireless MHK1 remote ther most at
- ☑ Variable-speed Compressol technology
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor
- ☑ Additional 15ft refrigerant line-set (30ft total)
- Energy Star® rated as noted (could qualify for Tax Credit)









### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft refrigerant line-set
- ✓ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- $\ensuremath{\square}$  Equipment start-up and safety inspection



# MULTI-ZONE HEAT PUMP - 2 ZONES up to 1.5 TON

SYSTEM		INDCOR UNIT	CL / HT		SEER /
STOTEIVI	Δ	COMBINATION	/KBTU*	INVESTMENT	HSPF

### M-Series (MXZ-2B20NA-1) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ✓ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 1-Year parts, 1-Year labor

		. • • · · ·			•
and it	Energy Star® rated	(could	qualify	for Tax	Credit)

Ľ	\	6 <del>+</del> 6	11.9 / 13	\$ 6,572	18 / 8.9
1		6+9	14.9 / 16.4	\$ 6,648	18 / 8.9
	1	0+12	18 / 19.8	\$ 6,797	18 / 8.9
1	,	6+15	20 / 23.1	\$ 7,026	18 / 8.9
1		9+9	18 / 19.8	\$ 6,723	18 / 8.9
١.	)	9+12	20 / 23.1	\$ 6,873	18 / 8.9
		9+15	20 / 25.5	\$ 7,102	18 / 8.9
4		12+12	20 / 25.5	\$ 7,023	18 / 8.9

Indoor Unit 6 MSZ-GE06NA-8 Indoor Unit 9 = MSZ-GE09NA-8 Indoor Unit 12 = MSZ-GE12NA-8 Indoor Unit 15 = MSZ-GE13NA-8



To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- \*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




### MULTI-ZONE Hyper-Heating HP - 2 ZONES up to 1.5 TON

SYSTEM		INDCOR UNIT	CL / HT		SEER /
STOTEIVI	Δ	COMBINATION	/KBTU*	INVESTMENT	HSPF

### M-Series (MXZ-2C20NAHZ) Multi-Zone Split-ductless Heat Rump

- ☑ Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ H²i Hyper-Heating performance
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filt
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor



Ì		6+6	12 / 12.5	\$ 7,688	17.0 / 9.8
	, N	6+9	15 / 17.3	\$ 7,764	17.0 / 9.8
		0+12	18 / 22	\$ 7,913	17.0 / 9.8
1	1	6+15	20 / 22	\$ 8,142	17.0 / 9.8
		9+9	18 / 22	\$ 7,839	17.0 / 9.8
	- )	9+12	20 / 22	\$ 7,989	17.0 / 9.8
		9+15	20 / 22	\$ 8,218	17.0 / 9.8
	7	12+12	20 / 22	\$ 8,139	17.0 / 9.8



Indoor Unit 9 = MSZ-GE00NA-8 Indoor Unit 9 = MSZ-GE09NA-8 Indoor Unit 12 = MSZ-GE12NA-8 Indoor Unit 15 = MSZ-GE15NA-8



Other options available:

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating

please see the "Investment Ortion Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- \*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



### MULTI-ZONE HEAT PUMP - 2 ZONES up to 2 TON

SYSTEM	INDOOR UNIT CL / HT COMBINATION (BTU* INVESTMENT	SEER / HSPF

### M-Series (MXZ-3B24NA-1) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- $\ensuremath{\square}$  Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 1-Year parts, 1-Year labor

ب	7-1 cai compressor, 1-1 cai parts, 1-1 cai labor
	Energy Star® rated (could qualify for Tax Credit)

13 101 1001 010	<i>y</i>		, , , , , , ,	
	9+15	23.6 / 26.1	\$ 8,198	17.5 / 9.3
Indoor Unit 6 - MSZ-GE06NA-8	9+18	25.5 / 29.5	\$ 8,248	17.5 / 9.3
Indoor Unit 9 = MSZ-GE09NA-8	12+12	23.6 / 26.1	\$ 8,119	17.5 / 9.3
Indoor Unit 12 = MSZ-GE12NA-8	12+15	25.5 / 29.5	\$ 8,348	17.5 / 9.3
Indpor Unit 15 = MSZ-GE15NA-8	12+18	25.5 / 30.6	\$ 8,398	17.5 / 9.3
inapor Unit 18 = MSZ-GE18NA-8	15+15	25.5 / 30.6	\$ 8,577	17.5 / 9.3

6±6

6+9

+12

6+18

9+9

9+12

7,668

7,743

7,893

8,122

8.173

7,819

12.6 / 12.5 \$

14.6 / 15.9 \$

17.6 / 19.3 \$

20.6 / 22.7 \$

23.6 / 26.1 \$

17.6 / 19.3 \$

20.6 / 22.7 \$

17.5 / 9.3

17.5 / 9.3

17.5 / 9.3

17.5 / 9.3

17.5 / 9.3

17.5 / 9.3

**7,969** 17.5 / 9.3

Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted

MFZ SLZ PLA SEZ

To substitute the MSZ-GE Indoor Unit both one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- $\ensuremath{\square}$  New electrical disconnect with power wire to outdoor unit
- $\ensuremath{\,\boxtimes\,}$  Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- \*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE HEAT PUMP - 2 ZONES up to 2.5 TON

SYSTEM	INDCOR UNIT	CL / HT		SEER /
OTOTEM	COMBINATION	KBTU*	INVESTMENT	HSPF
M-Series (MXZ-3B30NA-1) Multi-Zone Split-ductless He	at Pump	//		
☑ Complete comfort with individual zone control	$\setminus \setminus \bigcup$		1	
☑ Easily accessible and long lasting washable filters	6+6	12.6 / 12.4		17.5 / 10.5
☑ Easy, low cost installation	6+9	14.5 / 15.4		17.5 / 10.5
☑ One wireless remote controller for each Indoor unit	0+12	17.2 / 18.5	\$ 8,394	17.5 / 10.5
☑ Variable-speed Compressor technology	6+15	20 / 21.5	\$ 8,624	17.5 / 10.5
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+18	22.8 / 24.6	\$ 8,674	17.5 / 10.5
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+24	28.4 / 30.6	\$ 8,850	17.5 / 10.5
~ \ \	9+9	17.2 / 18.5	\$ 8,321	17.5 / 10.5
	9+12	20 / 21.5	\$ 8,470	17.5 / 10.5
Indoor Unit 6 - MSZ-GE06NA-8	9+15	22.8 / 24.6	\$ 8,699	17.5 / 10.5
Indoor Unit 9 = MSZ-GE09NA-8	9+18	25.6 / 27.6	\$ 8,750	17.5 / 10.5
Indoor Unit 12 = MSZ-CE12NA-8	9+24	28.4 / 33.7	\$ 8,925	17.5 / 10.5
Indoor Unit 15 = MSZ-GE15NA-8	12+12	22.8 / 24.6	\$ 8,620	17.5 / 10.5
indpor Unit 19 = MSZ-GE18NA-8	12+15	25.6 / 27.6	\$ 8,849	17.5 / 10.5
Indoor Unit 24 = MSZ-GE24NA	12+18	28.4 / 30.6	\$ 8,899	17.5 / 10.5
\ \ \ \	12+24	28.4 / 36	\$ 9,075	17.5 / 10.5
Optional units: Floor or Ceiling Mount, Ceiling Inset, Ceiling Ducted	15+15	28.4 / 30.6	\$ 9,078	17.5 / 10.5
	15+18	28.4 / 33.7	\$ 9,129	17.5 / 10.5
	18+18	28.4 / 36	\$ 9,179	17.5 / 10.5
MFZ SLZ PLA PLA(D), SEZ PCA				

please see the "Inves ment option Worksheet"
Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit

To substitute the MSZ-GE Indoor Unit with one of the above

- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

 $^\star BTUs$  are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE HEAT PUMP - 2 ZONES up to 3 TON

SYSTEM	_	INDCOR UNIT	CL/HT		SEER /
OTOTEM /		COMBINATION	KBTU*	INVESTMENT	HSPF
M-Series (MXZ-4B36NA-1) Multi-Zone Split-ductless F  ✓ Complete comfort with individual zone control	leat	Pump			
☑ Easily accessible and long lasting washable filters	Π.	6 <del>+</del> 6	12.6 / 12.6	\$ 8,696	18 / 9.3
☑ Easy, low cost installation		6+9	14.6 / 16.1	· · · · · · · · · · · · · · · · · · ·	18 / 9.3
☑ One wireless remote controller for each Indoor unit	_ [_]	0+12	17.6 / 19.6	\$ 8,921	18 / 9.3
✓ Variable-speed Compressor technology		6+15	20.5 / 23.1	\$ 9,150	18 / 9.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	1	6+18	23.5 / 26.6	\$ 9,201	18 / 9.3
☑ 7-Year compressor, 1-Year parts, 1-Year labor		6+24	29.5 / 33.7	\$ 9,376	18 / 9.3
$\sim$ \ \	$\neg$	9+9	17.6 / 19.6	\$ 8,847	18 / 9.3
/ \ \	V	9+12	20.5 / 23.1	\$ 8,997	18 / 9.3
Indoor Unit 6 MSZ-GE06NA	-8	9+15	23.5 / 26.6	\$ 9,226	18 / 9.3
Indoor Ut it { = MSZ-GE05NA	8	9+18	26.5 / 30.1	\$ 9,276	18 / 9.3
Indeor Unit 12 = MSZ-CE12NA	8	9+24	32.4 / 37.2	\$ 9,452	18 / 9.3
Indport Unit 15 = MSZ-GE15NA	8	12+12	23.5 / 26.6	\$ 9,146	18 / 9.3
indpor Unit 18 = MSZ-GE18NA	8	12+15	26.5 / 30.1	\$ 9,376	18 / 9.3
Indoor Unit 24 = MSZ-GE24N	۱A	12+18	29.5 / 33.7	\$ 9,426	18 / 9.3
		12+24	35.4 / 40.7	\$ 9,602	18 / 9.3
Optional units: Floor or Ceiling Mount, Ceiling Ins.t, Ceiling Ducted		15+15	29.5 / 33.7	\$ 9,605	18 / 9.3
		15+18	32.4 / 37.2	\$ 9,655	18 / 9.3
		15+24	36.4 / 43	\$ 9,831	18 / 9.3
MFZ SLZ PLA PEA(D), SEZ PCA		18+18	35.4 / 40.7	\$ 9,706	18 / 9.3
To substitute the MSZ-GE Indoor Unit with one of the above		18+24	36.4 / 43	\$ 9,881	18 / 9.3
please see the "Investment option Worksheet"					

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

 $^\star BTUs$  are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE Hyper-Heating HP - 2 ZONES up to 3 TON

SYSTEM		INDCOR/UNIT	CL / HT		SEER /
O I O I E IVI	$\Delta$	COMBINATION	KBTU*	INVESTMENT	HSPF
(	' '	(	/ /		
M-Series (MXZ-4C36NAHZ) Multi-Zone Split-ductless	Hea	it Rump			
☑ Complete comfort with individual zone control	1	$\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$			_
☑ Easily accessible and long lasting washable filters		6+6	12 / 14.5	\$ 11,405	19.1 / 11.3
☑ Easy, low cost installation		6+9	15 / 18.3	\$ 11,481	19.1 / 11.3
☑ One wireless remote controller for each Indoor unit	_	0+12	18 / 22.1	\$ 11,630	19.1 / 11.3
☑ H²i Hyper-Heating performance 🦼 🖊		6+15	21 / 25.9	\$ 11,859	19.1 / 11.3
☑ Variable-speed Compressor technology	7	6+18	24 / 29.8	\$ 11,910	19.1 / 11.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter		6+24	30 / 37.4	\$ 12,085	19.1 / 11.3
☑ 7-Year compressor, 5-Year parts, 1-Year labor	4	9+9	18 / 22.1	\$ 11,557	19.1 / 11.3
Energy Star® rated (could qualify for Tax Cedit)	4	9+12	21 / 25.9	\$ 11,706	19.1 / 11.3
	\	9+15	24 / 29.8	\$ 11,935	19.1 / 11.3
Indoor Unit ( = MSZ-GE06 N	4-8	9+18	27 / 33.6	\$ 11,986	19.1 / 11.3
Indoor Unit 9 = MSZ-GE09N	<b>\</b> -8	9+24	33 / 41.2	\$ 12,161	19.1 / 11.3
Indoor Unit 12 = MSZ-GE12N/	A-8	12+12	24 / 29.8	\$ 11,856	19.1 / 11.3
ing por Unit 15 = MSZ-GE15N/	A-8	12+15	27 / 33.6	\$ 12,085	19.1 / 11.3
Indoor Unit 18 = MSZ GE18N/	A-8	12+18	30 / 37.4	\$ 12,135	19.1 / 11.3
Indoor Unit 24 = MSZ-GE24	NA	12+24	36 / 45	\$ 12,311	19.1 / 11.3
$\sim$ \ \		15+15	30 / 37.4	\$ 12,314	19.1 / 11.3
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted		15+18	33 / 41.2	\$ 12,364	19.1 / 11.3
		15+24	36 / 45	\$ 12,540	19.1 / 11.3
		18+18	36 / 45	\$ 12,415	19.1 / 11.3
MFZ SLZ PLA PEAID SEZ		18+24	36 / 45	\$ 12,590	19.1 / 11.3
To substitute the MSZ-GE Indoor-Unit with one of the above					

Other options available:

To substitute the MSZ-GF with the

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit

please see the "Investment Option Worksheet"

- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE HEAT PUMP - 2 ZONES up to 3.5 TON

SYSTEM	INDCOR UNIT	CL / HT		SEER /
OTOTEM	COMBINATION	KBTU*	INVESTMENT	HSPF
M-Series (MXZ-5B42NA) Multi-Zone Split-ductless Heat  ☑ Complete comfort with individual zone control	Pulip	/		
☑ Easily accessible and long lasting washable filters	0+6	12.6 / 12.6	\$ 9,812	18.4 / 9.3
☑ Easy, low cost installation	6+9	14.6 / 16.1	\$ 9,887	18.4 / 9.3
☑ One wireless remote controller for each Indoor unit	0+12	17.6 / 19.6	\$ 10,037	18.4 / 9.3
☑ Variable-speed Compressor technology	6+15	20.7 / 23.1	\$ 10,266	18.4 / 9.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+18	23.7 / 26.6	\$ 10,317	18.4 / 9.3
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+24	29.7 / 33.5	\$ 10,492	18.4 / 9.3
~ \ \	9+9	17.6 / 19.6	\$ 9,963	18.4 / 9.3
/ \ \	9+12	20.7 / 23.1	\$ 10,113	18.4 / 9.3
Indoor Unit 6 - MSZ-GE06NA-3	9+15	23.7 / 26.6	\$ 10,342	18.4 / 9.3
Indoor Unit 9 = MSZ-GE09NA-8	9+18	26.7 / 30	\$ 10,392	18.4 / 9.3
Indoor Unit 12 = MSZ-CE12NA-8	9+24	32.7 / 37	\$ 10,568	18.4 / 9.3
Indoor Unit 15 = MSZ-GE15NA-8	12+12	23.7 / 26.6	\$ 10,262	18.4 / 9.3
ind por Unit 18 = MSZ-GE18NA-8	12+15	26.7 / 30	\$ 10,492	18.4 / 9.3
Indoor Unit 24 = MSZ-GE24NA	12+18	29.7 / 33.5	\$ 10,542	18.4 / 9.3
\ \ \	12+24	35.8 / 40.5		18.4 / 9.3
Optional units: Floor or Ceiling Mount, Ceiling Inset, Ceiling Ducted	15+15	29.7 / 33.5	\$ 10,721	18.4 / 9.3
	15+18	32.7 / 37	\$ 10,771	18.4 / 9.3
	15+24	38.8 / 44	\$ 10,947	18.4 / 9.3
MFZ SLZ PLA PEA(D), SEZ PCA	18+18	35.8 / 40.5	\$ 10,822	18.4 / 9.3
To substitute the MSZ-GE Indoor Unit with one of the above	18+24	41.8 / 47.5	\$ 10,997	18.4 / 9.3
please see the "Investment Option Worksheet"	24+24	43 / 53.6	\$ 11,173	18.4 / 9.3

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

 $^\star BTUs$  are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE Hyper-Heating HP - 2 ZONES up to 3.5 TON

SYSTEM	_	NDCOR UNIT	CL/HT	IN (507145) IT	SEER /
0.012	<u> </u>	OMBINATION	KBTU*	INVESTMENT	HSPF
M-Series (MXZ-5C42NAHZ) Multi-Zone Split-ductless  ☑ Complete comfort with individual zone control	Heat	Rump			
☑ Easily accessible and long lasting washable filters	1	6+6	12 / 14.3	\$ 12,771	19.0 / 11.0
✓ Easy, low cost installation		6+9	15 / 18.1	\$ 12,847	19.0 / 11.0
✓ One wireless remote controller for each Indoor unit		0+12	18 / 22	\$ 12,996	19.0 / 11.0
☑ H²i Hyper-Heating performance		6+15	21 / 25.8	\$ 13,225	19.0 / 11.0
☑ Variable-speed Compressor technology		6+18	24 / 29.7	\$ 13,276	19.0 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	, $ ightarrow$	6+24	30 / 37.3	\$ 13,452	19.0 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor	Ψ	9+9	18 / 22	\$ 12,923	19.0 / 11.0
Energy Star® rated (could qualify for Tax Cledit)	~	9+12	21 / 25.8	\$ 13,072	19.0 / 11.0
		9+15	24 / 29.7	\$ 13,301	19.0 / 11.0
Indoor Unit ( = MSZ-GE0cNA	۸-8 <b> </b>	9+18	27 / 33.5	\$ 13,352	19.0 / 11.0
Indoor Unit 9 ≡ MSZ-GE09N	\-8	9+24	33 / 41.2	\$ 13,527	19.0 / 11.0
Indoor Unit 12 = MSZ-GE12NA	A-8	12+12	24 / 29.7	\$ 13,222	19.0 / 11.0
ing our Unit 15 = MSZ-GE15NA	A-8	12+15	27 / 33.5	\$ 13,451	19.0 / 11.0
Indoor Unit 18 = MSZ-GE18NA	A-8	12+18	30 / 37.3	\$ 13,501	19.0 / 11.0
indoor Unit 24 = MSZ-GE24N	NA	12+24	36 / 45	\$ 13,677	19.0 / 11.0
$\sim$ \ \		15+15	30 / 37.3	\$ 13,680	19.0 / 11.0
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted		15+18	33 / 41.2	\$ 13,730	19.0 / 11.0
		15+24	39 / 46.5	\$ 13,906	19.0 / 11.0
		18+18	36 / 45	\$ 13,781	19.0 / 11.0
MFZ %LZ PLA PEA(D) %EZ		18+24	42 / 48	\$ 13,956	19.0 / 11.0
To substitute the MSZ-GE Indoor Unit with one of the above		24+24	42 / 48	\$ 14,132	19.0 / 11.0
please see the "Investment Option Worksheet"					

Other options available:

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

 $^\star BTUs$  are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE HEAT PUMP - 2 ZONES up to 4 TON

SYSTEM		INDCOR UNIT	CL / HT		SEER /
STSTEIVI	Δ	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF

### M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for ea
- ✓ Variable-speed Compressor techn
- ☑ Anti-allergy enzyme filter with "Hybrid
- ☑ 7-Year compressor, 1-Year parts, 1-Ye

r each Indoor unit 🌎 🌈	-	9+24	32 / 34.6	\$ 12,280	15.0 / 8.7
chnology 📈		12+12	23 / 24.4	\$ 11,974	15.0 / 8.7
brid Catechin" Pre-fiter	\	12+15	26 / 27.8	\$ 12,203	15.0 / 8.7
1-Year labor		12+18	29 / 31.2	\$ 12,254	15.0 / 8.7
~ \	. \	12+24	35 / 38	\$ 12,429	15.0 / 8.7
	1	15+15	29 / 31.2	\$ 12,432	15.0 / 8.7
$\langle \langle \langle \rangle \rangle \rangle$		15+18	32 / 34.6	\$ 12,483	15.0 / 8.7
Indoor Urit 9 = MSZ-GE0	9NA-8	15+24	38 / 41.5	\$ 12,658	15.0 / 8.7
Indoor Unit 12 = MSZ-GE1	2NA-8	18+18	35 / 38	\$ 12,533	15.0 / 8.7
Indoor Unit 15 = MSZ-GE1	NA-8	18+24	41 / 44.9	\$ 12,709	15.0 / 8.7
indpor Unit 18 = MSZ-GE1	8NA-8	24+24	47 / 51.7	\$ 12,884	15.0 / 8.7
Indoor Unit 24 = MSZ-GF	=24NA				

23 / 24.36 \$

26 / 27.8

Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted



To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment opton Worksheet"

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance please see "Investment Option Worksheet".




### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.

Licensed to The Best Heating & Airunder the Grant of License terms of the Home Comfort User License Agreement.



15.0 / 8.7

15.0 / 8.7

12,054

12,104

# MULTI-ZONE Hyper-Heating HP - 2 ZONES up to 4 TON

Indoor Unit 18 = MSZ-GE18NA-8

ndoor Unit 24 = MSZ-GE24NA

S	YSTEM		INDOOR UNIT	CL/HT		SEER /
	TOTEIN	$\Delta$	COMBINATION	/KBTU*	INVESTMENT	HSPF
	l de la companya de	( )	(	/ )		
M-Series (MXZ-8C48NA	HZ) Multi-Zone Split-ductles	s Ne	at Rump			
☑ Complete comfort with incl	dividual zone control		(			
☑ Easily accessible and lon	g lasting washable filters		6-18	24 / 29.5	\$ 14,034	18.9 / 11.0
☑ Easy, low cost installation	ı 🖊		6+24	30 / 37.3	\$ 14,209	18.9 / 11.0
One wireless remote cont	troller for each Indoor unit		9+15	24 / 29.5	\$ 14,059	18.9 / 11.0
☑ H²i Hyper-Heating perforr	mance 🏑		9+18	27 / 33.4	\$ 14,110	18.9 / 11.0
✓ Variable-speed Compres	ssor technology		9+24	33 / 41.1	\$ 14,285	18.9 / 11.0
☑ Anti-allergy enzyme filter	with "Hybrid Catechin" Pre-filter		12+12	24 / 29.5	\$ 13,980	18.9 / 11.0
☑ 7-Year compressor, 5-Ye	ar parts, 1-Year labor	_	12+15	27 / 33.4	\$ 14,209	18.9 / 11.0
Energy Star® rated (co	ould qualify for Tax Credit)	\ ·	12+18	30 / 37.3	\$ 14,259	18.9 / 11.0
_			12+24	36 / 45	\$ 14,435	18.9 / 11.0
	Indoor Unit ( = MSZ-GE06)	NA-8	15+15	30 / 37.3	\$ 14,438	18.9 / 11.0
12.	Indoor Unit 9 = MSZ-GE091	<b>N</b> -8	15+18	33 / 41.1	\$ 14,488	18.9 / 11.0
	Indoor Unit 12 = MSZ-GE12	NA-8	15+24	39 / 46.5	\$ 14,664	18.9 / 11.0
	ind por Unit 15 = MSZ-GE151	NA-8	18+18	36 / 45	\$ 14,539	18.9 / 11.0

18+24

24+24



Other options available:

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.

Licensed to The Best Heating & Airunder the Grant of License terms of the Home Comfort User License Agreement.



42 / 48

48 / 54

**14,714** | 18.9 / 11.0

18.9 / 11.0

14,890

# MULTI-ZONE HEAT PUMP - 3 ZONES up to 2 TON

CVCTEM		INDCOP UNIT	CL / HT		SEER /
SYSTEM	Δ	COMBINATION	/KBTU*	INVESTMENT	HSPF

6+6+6

### M-Series (MXZ-3B24NA-1) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- $\ensuremath{\,\boxtimes\,}$  Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-fiter
- ☑ 7-Year compressor, 1-Year parts, 1-Year labor

Energy Star® rated	(could	qualify fo	or Tax Credit)
	•		

Indoor Ur	t 6	MSZ-0	GE06	SNA-8
Indoor 🔱	t 9 =	MSZ-0	GE0	NA-8
Indoor Unit	12=	MSZ-	GE12	2NA-8

Indoor Unit 15 = MSZ-GE15NA-8 Indoor Unit 18 = MSZ-GE18NA-8

•	01010	17.07 19.5	Ψ	0,303	17.07 3.0
1	6+6+9	20.6 / 22.7	\$	9,061	17.5 / 9.3
-	6-6+12	23.6 / 26.1	\$	9,210	17.5 / 9.3
1	6+6+15	25.5 / 29.5	\$	9,439	17.5 / 9.3
	6+6+18	25.5 / 30.6	\$	9,490	17.5 / 9.3
- )	6+9+9	23.6 / 26.1	\$	9,137	17.5 / 9.3
	6+9+12	25.5 / 29.5	\$	9,286	17.5 / 9.3
1	6+9+15	25.5 / 30.6	\$	9,515	17.5 / 9.3
-	6+12+12	25.5 / 30.6	\$	9,436	17.5 / 9.3
	9+9+9	25.5 / 29.5	\$	9,212	17.5 / 9.3
1	9+9+12	25.5 / 30.6	\$	9,362	17.5 / 9.3

176/193 \$

8.985 175/93



Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ✓ New condensate drain line
- $\ensuremath{\square}$  New electrical disconnect with power wire to outdoor unit
- $\ensuremath{\,\boxtimes\,}$  Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- \*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



### MULTI-ZONE Hyper-Heating HP - 3 ZONES up to 2 TON

SYSTEM		INDC OF U	N)T /	CL/HT		SEER /
STSTEIN	Δ	COMBINAT	ON	<b>∫</b> KBTU*	INVESTMENT	HSPF

### M-Series (MXZ-3C24NAHZ) Multi-Zone Split-ductless Heat Rump

- ☑ Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ H²i Hyper-Heating performance
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor



Energy Star® rated (could qualify for Tax Credit)

6+6+6	18.7 / 20.8	A	10,571	19.0 / 10.0
6+6+9	22 / 25	\$	10,647	19.0 / 10.0
6-6+12	24 / 25	\$	10,797	19.0 / 10.0
6+6+15	22 / 25	\$	11,026	19.0 / 10.0
6+6+18	22 / 25	\$	11,076	19.0 / 10.0
6+9+9	24 / 25	\$	10,723	19.0 / 10.0
6+9+12	22 / 25	\$	10,872	19.0 / 10.0
6+9+15	22 / 25	\$	11,101	19.0 / 10.0
9+9+9	22 / 25	\$	10,799	19.0 / 10.0
9+9+12	22 / 25	\$	10,948	19.0 / 10.0
	6+6+9 6-6+12 6+6+15 5+6+18 6+9+9 6+9+12 6+9+15 9+9+9	6+6+9 22 / 25 6+6+12 24 / 25 6+6+15 22 / 25 6+6+18 22 / 25 6+9+9 24 / 25 6+9+12 22 / 25 6+9+15 22 / 25 9+9+9 22 / 25	6+6+9 22 / 25 \$ 6+6+12 24 / 25 \$ 6+6+15 22 / 25 \$ 6+6+18 22 / 25 \$ 6+9+9 24 / 25 \$ 6+9+12 22 / 25 \$ 6+9+15 22 / 25 \$ 9+9+9 22 / 25 \$	6+6+9 22 / 25 \$ 10,647 6+6+12 24 / 25 \$ 10,797 6+6+15 22 / 25 \$ 11,026 6+6+18 22 / 25 \$ 11,076 6+9+9 24 / 25 \$ 10,723 6+9+12 22 / 25 \$ 10,872 6+9+15 22 / 25 \$ 11,101 9+9+9 22 / 25 \$ 10,799

40 574 40 0 / 40 0



Indoor Unit 9 = MSZ-GE06NA-8 Indoor Unit 9 = MSZ-GE09NA-8 Indoor Unit 12 = MSZ-GE12NA-8 Indoor Unit 15 = MSZ-GE15NA-8 Indoor Unit 18 = MSZ-GE18NA-8



Other options available:

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- $\ensuremath{\,\boxtimes\,}$  Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- \*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE HEAT PUMP - 3 ZONES up to 2.5 TON

SYSTEM	INDCOR UNIT	CL/HT		SEER /			
OTOTEW /	COMBINATION	KBTU*	INVESTMENT	HSPF			
M-Series (MXZ-3B30NA-1) Multi-Zone Split-ductless Heat Pump  Gomplete comfort with individual zone control							
☑ Easily accessible and long lasting washable filters	6+6+6	17.2 / 18.5	\$ 9,486	17.5 / 10.5			
☑ Easy, low cost installation	6+6+9	20 / 21.5	<u> </u>	17.5 / 10.5			
☑ One wireless remote controller for each Indoor unit	6-6+12	22.8 / 24.6	\$ 9,712	17.5 / 10.5			
☑ Variable-speed Compressor technology	6+6+15	25.6 / 27.6	\$ 9,941	17.5 / 10.5			
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+18	28.4 / 30.6	\$ 9,991	17.5 / 10.5			
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+24	28.4 / 36	\$ 10,167	17.5 / 10.5			
$\sim$ \ '	6+9+9	22.8 / 24.6		17.5 / 10.5			
/ \ \	6+9+12	25.6 / 27.6	' ' '	17.5 / 10.5			
Indoor Unit 6 - MSZ-G⊵06NA-	<del>\ \</del>	28.4 / 30.6	. ,	17.5 / 10.5			
Indoor Ut it \$ = MSZ-GE09NA-	<b>\</b>	28.4 / 33.7		17.5 / 10.5			
Indoor Unit 12 = MSZ-GE12N A-		28.4 / 30.6		17.5 / 10.5			
Indoor Unit 15 = MSZ-GE15NA-	8 6+12+15	28.4 / 33.7	\$ 10,166	17.5 / 10.5			
indpor Unit 13 = MSZ-GE18NA-	8 6+12+18	28.4 / 36	\$ 10,217	17.5 / 10.5			
Indoor Unit 24 = MSZ-GE24N/	A 6+15+15	28.4 / 36	\$ 10,395	17.5 / 10.5			
	9+9+9	25.6 / 27.6		17.5 / 10.5			
Optional units: Floor or Ceiling Mount, Ceiling Insut, Ceiling Ducted	9+9+12	28.4 / 30.6		17.5 / 10.5			
	9+9+15	28.4 / 33.7		17.5 / 10.5			
	9+9+18	28.4 / 36		17.5 / 10.5			
MFZ SLZ PLA PEA(D), SEZ PCA	9+12+12	28.4 / 33.7		17.5 / 10.5			
To substitute the MSZ-GE Indoor Unit with one of the above	9+12+15	28.4 / 36	\$ 10,242	17.5 / 10.5			
please see the "Investment Option Worksheet"	12+12+12	28.4 / 36	\$ 10,163	17.5 / 10.5			

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- $\ensuremath{\,\boxtimes\,}$  Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE Hyper-Heating HP - 3 ZONES up to 2.5 TON

SYSTEM	INDCOR UNIT	CL / HT		SEER /
STOTEIVI	COMBINATION	/KBTU*	INVESTMENT	HSPF
	\ \ \ '/ <i>/</i>	( )		
M-Series (MXZ-3C30NAHZ) Multi-Zone Split-ductless	eat Rump	/		
☑ Complete comfort with individual zone control	ノノノノ			Ī
☑ Easily accessible and long lasting washable filters	6+6+6	17.5 / 17.9	· ·	18.0 / 11.0
☑ Easy, low cost installation	6+6+9	20.2 / 20.6	\$ 10,960	18.0 / 11.0
☑ One wireless remote controller for each Indoor unit	6-6+12	22.9 / 23.2	\$ 11,109	18.0 / 11.0
☑ H²i Hyper-Heating performance	6+6+15	25.7 / 25.9	\$ 11,339	18.0 / 11.0
☑ Variable-speed Compressor technology	6+6+18	28.4 / 28.6	\$ 11,389	18.0 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+24	28.4 / 28.6	\$ 11,565	18.0 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6+9+9	22.9 / 23.2	\$ 11,036	18.0 / 11.0
Energy Star® rated (could qualify for Tax Oedit)	6+9+12	25.7 / 25.9	\$ 11,185	18.0 / 11.0
	6+9+15	28.4 / 28.6	\$ 11,414	18.0 / 11.0
Indoor Ur it { = MSZ-GE0€NA-8	6+9+18	28.4 / 28.6	\$ 11,465	18.0 / 11.0
Indoor Unit 9 = MSZ-CE09NA-8	6+12+12	28.4 / 28.6	\$ 11,335	18.0 / 11.0
Indport Unit 12 = MSZ-GE12NA-8	6+12+15	28.4 / 28.6	\$ 11,564	18.0 / 11.0
ind por Unit 15 = MSZ-GE15NA-8	6+12+18	28.4 / 28.6	\$ 11,614	18.0 / 11.0
Indoor Unit 18 = MSZ-GE18NA-8	6+15+15	28.4 / 28.6	\$ 11,793	18.0 / 11.0
indoor Unit 24 = MSZ-GE24NA	9+9+9	25.7 / 25.9	\$ 11,111	18.0 / 11.0
$\sim$ \ \	9+9+12	28.4 / 28.6	\$ 11,261	18.0 / 11.0
Optional units: Floor or Ceiling Mount, Ceiling Inset, Ceiling Ducted	9+9+15	28.4 / 28.6	\$ 11,490	18.0 / 11.0
	9+9+18	28.4 / 28.6	\$ 11,541	18.0 / 11.0
	9+12+12	28.4 / 28.6	\$ 11,411	18.0 / 11.0
MFZ SLZ PLA PEA'D SEZ PCA	9+12+15	28.4 / 28.6	\$ 11,640	18.0 / 11.0
To substitute the MSZ-GE Indoor onit with one of the above				

Other options available:

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit

please see the "Investment Option Worksheet"

- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE HEAT PUMP - 3 ZONES up to 3 TON

SYSTEM	INDCOR UNIT	CL / HT		SEER /
OTOTEM	COMBINATION	KBTU*	INVESTMENT	HSPF
	<b>N 17/</b>	′ /		
M-Series (MXZ-4B36NA-1) Multi-Zone Split-ductless He	at Pump	/		
☑ Complete comfort with individual zone control	$\setminus \setminus \setminus$			
☑ Easily accessible and long lasting washable filters	6+6+6	17.6 / 19.6	· · · · · · · · · · · · · · · · · · ·	18 / 9.3
☑ Easy, low cost installation	6+6+9	20.5 / 23.1		18 / 9.3
☑ One wireless remote controller for each Indoor unit	6-6+12	23.5 / 26.6		18 / 9.3
☑ Variable-speed Compressor technology	6+6+15	26.5 / 30.1	\$ 10,467	18 / 9.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+18	29.5 / 33.7	\$ 10,518	18 / 9.3
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+24	35.4 / 40.7	\$ 10,693	18 / 9.3
$\sim$ \ \	6+9+9	23.5 / 26.6	\$ 10,164	18 / 9.3
	6+9+12	26.5 / 30.1	\$ 10,314	18 / 9.3
Indoor Unit 6 - MSZ-GE06NA-3	6+9+15	29.5 / 33.7	\$ 10,543	18 / 9.3
Indoor Ut it { = MSZ-GE0\$NA-8	6+9+18	32.4 / 37.2	\$ 10,594	18 / 9.3
Indoor Unit 12 = MSZ-CE12NA-8	6+9+24	36.4 / 43	\$ 10,769	18 / 9.3
Indportant 15 = MSZ-GE15NA-8	6+12+12	29.5 / 33.7	\$ 10,464	18 / 9.3
indpor Unit 18 = MSZ-GE18NA-8	6+12+15	32.4 / 37.2	\$ 10,693	18 / 9.3
Indoor Unit 24 = MSZ-GE24NA	6+12+18	35.4 / 40.7	\$ 10,743	18 / 9.3
\ \ \ \	6+12+24	36.4 / 43	\$ 10,919	18 / 9.3
Optional units: Floor or Ceiling Mount, Ceiling Insat, Ceiling Ducted	6+15+15	35.4 / 40.7	\$ 10,922	18 / 9.3
	6+15+18	36.4 / 43	\$ 10,972	18 / 9.3
	6+18+18	36.4 / 43	\$ 11,023	18 / 9.3
MFZ SLZ PLA PLA(D), SEZ PCA	9+9+9	26.5 / 30.1	\$ 10,240	18 / 9.3
To substitute the MSZ-GE Indoor Unit with one of the above	9+9+12	29.5 / 33.7	\$ 10,390	18 / 9.3
please see the "Investment option Worksheet"	9+9+15	32.4 / 37.2	\$ 10,619	18 / 9.3
Other options available:	9+9+18	35.4 / 40.7	\$ 10,669	18 / 9.3
To substitute the MSZ-GE with the	9+9+24	36.4 / 43	\$ 10,845	18 / 9.3
MSZ-FE with H Hyper Heat performance	9+12+12	32.4 / 37.2	\$ 10,539	18 / 9.3
please see "Investment Option Worksheet".	9+12+15	35.4 / 40.7	\$ 10,769	18 / 9.3
(Note: PLA-A12 not an option)	9+12+18	36.4 / 43	\$ 10,819	18 / 9.3
	9+15+15	36.4 / 43	\$ 10,998	18 / 9.3
$\sim$	9+15+18	36.4 / 43	\$ 11,048	18 / 9.3
MITSUBISHI	12+12+12	35.4 / 40.7	\$ 10,689	18 / 9.3
ELECTRIC "	12+12+15	36.4 / 43	\$ 10,918	18 / 9.3

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit

COOLING & HEATING

- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- $\ensuremath{\,\boxtimes\,}$  Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE HEAT PUMP - 3 ZONES up to 3 TON

SYSTEM		INDCOP UNIT	CL / HT		SEER /
STSTEIN	$\triangle$	COMBINATION	/KBTU*	INVESTMENT	HSPF

12+12+18

2+15 15

36.4 / 43

36.4 / 43

10,969

11,147

18 / 9.3

18 / 9.3

### M-Series (MXZ-4B36NA-1) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- $\ensuremath{\square}$  Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 1-Year parts, 1-Year labor

Indoor Unit 12 = MSZ-GE12NA-8 Indoor Unit 15 = MSZ-GE15NA-8 Indoor Unit 13 = MSZ-GE18NA-8

Optional units: Floor Moure, Ceiling Inset, Ceiling Ducted

To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- \*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



## MULTI-ZONE Hyper-Heating HP - 3 ZONES up to 3 TON

SYSTEM	INDCOR UNIT	CL / HT		SEER /
OTOTEM	COMBINATION	KBTU*	INVESTMENT	HSPF
	\ \	/ /		
M-Series (MXZ-4C36NAHZ) Multi-Zone Split-ductless Ne	at Rump			
☑ Complete comfort with individual zone control	\ \ \ \			
☑ Easily accessible and long lasting washable filters	6+6+6	18 / 22.1	\$ 12,660	19.1 / 11.3
☑ Easy, low cost installation	6+6+9	21 / 25.9	\$ 12,736	19.1 / 11.3
☑ One wireless remote controller for each Indoor unit	6-6+12	24 / 29.8	\$ 12,885	19.1 / 11.3
☑ H²i Hyper-Heating performance	6+6+15	27 / 33.6	\$ 13,114	19.1 / 11.3
☑ Variable-speed Compressor technology	6+6+18	30 / 37.4	\$ 13,165	19.1 / 11.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+24	36 / 45	\$ 13,340	19.1 / 11.3
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6+9+9	24 / 29.8	\$ 12,811	19.1 / 11.3
Energy Star® rated (could qualify for Tax Oedit)	6+9+12	27 / 33.6	\$ 12,961	19.1 / 11.3
	6+9+15	30 / 37.4	\$ 13,190	19.1 / 11.3
Indoor ⊔rit ( = MSZ-GE0cNA-8	6+9+18	33 / 41.2	\$ 13,241	19.1 / 11.3
Indoor Unit 9 = MSZ-GE09NA-8	6+9+24	36 / 45	\$ 13,416	19.1 / 11.3
Indoor Unit 12 = MSZ-GE12NA-8	6+12+12	30 / 37.4	\$ 13,111	19.1 / 11.3
Ind por Unit 15 = MSZ-GE15NA-8	6+12+15	33 / 41.2	\$ 13,340	19.1 / 11.3
Indoor Unit 18 = MSZ-GE18NA-8	6+12+18	36 / 45	\$ 13,390	19.1 / 11.3
Indoor Unit 24 = MSZ-GE24NA	6+12+24	36 / 45	\$ 13,566	19.1 / 11.3
$\sim$ \ \	6+15+15	36 / 45	\$ 13,569	19.1 / 11.3
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+15+18	36 / 45	\$ 13,619	19.1 / 11.3
	6+15+24	36 / 45	\$ 13,795	19.1 / 11.3
	6+18+18	36 / 45	\$ 13,670	19.1 / 11.3
MFZ SLZ PLA PEAD SEZ	9+9+9	27 / 33.6	\$ 12,887	19.1 / 11.3
To substitute the MSZ-GE Indoor unit with one of the above	9+9+12	30 / 37.4	\$ 13,037	19.1 / 11.3
please see the "Investment Option Worksheet"	9+9+15	33 / 41.2	\$ 13,266	19.1 / 11.3
Other options available:	9+9+18	36 / 45	\$ 13,316	19.1 / 11.3
To substitute the MSZ-GF with the	9+9+24	36 / 45	\$ 13,492	19.1 / 11.3
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	9+12+12	33 / 41.2	\$ 13,186	19.1 / 11.3
please see the "Investment Option Vorksheet".	9+12+15	36 / 45	\$ 13,415	19.1 / 11.3
	9+12+18	36 / 45	\$ 13,466	19.1 / 11.3
	9+12+24	36 / 45	\$ 13,641	19.1 / 11.3
MITSLIBISHI	9+15+15	36 / 45	\$ 13,644	19.1 / 11.3
ELECTRIC "	9+15+18	36 / 45	\$ 13,695	19.1 / 11.3
COOLING & HEATING			<u> </u>	

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

 $^\star BTUs$  are approximate and are calculated using Mitsubishi's Product Guides.



### MULTI-ZONE Hyper-Heating HP - 3 ZONES up to 3 TON

SYSTEM		INDOOR UNIT	CL / HT		SEER /
STSTEIVI	Δ	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF

9+18+18

2+12-12

12-12+15

12+12+18

12+15+15

12+15+18

15+15+15

36 / 45

36 / 45

36 / 45

36 / 45

36 / 45

36 / 45

36 / 45

\$

\$

\$

\$

\$

\$

**13,745** 19.1 / 11.3

**13,616** 19.1 / 11.3

**13,845** | 19.1 / 11.3

19.1 / 11.3

19.1 / 11.3

19.1 / 11.3

19.1 / 11.3

13,336

13,565

13.794

14,023

### M-Series (MXZ-4C36NAHZ) Multi-Zone Split-ductless Heat Rump

- $\ensuremath{\square}$  Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ H<sup>2</sup>i Hyper-Heating performance
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filt
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor



Energy Star® rated (could qualify for Tax Credit)



Indoor Unit 9 = MSZ-GE09NA-8 Indoor Unit 12 = MSZ-GE12NA-8 Indoor Unit 13 = MSZ-GE15NA-8 Indoor Unit 18 = MSZ-GE18NA-8



MFZ

SLZ

PLX / PEA

PEA D SEZ

To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- \*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



OVOTEM	INDCOR UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	<b>/</b> ∕KBTU*	INVESTMENT	HSPF
	$\overline{}$			
M-Series (MXZ-5B42NA) Multi-Zone Split-ductless Heat	Pulmp \	/		
☑ Complete comfort with individual zone control	(			
☑ Easily accessible and long lasting washable filters	6+6+6	17.6 / 19.6	\$ 11,129	18.4 / 9.3
☑ Easy, low cost installation	6+6+9	20.7 / 23.1	\$ 11,205	18.4 / 9.3
☑ One wireless remote controller for each Indoor unit	6-6+12	23.7 / 26.6	\$ 11,354	18.4 / 9.3
☑ Variable-speed Compressor technology	6+6+15	26.7 / 30	\$ 11,583	18.4 / 9.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+18	29.7 / 33.5	\$ 11,634	18.4 / 9.3
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+24	35.8 / 40.5	\$ 11,809	18.4 / 9.3
~ \ \	6+9+9	23.7 / 26.6	\$ 11,280	18.4 / 9.3
	6+9+12	26.7 / 30	\$ 11,430	18.4 / 9.3
Indoor Unit 6 MSZ-GE06NA-3	6+9+15	29.7 / 33.5	\$ 11,659	18.4 / 9.3
Indoor Unit 9 = MSZ-GE09NA-8	6+9+18	32.7 / 37	\$ 11,710	18.4 / 9.3
Indoor Unit 12 = MSZ-GE12NA-8	6+9+24	38.8 / 44	\$ 11,885	18.4 / 9.3
Indport Smit 15 = MSZ-GE15NA-8	6+12+12	29.7 / 33.5	\$ 11,580	18.4 / 9.3
ing por Unit 12 = MSZ-GE18NA-8	6+12+15	32.7 / 37	\$ 11,809	18.4 / 9.3
Indoor Unit 24 = MSZ-GE24NA	6+12+18	35.8 / 40.5	\$ 11,859	18.4 / 9.3
\ \ \ \	6+12+24	41.8 / 47.5	\$ 12,035	18.4 / 9.3
Optional units: Floor or Ceiling Mount, Ceiling Insut, Ceiling Ducted	6+15+15	35.8 / 40.5	\$ 12,038	18.4 / 9.3
	6+15+18	38.8 / 44	\$ 12,088	18.4 / 9.3
	6+15+24	43 / 51	\$ 12,264	18.4 / 9.3
MFZ SLZ PLA PEA(D), SEZ PCA	6+18+18	41.8 / 47.5	\$ 12,139	18.4 / 9.3
To substitute the MSZ-GE Indoor Unit both one of the above	6+18+24	43 / 53.6	\$ 12,314	18.4 / 9.3
please see the "Investment Option Worksheet"	9+9+9	26.7 / 30	\$ 11,356	18.4 / 9.3
Other options available:	9+9+12	29.7 / 33.5	\$ 11,506	18.4 / 9.3
To substitute the MSZ-GE with the	9+9+15	32.7 / 37	\$ 11,735	18.4 / 9.3
MSZ-FE with H Hyper Heat performance	9+9+18	35.8 / 40.5	\$ 11,785	18.4 / 9.3
please see "Investment Option Worksheet".	9+9+24	41.8 / 47.5	\$ 11,961	18.4 / 9.3
(Note: PLA-A12 not an option)	9+12+12	32.7 / 37	\$ 11,655	18.4 / 9.3
	9+12+15	35.8 / 40.5	\$ 11,885	18.4 / 9.3
	9+12+18	38.8 / 44	\$ 11,935	18.4 / 9.3
MITSUBISHI	9+12+24	43 / 51	\$ 12,111	18.4 / 9.3
ELECTRIC	9+15+15	38.8 / 44	\$ 12,114	18.4 / 9.3
COOLING & HEATING				

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- $\ensuremath{\,ert}$  New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



QVQTEM		INDO	OF	UNI	· /	CL/	HT		SEER /
SYSTEM	$\triangle$	COM	BIN A	AT/O	Ŋ <u>ſ</u>	<b>∧</b> (BT	U*	INVESTMENT	HSPF

### M-Series (MXZ-5B42NA) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor uni
- ✓ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-fiter
- ☑ 7-Year compressor, 1-Year parts, 1-Year labor

r each Indoor unit 🏻 🦼	9+18+18	43 / 51	\$ 12,215	18.4 / 9.3
chnology 📈 🦯	9+18+24	43 / 53.6	\$ 12,390	18.4 / 9.3
brid Catechin" Pre-filter	12+12+12	35.8 / 40.5	\$ 11,805	18.4 / 9.3
, 1-Year labor	12+12+15	38.8 / 44	\$ 12,034	18.4 / 9.3
$\sim$ / $^{\prime}$	12+12+18	41.8 / 47.5	\$ 12,085	18.4 / 9.3
	12+12+24	43 / 53.6	\$ 12,260	18.4 / 9.3
	12+15+15	41.8 / 47.5	\$ 12,263	18.4 / 9.3
Indoor Unit 9 = MSZ-GE09NA-8	2+15+18	43 / 51	\$ 12,314	18.4 / 9.3
Indoor Unit 12 = MSZ-GE12NA-8	12+15+24	43 / 53.6	\$ 12,489	18.4 / 9.3
Indoor Unit 15 = MSZ-GE15NA-8	12+18+18	43 / 53.6	\$ 12,364	18.4 / 9.3
nabor Unit 18 = MSZ-GE18NA-8	15+15+15	43 / 51	\$ 12,492	18.4 / 9.3
Indoor Unit 24 = MSZ-GE24NA	15+15+18	43 / 53.6	\$ 12,543	18.4 / 9.3
\ \ \ \ \	15+18+18	43 / 53.6	\$ 12,593	18.4 / 9.3
t Ceiling Insit Ceiling Ducted				

41.8 / 47.5 \$

43 / 53.6

18.4 / 9.3

18.4 / 9.3

Optional units: Floor or Ceiling Mount, Ceiling Insut, Ceiling Ducted



To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- \*BTUs are approximate and are calculated using Mitsubishi's Product Guides.

lculated using Mitsubishi's Product Guides.

Licensed to The Best Heating & Airunder the Grant of License terms of the Home Comfort User License Agreement.



# MULTI-ZONE Hyper-Heating HP - 3 ZONES up to 3.5 TON

☑ Easy, low cost installation 6+6+9 21 / 25.8 <b>\$ 14,102</b> 1	SEER / HSPF
M-Series (MXZ-5C42NAHZ) Multi-Zone Split-ductless Heat Rump  ☑ Complete comfort with individual zone control  ☑ Easily accessible and long lasting washable filters  ☐ Easy, low cost installation  ☐ 6+6+9  ☐ 21 / 25.8  ☐ 14,026  ☐ 14,026  ☐ 14,026  ☐ 15 / 20  ☐ 16+6+9  ☐ 18 / 22  ☐ 14,026  ☐ 18 / 22  ☐ 14,026  ☐ 18 / 22  ☐ 14,026  ☐ 18 / 22  ☐ 18 / 2	9.0 / 11.0
<ul> <li>✓ Complete comfort with individual zone control</li> <li>✓ Easily accessible and long lasting washable filters</li> <li>✓ Easy, low cost installation</li> <li>6+6+9</li> <li>18 / 22</li> <li>14,026</li> <li>19</li> <li>10</li> <li>11</li> <li>12</li> <li>14,102</li> <li>15</li> <li>16</li> <li>16</li> <li>17</li> <li>18 / 22</li> <li>14,102</li> <li>15</li> <li>16</li> <li>16</li> <li>17</li> <li>18 / 22</li> <li>14,102</li> <li>15</li> <li>15</li> <li>16</li> <li>16</li> <li>16</li> <li>17</li> <li>18 / 22</li> <li>14</li> <li>19</li> <li>10</li> <l< th=""><th></th></l<></ul>	
<ul> <li>✓ Complete comfort with individual zone control</li> <li>✓ Easily accessible and long lasting washable filters</li> <li>✓ Easy, low cost installation</li> <li>6+6+9</li> <li>18 / 22</li> <li>14,026</li> <li>19</li> <li>10</li> <li>10</li> <li>11</li> <li>12</li> <li>14</li> <li>15</li> <li>16</li> <li>16</li> <li>16</li> <li>17</li> <li>18 / 22</li> <li>14</li> <li>10</li> <li>11</li> <li>12</li> <li>14</li> <li>15</li> <li>16</li> <li>16</li> <li>16</li> <li>17</li> <li>18</li> <li>10</li> <li>15</li> <li>15</li> <li>16</li> <li>16</li> <li>16</li> <li>17</li> <li>18 / 22</li> <li>14</li> <li>10</li> <li>11</li> <li>12</li> <li>14</li> <li>10</li> <li< td=""><td></td></li<></ul>	
<ul> <li>✓ Easily accessible and long lasting washable filters</li> <li>✓ Easy, low cost installation</li> <li>6+6+6</li> <li>18 / 22</li> <li>14,026</li> <li>5</li> <li>6+6+9</li> <li>21 / 25.8</li> <li>14,102</li> <li>11</li> <li>6+6+9</li> </ul>	
☑ Easy, low cost installation 6+6+9 21 / 25.8 <b>\$ 14,102</b> 1	
☑ One wireless remote controller for each Indoor unit 6-6+12 24 / 29.7 \$ 14,251 1	9.0 / 11.0
	9.0 / 11.0
71 91	9.0 / 11.0
	9.0 / 11.0
	9.0 / 11.0
	9.0 / 11.0
Energy Star® rated (could qualify for Tax Credit) 6+9+12 27 / 33.5 \$ 14,327 1	9.0 / 11.0
6+9+15 30 / 37.3 <b>\$ 14,556</b> 1	9.0 / 11.0
Indoor Light 6 = MSZ-GE06NA-8 6+9+18 33 / 41.2 <b>\$ 14,607</b> 1	9.0 / 11.0
Indoor Unit 9 = MSZ-GE09NA-8 6+9+24 39 / 46.5 \$ 14,782 1	9.0 / 11.0
Indoor Init 12 = MSZ-GE12NA-8 6+12+12 30 / 37.3 <b>\$ 14,477</b> 1	9.0 / 11.0
Indoor Unit 15 = MSZ-GE15NA-8 6+12+15 33 / 41.2 <b>\$ 14,706</b> 1	9.0 / 11.0
Indoor Unit 18 = MSZ-GE18NA-8 6+12+18 36 / 45 <b>\$ 14,756</b> 1	9.0 / 11.0
Indoor Unit 24 = MSZ-GE24NA 6+12+24 42 / 48 <b>\$ 14,932</b> 1	9.0 / 11.0
6+15+15 36 / 45 <b>\$ 14,935</b> 11	9.0 / 11.0
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted 6+15+18 39 / 46.5 \$ 14,985	9.0 / 11.0
6+15+24 42 / 48 <b>\$ 15,161</b> 1	9.0 / 11.0
6+18+18 42 / 48 \$ 15,036 1	9.0 / 11.0
MFZ \$LZ PLA PEA D \$EZ 6+18+24 42 / 48 \$ 15,211 1	9.0 / 11.0
	9.0 / 11.0
To substitute med of mason sinewith one of the above	9.0 / 11.0
	9.0 / 11.0
	9.0 / 11.0
	9.0 / 11.0
	9.0 / 11.0
	9.0 / 11.0
	9.0 / 11.0
	9.0 / 11.0
WITSOBISTI	9.0 / 11.0
COOLING & HEATING	2.0 / 11.0

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



### MULTI-ZONE Hyper-Heating HP - 3 ZONES up to 3.5 TON

CVCTEM		IND	OF	UN	ر ٦	C	L/HT		SEER /
SYSIEM	Δ	COM	BIN	AT/C	)N	$\Delta$	(BTU*	INVESTMENT	HSPF

9+15+15

9+15+18

### M-Series (MXZ-5C42NAHZ) Multi-Zone Split-ductless Heat Rump

- $\ensuremath{\,\boxtimes\,}$  Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ H<sup>2</sup>i Hyper-Heating performance
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor



**Energy Star® rated** (could qualify for Tax Gedit)

nnology	9+18+24	42 / 48	\$ 15,287	19.0 / 11.0
rid Catechin" Pre-filter	12+12+12	36 / 45	\$ 14,702	19.0 / 11.0
1-Year labor	12+12+15	39 / 46.5	\$ 14,931	19.0 / 11.0
y for Tax Credit)	12+12+18	42 / 48	\$ 14,982	19.0 / 11.0
	12+12+24	42 / 48	\$ 15,157	19.0 / 11.0
~ (	2+15+15	42 / 48	\$ 15,160	19.0 / 11.0
Indoor Unit 9 = MSZ-GF09N A-8	12+15+18	42 / 48	\$ 15,211	19.0 / 11.0
Indoor Unit 12 = MSZ-GE12NA-8	12+15+24	42 / 48	\$ 15,386	19.0 / 11.0
indbor Unit 15 = MSZ-GE15NA-8	12+18+18	42 / 48	\$ 15,261	19.0 / 11.0
Indoor Unit 18 = MSZ-GE18NA-8	12+18+24	42 / 48	\$ 15,437	19.0 / 11.0

39 / 46.5

42 / 48

42 / 48

42 / 48

\$

\$

\$

**15,010** 19.0 / 11.0

**15,112** | 19.0 / 11.0

19.0 / 11.0

19.0 / 11.0

15,061

15,237

ndoor Unit 24 = MSZ-GE24NA





MFZ

PEA D SEZ

To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Norksheet".



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE Hyper-Heating HP - 3 ZONES up to 4 TON

	NDC OD UNIT	01 /1/7		
SYSTEM	INDCOR UNIT COMBINATION	CL/HT	INVESTMENT	SEER / HSPF
	COMBINATION	/ BIU"	INVESTIMENT	погг
NA Corios (NAVZ COACNIALIZ) Multi Zono Colit ducations		′ /		
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless	neat Rump			
☑ Complete comfort with individual zone control	$\mathcal{A} \cup \mathcal{A} \cup \mathcal{A}$		1	ı
☑ Easily accessible and long lasting washable filters	6+6+12	24 / 29.5	\$ 15,009	18.9 / 11.0
☑ Easy, low cost installation	6+6+15	27 / 33.4	\$ 15,238	18.9 / 11.0
☑ One wireless remote controller for each Indoor unit	6-6+18	30 / 37.3	\$ 15,289	18.9 / 11.0
☑ H²i Hyper-Heating performance	6+6+24	36 / 45	\$ 15,464	18.9 / 11.0
☑ Variable-speed Compressor technology (	6+9+9	24 / 29.5	\$ 14,935	18.9 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+9+12	27 / 33.4	\$ 15,085	18.9 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6+9+15	30 / 37.3	\$ 15,314	18.9 / 11.0
Energy Star® rated (could qualify for Tax Credit)	6+9+18	33 / 41.1	\$ 15,364	18.9 / 11.0
	6+9+24	39 / 46.5	\$ 15,540	18.9 / 11.0
Indoor Unit ( = MSZ-GE06NA	A-8 6+12+12	30 / 37.3	\$ 15,234	18.9 / 11.0
Indoor Unit 9 = MSZ-CE09N	\ <sub>-8</sub> \ \ 6+12+15	33 / 41.1	\$ 15,463	18.9 / 11.0
Indoor Unit 12 = MSZ-GE12NA	A-8 6+12+18	36 / 45	\$ 15,514	18.9 / 11.0
ind por Unit 15 = MSZ-GE15NA	A-8 6+12+24	42 / 48	\$ 15,690	18.9 / 11.0
Indoor Unit 18 = MSZ-GE18NA	A-8 6+15+15	36 / 45	\$ 15,693	18.9 / 11.0
Indoor Unit 24 = MSZ-GE24		39 / 46.5	\$ 15,743	18.9 / 11.0
$\sim$ \ \	6+15+24	45 / 51	\$ 15,919	18.9 / 11.0
Optional units: Floor Mount, Ceiling Insel, Ceiling Ducted	6+18+18	42 / 48	\$ 15,794	18.9 / 11.0
	6+18+24	48 / 54	\$ 15,969	18.9 / 11.0
	6+24+24	48 / 54	\$ 16,145	18.9 / 11.0
MFZ SLZ PLA PEAD SEZ	9+9+9	27 / 33.4	\$ 15,011	18.9 / 11.0
To substitute the MSZ-GE Indoor Unit with one of the above	9+9+12	30 / 37.3	\$ 15,161	18.9 / 11.0
please see the "Investment Ortion Worksheet"	9+9+15	33 / 41.1	\$ 15,390	18.9 / 11.0
Other options available:	9+9+18	36 / 45	\$ 15,440	18.9 / 11.0
To substitute the MSZ-GF with the	9+9+24	42 / 48	\$ 15,616	18.9 / 11.0
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	9+12+12	33 / 41.1	\$ 15,310	18.9 / 11.0
please see the "Investment Option Worksheet".	9+12+15	36 / 45	\$ 15,539	18.9 / 11.0
	9+15+18	42 / 48	\$ 15,819	18.9 / 11.0
	9+15+24	48 / 54	\$ 15,994	18.9 / 11.0
MITCH IDICLII	9+18+18	45 / 51	\$ 15,869	18.9 / 11.0
WITSUBISMI ELECTRIC	9+18+24	48 / 54	\$ 16,045	18.9 / 11.0
COOLING & HEATING	0.10.21	10,04	+ .5,540	,

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



### **MULTI-ZONE Hyper-Heating HP - 3 ZONES up to 4 TON**

		INDCOR UNIT	CL / HT		OFFD /
SYSTEM	$\wedge$	COMBINATION	CL/HI	INVESTMENT	SEER / HSPF
			/ /		-
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductles	s Nea	at Rump	/		
☑ Complete comfort with individual zone control		$\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$			
☑ Easily accessible and long lasting washable filters		9+24+24	48 / 54	\$ 16,220	18.9 / 11.0
☑ Easy, low cost installation		12+12-12	36 / 45	\$ 15,460	18.9 / 11.0
☑ One wireless remote controller for each Indoor unit	_	12-12+15	39 / 46.5	\$ 15,689	18.9 / 11.0
☑ H²i Hyper-Heating performance		12+12+18	42 / 48	\$ 15,739	18.9 / 11.0
☑ Variable-speed Compressor technology		12+12+24	48 / 54	\$ 15,915	18.9 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter		12+15+15	42 / 48	\$ 15,918	18.9 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor		12+15+18	45 / 51	\$ 15,968	18.9 / 11.0
Energy Star® rated (could qualify for Tax Credit)	1	12+15+24	48 / 54	\$ 16,144	18.9 / 11.0
		12+18+18	48 / 54	\$ 16,019	18.9 / 11.0
	N	2+18+24	48 / 54	\$ 16,194	18.9 / 11.0
Indoor Unit 9 = MSZ-GE09N	<b>%</b> -8	12+24+24	48 / 54	\$ 16,370	18.9 / 11.0
Indoor Jonit 12 = MSZ-GE120	VA-8	15+15+15	45 / 51	\$ 16,147	18.9 / 11.0
ind por Unit 15 = MSZ-GE15N	NA-8	15+15+18	48 / 54	\$ 16,198	18.9 / 11.0
Indoor Unit 18 = MSZ-GE18N	NA-8	15+15+24	48 / 54	\$ 16,373	18.9 / 11.0
Indoor Unit 24 = MSZ-GE2	4NA	15+18+18	48 / 54	\$ 16,248	18.9 / 11.0
$\sim$ 1 1		15+18+24	48 / 54	\$ 16,424	18.9 / 11.0
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted		18+18+18	48 / 54	\$ 16,299	18.9 / 11.0
		18+18+24	48 / 54	\$ 16,474	18.9 / 11.0
					-

Other options available:

MFZ

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit

PEAID

To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"

- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




	INDCOR UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	∕KBTU*	INVESTMENT	HSPF
	00	<del>/ ) </del>		
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless H	ant Pulma	′ /		
✓ Complete comfort with individual zone control	ear unip	/		
<ul> <li>☑ Complete comfort with individual zone control</li> <li>☑ Easily accessible and long lasting washable filters</li> </ul>	6+8+12	23 / 24.4	\$ 13,004	15.0 / 8.7
	6+6+15	26 / 27.8	\$ 13,00 <del>4</del> \$ 13,233	15.0 / 8.7
<ul><li>✓ Easy, low cost installation</li><li>✓ One wireless remote controller for each Indoor unit</li></ul>	6-6+18	29 / 31.2	\$ 13,233 \$ 13,283	15.0 / 8.7
	6+6+24			
✓ Variable-speed Compressor technology	<del>\ \ \</del>	35 / 38	\$ 13,459	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+9+9	23 / 24.4	\$ 12,930	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+9+12	26 / 27.8	\$ 13,079	15.0 / 8.7
$\sim$ \	6+9+15	29 / 31.2	\$ 13,309	15.0 / 8.7
	6+9+18	32 / 34.6	\$ 13,359	15.0 / 8.7
Indoor Unit 6 - MSZ-GE06N	<del></del>	38 / 41.5	\$ 13,535	15.0 / 8.7
Indoor Unit 9 = MSZ-GE09 N		29 / 31.2	\$ 13,229	15.0 / 8.7
Indoor Unit 12 = MSZ-GE12N		32 / 34.6	\$ 13,458	15.0 / 8.7
Indportanit 15 = MSZ-GE16N		35 / 38	\$ 13,509	15.0 / 8.7
ind bor Unit 18 = MSZ-GE18N.		41 / 44.9	\$ 13,684	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24	NA 6+15+15	35 / 38	\$ 13,687	15.0 / 8.7
	6+15+18	38 / 41.5	\$ 13,738	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+15+24	44 / 48.3	\$ 13,913	15.0 / 8.7
	6+18+18	41 / 44.9	\$ 13,788	15.0 / 8.7
	6+18+24	47 / 51.7	\$ 13,964	15.0 / 8.7
MFZ SLZ PLA PEA(D), SEZ	6+24+24	52.3 / 58.6	\$ 14,139	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	9+9+9	26 / 27.8	\$ 13,006	15.0 / 8.7
please see the "Inves ment opt on Worksheet"	9+9+12	29 / 31.2	\$ 13,155	15.0 / 8.7
Other options available:	9+9+15	32 / 34.6	\$ 13,384	15.0 / 8.7
To substitute the MSZ-GE with the	9+9+18	35 / 38	\$ 13,435	15.0 / 8.7
MSZ-FE with H 3. Hyper Heat performance	9+9+24	41 / 44.9	\$ 13,610	15.0 / 8.7
please see "Investment Option Worksheet".	9+12+12	32 / 34.6	\$ 13,305	15.0 / 8.7
//	9+12+15	35 / 38	\$ 13,534	15.0 / 8.7
	9+15+18	41 / 44.9	\$ 13,814	15.0 / 8.7
	9+15+24	47 / 51.7	\$ 13,989	15.0 / 8.7
MITSLIBISHI	9+18+18	44 / 48.3	\$ 13,864	15.0 / 8.7
ELECTRIC "	9+18+24	49.7 / 55.1	\$ 14,040	15.0 / 8.7
COOLING & HEATING	<u> </u>	•	. ·	

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



SYSTEM	INDOOR UNIT	CL / HT		SEER /
STSTEIN	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF
	\ \ \	/		
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat	Pulnp \	/		
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>			
☑ Easily accessible and long lasting washable filters	9+24+24	54 / 60	\$ 14,215	15.0 / 8.7
☑ Easy, low cost installation	12+12-12	35 / 38	\$ 13,454	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	12-12+15	38 / 41.5	\$ 13,684	15.0 / 8.7
☑ Variable-speed Compressor technology	12+12+18	41 / 44.9	\$ 13,734	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	12+12+24	47 / 51.7	\$ 13,910	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	12+15+15	41 / 44.9	\$ 13,913	15.0 / 8.7
$\sim$ $^{\prime}$	12+15+18	44 / 48.3	\$ 13,963	15.0 / 8.7
	12+15+24	49.7 / 55.1	\$ 14,139	15.0 / 8.7
	12+18+18	47 / 51.7	\$ 14,014	15.0 / 8.7
Indoor Ur it { = MSZ-GE09NA-8	2+18+24	52.3 / 58.6	\$ 14,189	15.0 / 8.7
Indoor Unit 12 ≡ MSZ-GE12NA-8	12+24+24	54 / 60	\$ 14,365	15.0 / 8.7
Indportant 15 = MSZ-GE15NA-8	15+15+15	44 / 48.3	\$ 14,142	15.0 / 8.7
ind por Unit 18 = MSZ-GE18NA-8	15+15+18	47 / 51.7	\$ 14,192	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA	15+15+24	52.3 / 58.6	\$ 14,368	15.0 / 8.7
\ \ \ \	15+18+18	49.7 / 55.1	\$ 14,243	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	15+18+24	54 / 60	\$ 14,418	15.0 / 8.7
	15+24+24	54 / 60	\$ 14,594	15.0 / 8.7
	18+18+18	52.3 / 58.6	\$ 14,293	15.0 / 8.7
MFZ SLZ PLA PEA(D), SEZ	18+18+24	54 / 60	\$ 14,469	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	18+24+24	54 / 60	\$ 14,644	15.0 / 8.7
please see the "Investment Option Worksheet"	_	•	_	

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance


please see "Investment Option Work sheet".



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



SYSTEM	INDCOR UNIT	CL / HT		SEER /		
STOTEIVI	COMBINATION	<b>∫</b> KBTU*	INVESTMENT	HSPF		
	\ \ \ \ / /	/ /				
M-Series (MXZ-4B36NA-1) Multi-Zone Split-ductless Heat Pump						
☑ Complete comfort with individual zone control	////					
☑ Easily accessible and long lasting washable filters	6+6+6+6	23.5 / 26.6	\$ 11,307	18 / 9.3		
☑ Easy, low cost installation	6+6+6+9	26.5 / 30.1	\$ 11,383	18 / 9.3		
☑ One wireless remote controller for each Indoor unit	6+0+6+12	29.5 / 33.7	\$ 11,533	18 / 9.3		
☑ Variable-speed Compressor technology	6+6+0+15	32.4 / 37.2	\$ 11,762	18 / 9.3		
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-futer	6+6+6+18	35.4 / 40.7	\$ 11,812	18 / 9.3		
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+6+24	36.4 / 43	\$ 11,988	18 / 9.3		
	6+6+9+9	29.5 / 33.7	\$ 11,459	18 / 9.3		
	6+6+9+12	32.4 / 37.2	\$ 11,609	18 / 9.3		
Indoor Unit 6 - MSZ-GE06NA-8	6+6+9+15	35.4 / 40.7	\$ 11,838	18 / 9.3		
Indoor Unit 9 = MSZ-GE09NA-8	6+9+18	36.4 / 43	\$ 11,888	18 / 9.3		
Indoor Unit 12 = MSZ-GE12NA-8	6+6+12+12	35.4 / 40.7	\$ 11,758	18 / 9.3		
Indoor Unit 15 = MSZ-GE19NA-8	6+6+12+15	36.4 / 43	\$ 11,987	18 / 9.3		
ing por Unit 18 = MSZ-GE18NA-8	6+6+12+18	36.4 / 43	\$ 12,038	18 / 9.3		
Indoor Unit 24 = MSZ-GE24NA	6+6+15+15	36.4 / 43	\$ 12,216	18 / 9.3		
	6+9+9+9	32.4 / 37.2	\$ 11,535	18 / 9.3		
Optional units: Floor or Ceiling Mount, Ceiling Ins. t, Ceiling Ducted	6+9+9+12	35.4 / 40.7	\$ 11,684	18 / 9.3		
	6+9+9+15	36.4 / 43	\$ 11,913	18 / 9.3		
	6+9+9+18	36.4 / 43	\$ 11,964	18 / 9.3		
MFZ SLZ PLA PEA(D), SEZ PCA	6+9+12+12	36.4 / 43	\$ 11,834	18 / 9.3		
To substitute the MSZ-GE Indoor Unit with one of the above	6+9+12+15	36.4 / 43	\$ 12,063	18 / 9.3		
please see the "Investment opt on Worksheet"	6+12+12+12	36.4 / 43	\$ 11,984	18 / 9.3		
Other options available:	9+9+9+9	35.4 / 40.7	\$ 11,610	18 / 9.3		
To substitute the MSZ-GE with the	9+9+9+12	36.4 / 43	\$ 11,760	18 / 9.3		
MSZ-FE with H Hyper Heat performance	9+9+9+15	36.4 / 43	\$ 11,989	18 / 9.3		
please see "Investment Option Vorksheet".	9+9+12+12	36.4 / 43	\$ 11,910	18 / 9.3		
(Note: PLA-A12 not an option)						



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- $\ensuremath{\,\boxtimes\,}$  New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



### MULTI-ZONE Hyper-Heating HP - 4 ZONES up to 3 TON

SYSTEM	INDCOR UNIT	CL / HT		SEER /
0101EIII	COMBINATION	KBTU*	INVESTMENT	HSPF
	$X \times Y$	' /		
M-Series (MXZ-4C36NAHZ) Multi-Zone Split-ductless	leat Rump	/		
☑ Complete comfort with individual zone control	$\setminus \setminus \setminus$		•	
☑ Easily accessible and long lasting washable filters	6+6+6+6	24 / 29.8	\$ 14,235	19.1 / 11.3
☑ Easy, low cost installation	6+6+6+9	27 / 33.6	\$ 14,311	19.1 / 11.3
☑ One wireless remote controller for each Indoor unit	6+6+6+12	30 / 37.4	\$ 14,461	19.1 / 11.3
☑ H²i Hyper-Heating performance	6+6+6+15	33 / 41.2	\$ 14,690	19.1 / 11.3
☑ Variable-speed Compressor technology	6+6+6+18	36 / 45	\$ 14,740	19.1 / 11.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+6+24	36 / 45	\$ 14,916	19.1 / 11.3
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6+6+9+9	30 / 37.4	\$ 14,387	19.1 / 11.3
Energy Star® rated (could qualify for Tax Credit)	6+6+9+12	33 / 41.2	\$ 14,536	19.1 / 11.3
	6+6+9+15	36 / 45	\$ 14,765	19.1 / 11.3
Indoor <sup>⊔</sup> r it € = MSZ-GE06NA-8	6+6+9+18	36 / 45	\$ 14,816	19.1 / 11.3
Indoor Unit 9 = MSZ-GE09N 4-8	6+6+9+24	36 / 45	\$ 14,992	19.1 / 11.3
Ind or Unit 12 = MSZ-GE12NA-8	6+6+12+12	36 / 45	\$ 14,686	19.1 / 11.3
inabor Unit 15 = MSZ-GE15NA-8	6+6+12+15	36 / 45	\$ 14,915	19.1 / 11.3
Indoor Unit 18 = MSZ-GE18NA-8	6+6+12+18	36 / 45	\$ 14,966	19.1 / 11.3
Indoor Unit 24 = MSZ-GE24NA	6+6+15+15	36 / 45	\$ 15,144	19.1 / 11.3
$\sim$ \ \	6+6+15+18	36 / 45	\$ 15,195	19.1 / 11.3
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+9+9+9	33 / 41.2	\$ 14,463	19.1 / 11.3
	6+9+9+12	36 / 45	\$ 14,612	19.1 / 11.3
	6+9+9+15	36 / 45	\$ 14,841	19.1 / 11.3
MFZ SLZ PLA PEAD SEZ	6+9+9+18	36 / 45	\$ 14,892	19.1 / 11.3
To substitute the MSZ-GE Indoor-Unit with one of the above	6+9+12+12	36 / 45	\$ 14,762	19.1 / 11.3
please see the "Investment Option Worksheet"	6+9+12+15	36 / 45	\$ 14,991	19.1 / 11.3
Other options available:	6+9+12+18	36 / 45	\$ 15,041	19.1 / 11.3
To substitute the MSZ-GF with the	6+9+15+15	36 / 45	\$ 15,220	19.1 / 11.3
MOZ EE MOZ EU ist 11 <sup>2</sup> ; 11 h 11 15 1	L.		•	

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Ortion Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



SYSTEM	INDCOR UNIT	CL / HT		SEER /
STSTEIVI	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF
	\ \	/		
M-Series (MXZ-5B42NA) Multi-Zone Split-ductless Heat	Pulip 🔪 🤝			
☑ Complete comfort with individual zone control	\ \ \ \ <i>\</i>			
☑ Easily accessible and long lasting washable filters	6+6+6+6	23.7 / 26.6	\$ 12,423	18.4 / 9.3
☑ Easy, low cost installation	6+6+6+9	26.7 / 30	\$ 12,499	18.4 / 9.3
☑ One wireless remote controller for each Indoor unit	6+0+6+12	29.7 / 33.5	\$ 12,649	18.4 / 9.3
☑ Variable-speed Compressor technology	6+6+6+15	32.7 / 37	\$ 12,878	18.4 / 9.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-futer	6+6+6+18	35.8 / 40.5	\$ 12,928	18.4 / 9.3
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+6+24	41.8 / 47.5	\$ 13,104	18.4 / 9.3
~ \ \	6+6+9+9	29.7 / 33.5	\$ 12,575	18.4 / 9.3
	6+6+9+12	32.7 / 37	\$ 12,725	18.4 / 9.3
Indoor Unit 6 - MSZ-GE06NA-8	6+6+9+15	35.8 / 40.5	\$ 12,954	18.4 / 9.3
Indoor Unit 9 = MSZ-GE09NA-8	6+6+9+18	38.8 / 44	\$ 13,004	18.4 / 9.3
Indoor Unit 12 = MSZ-GE12NA-8	6+6+9+24	43 / 51	\$ 13,180	18.4 / 9.3
Indoor Unit 15 = MSZ-GE15NA-8	6+6+12+12	35.8 / 40.5	\$ 12,874	18.4 / 9.3
Indoor Unit 13 = MSZ-GE18NA-8	6+6+12+15	38.8 / 44	\$ 13,103	18.4 / 9.3
Indoor Unit 24 = MSZ-GE24NA	6+6+12+18	41.8 / 47.5	\$ 13,154	18.4 / 9.3
\ \ \ \	6+6+12+24	43 / 53.6	\$ 13,329	18.4 / 9.3
Optional units: Floor or Ceiling Mount, Ceiling Inset, Ceiling Ducted	6+6+15+15	41.8 / 47.5	\$ 13,332	18.4 / 9.3
	6+6+15+18	43 / 51	\$ 13,383	18.4 / 9.3
	6+6+15+24	43 / 53.6	\$ 13,558	18.4 / 9.3
MFZ SLZ PLA PEA(D), SEZ PCA	6+6+18+18	43 / 53.6	\$ 13,433	18.4 / 9.3
To substitute the MSZ-GE Indoor Unit with one of the above	6+9+9+9	32.7 / 37	\$ 12,651	18.4 / 9.3
please see the "Investment Option Worksheet"	6+9+9+12	35.8 / 40.5	\$ 12,800	18.4 / 9.3
Other options available:	6+9+9+15	38.8 / 44	\$ 13,029	18.4 / 9.3
To substitute the MSZ-GE with the	6+9+9+18	41.8 / 47.5	\$ 13,080	18.4 / 9.3
MSZ-FE with H Hyper Heat performance	6+9+9+24	43 / 53.6	\$ 13,255	18.4 / 9.3
please see "Investment Option Worksheet".	6+9+12+12	38.8 / 44	\$ 12,950	18.4 / 9.3
(Note: PLA-A12 not an option)	6+9+12+15	41.8 / 47.5	\$ 13,179	18.4 / 9.3
	6+9+12+18	43 / 51	\$ 13,229	18.4 / 9.3
	6+9+12+24	43 / 53.6	\$ 13,405	18.4 / 9.3
MITSUBISHI	6+9+15+15	43 / 51	\$ 13,408	18.4 / 9.3
ELECTRIC	6+9+15+18	43 / 53.6	\$ 13,459	18.4 / 9.3
COOLING & HEATING			•	•

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- $\ensuremath{\,ert}$  New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



SYSTEM	INDCOR UNIT	CL / HT		SEER /
SISILIVI	COMBINATION	<b>∫</b> KBTU*	INVESTMENT	HSPF
	\ \ \ \ \ \ / \	/ /		
M-Series (MXZ-5B42NA) Multi-Zone Split-ductless He	at Pulipp			
☑ Complete comfort with individual zone control	111			
☑ Easily accessible and long lasting washable filters	6+9+18+18	43 / 53.6	\$ 13,509	18.4 / 9.3
☑ Easy, low cost installation	6-12+12+12	41.8 / 47.5	\$ 13,100	18.4 / 9.3
☑ One wireless remote controller for each Indoor unit	6+12+12+15	43 / 51	\$ 13,329	18.4 / 9.3
☑ Variable-speed Compressor technology	6+12+12+18	43 / 53.6	\$ 13,379	18.4 / 9.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+12+15+15	43 / 53.6	\$ 13,558	18.4 / 9.3
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+12+15+18	43 / 53.6	\$ 13,608	18.4 / 9.3
$\sim$ \ $^{\prime}$	6+15+15+15	43 / 53.6	\$ 13,787	18.4 / 9.3
/ \ \	9+9+9+9	35.8 / 40.5	\$ 12,726	18.4 / 9.3
Indoor Unit 6 - MSZ-GE06NA	9+9+9+12	38.8 / 44	\$ 12,876	18.4 / 9.3
Indoor Ut it \$ = MSZ-GE05NA	-8 +9+9+15	41.8 / 47.5	\$ 13,105	18.4 / 9.3
Indoor Unit 12 = MSZ-GE12NA	-8 9+9+9+18	43 / 51	\$ 13,156	18.4 / 9.3
Indportanit 15 = MSZ-GE15NA	-8 9+9+9+24	43 / 53.6	\$ 13,331	18.4 / 9.3
inc.por Unit 13 = MSZ-GE18NA	-8 9+9+12+12	41.8 / 47.5	\$ 13,026	18.4 / 9.3
Indoor Unit 24 = MSZ-GE24N	IA 9+9+12+15	43 / 51	\$ 13,255	18.4 / 9.3
\ \ \ \	9+9+12+18	43 / 53.6	\$ 13,305	18.4 / 9.3
Optional units: Floor or Ceiling Mount, Ceiling Insut, Ceiling Ducted	9+9+15+15	43 / 53.6	\$ 13,484	18.4 / 9.3
	9+9+15+18	43 / 53.6	\$ 13,534	18.4 / 9.3
	9+12+12+12	43 / 51	\$ 13,175	18.4 / 9.3
MFZ SLZ PLA PEA(D), SEZ PCA	9+12+12+15	43 / 53.6	\$ 13,404	18.4 / 9.3
To substitute the MSZ-GE Indoor Unit both one of the above	9+12+12+18	43 / 53.6	\$ 13,455	18.4 / 9.3
please see the "Investment option Worksheet"	9+12+15+15	43 / 53.6	\$ 13,633	18.4 / 9.3
Other options available:	12+12+12+12	43 / 53.6	\$ 13,325	18.4 / 9.3
To substitute the MSZ-GE with the	12+12+12+15	43 / 53.6	\$ 13,554	18.4 / 9.3

MSZ-FE with H Hyper Heat performance please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE Hyper-Heating HP - 4 ZONES up to 3.5 TON

		INDCOR UNIT	CL / HT		SEED /	
SYSTEM	^	COMBINATION	CL/HI /\KBTU*	INVESTMENT	SEER / HSPF	
	_	COMBINATION	<del>/ )</del>	INVESTIMENT	11011	
M-Series (MXZ-5C42NAHZ) Multi-Zone Split-ductless Heat Rump						
	S IN GO	at Rullip				
☑ Complete comfort with individual zone control	٠,١		T 04 / 00 7	1 - 4 - 004	ا د د د د دا	
☑ Easily accessible and long lasting washable filters	_	6+6+6+6	24 / 29.7	\$ 15,601	19.0 / 11.0	
☑ Easy, low cost installation	-	6+6+6+9	27 / 33.5	\$ 15,677	19.0 / 11.0	
☑ One wireless remote controller for each Indoor unit		6+0+6+12	30 / 37.3	\$ 15,827	19.0 / 11.0	
☑ H²i Hyper-Heating performance		6+6+6+15	33 / 41.2	\$ 16,056	19.0 / 11.0	
✓ Variable-speed Compressor technology		6+6+6+18	36 / 45	\$ 16,106	19.0 / 11.0	
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	\ L	6+6+6+24	42 / 48	\$ 16,282	19.0 / 11.0	
☑ 7-Year compressor, 5-Year parts, 1-Year labor		6+6+9+9	30 / 37.3	\$ 15,753	19.0 / 11.0	
Energy Star® rated (could qualify for Tax Credit)	4	6+6+9+12	33 / 41.2	\$ 15,902	19.0 / 11.0	
		6+6+9+15	36 / 45	\$ 16,132	19.0 / 11.0	
Indoor ''rit € = MSZ-GE06N.	A-8	6+9+18	39 / 46.5	\$ 16,182	19.0 / 11.0	
Indoor Unit 9 = MSZ-GE09N	A-8	6+6+9+24	42 / 48	\$ 16,358	19.0 / 11.0	
Indoor Jonit 12 = MSZ-GE12N	A-8	6+6+12+12	36 / 45	\$ 16,052	19.0 / 11.0	
ind por Unit 15 = MSZ-GE15N.	A-8	6+6+12+15	39 / 46.5	\$ 16,281	19.0 / 11.0	
Indoor Unit 18 = MSZ GE18N	A-8	6+6+12+18	42 / 48	\$ 16,332	19.0 / 11.0	
Indoor Unit 24 = MSZ-GE24	NA	6+6+12+24	42 / 48	\$ 16,507	19.0 / 11.0	
$\sim$ / /		6+6+15+15	42 / 48	\$ 16,510	19.0 / 11.0	
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted		6+6+15+18	42 / 48	\$ 16,561	19.0 / 11.0	
		6+6+15+24	42 / 48	\$ 16,736	19.0 / 11.0	
		6+6+18+18	42 / 48	\$ 16,611	19.0 / 11.0	
MFZ SLZ PLA PEAD SEZ		6+6+18+24	42 / 48	\$ 16,787	19.0 / 11.0	
To substitute the MSZ-GE Indoor unit with one of the above		6+9+9+9	33 / 41.2	\$ 15,829	19.0 / 11.0	
please see the "Investment Ortion Worksheet"		6+9+9+12	36 / 45	\$ 15,978	19.0 / 11.0	
Other options available:		6+9+9+15	39 / 46.5	\$ 16,207	19.0 / 11.0	
To substitute the MSZ-GF with the		6+9+9+18	42 / 48	\$ 16,258	19.0 / 11.0	
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating		6+9+9+24	42 / 48	\$ 16,433	19.0 / 11.0	
please see the "Investment Option Worksheet".		6+9+12+12	39 / 46.5	\$ 16,128	19.0 / 11.0	
		6+9+12+15	42 / 48	\$ 16,357	19.0 / 11.0	
		6+9+12+18	42 / 48	\$ 16,407	19.0 / 11.0	
ANTOLIDICUI		6+9+12+24	42 / 48	\$ 16,583	19.0 / 11.0	
ELECTRIC		6+9+15+15	42 / 48	\$ 16,586	19.0 / 11.0	
COOLING & HEATING	Ш.	0 0 .0 .10	, .		.0.0 / 11.0	

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- $\ensuremath{\,\boxtimes\,}$  Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

 $^\star BTUs$  are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE Hyper-Heating HP - 4 ZONES up to 3.5 TON

SYSTEM	INDCOR UNIT	CL/HT	INIVEOTMENT	SEER /
7.3.2	COMBINATION	KBTU*	INVESTMENT	HSPF
	$\mathbb{Z} \setminus \mathbb{Z}$	/ /		
M-Series (MXZ-5C42NAHZ) Multi-Zone Split-ductless	Heat Rump	/		
☑ Complete comfort with individual zone control				i i
☑ Easily accessible and long lasting washable filters	6+9+15+18	42 / 48	\$ 16,637	19.0 / 11.0
☑ Easy, low cost installation	6+9+15+24	42 / 48	\$ 16,812	19.0 / 11.0
☑ One wireless remote controller for each Indoor unit	6+9+18+18	42 / 48	\$ 16,687	19.0 / 11.0
☑ H²i Hyper-Heating performance	6+12+12+12	42 / 48	\$ 16,277	19.0 / 11.0
☑ Variable-speed Compressor technology	6+12+12+15	42 / 48	\$ 16,507	19.0 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+12+12+18	42 / 48	\$ 16,557	19.0 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6+12+12+24	42 / 48	\$ 16,733	19.0 / 11.0
Energy Star® rated (could qualify for Tax Credit)	6+12+15+15	42 / 48	\$ 16,736	19.0 / 11.0
	6+12+15+18	42 / 48	\$ 16,786	19.0 / 11.0
Indoor Urit ( = MSZ-GE0eNA-	-8 6-12+18+18	42 / 48	\$ 16,837	19.0 / 11.0
Indoor Unit 9 = MSZ-GE09NA	-8 6+15+15+15	42 / 48	\$ 16,965	19.0 / 11.0
Indoor brit 12 = MSZ-GE12NA	-8 6+15+15+18	42 / 48	\$ 17,015	19.0 / 11.0
ing por Unit 15 = MSZ-GE15NA	-8 9+9+9+9	36 / 45	\$ 15,904	19.0 / 11.0
Indoor Unit 18 = MSZ-GE18NA	-8 9+9+9+12	39 / 46.5	\$ 16,054	19.0 / 11.0
Indoor Unit 24 = MSZ-GE24N	A 9+9+9+15	42 / 48	\$ 16,283	19.0 / 11.0
$\sim$ \ \	9+9+9+18	42 / 48	\$ 16,334	19.0 / 11.0
Optional units: Floor Mount, Ceiling Inset Ceiling Ducted	9+9+9+24	42 / 48	\$ 16,509	19.0 / 11.0
	9+9+12+12	42 / 48	\$ 16,204	19.0 / 11.0
	9+9+12+15	42 / 48	\$ 16,433	19.0 / 11.0
MFZ SLZ PLA PEAD SEZ	9+9+12+18	42 / 48	\$ 16,483	19.0 / 11.0
To substitute the MSZ-GE Indoor onit with one of the above	9+9+12+24	42 / 48	\$ 16,659	19.0 / 11.0
please see the "Investment Option Worksheet"	9+9+15+15	42 / 48	\$ 16,662	19.0 / 11.0
Other options available:	9+9+15+18	42 / 48	\$ 16,712	19.0 / 11.0
To substitute the MSZ-GF with the	9+9+18+18	42 / 48	\$ 16,763	19.0 / 11.0
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	9+12+12+12	42 / 48	\$ 16,353	19.0 / 11.0
please see the "Investment Option Worksheet".	9+12+12+15	42 / 48	\$ 16,582	19.0 / 11.0
	9+12+12+18	42 / 48	\$ 16,633	19.0 / 11.0
	9+12+15+15	42 / 48	\$ 16,811	19.0 / 11.0
MITCH IDICHI	9+12+15+18	42 / 48	\$ 16,862	19.0 / 11.0
ELECTRIC	9+15+15+15	42 / 48	\$ 17,040	19.0 / 11.0
COOLING & HEATING			, -	

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



### MULTI-ZONE Hyper-Heating HP - 4 ZONES up to 3.5 TON

SYSTEM		INDCOR UNIT	CL / HT		SEER /
STOTEW	$\Delta$	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF

12+12+12+12

12+12+12+15

12+12+12-18

12+12+15+15

42 / 48

42 / 48

42 / 48

42 / 48

\$

\$

\$

### M-Series (MXZ-5C42NAHZ) Multi-Zone Split-ductless Heat Rump

- $\ensuremath{\,\boxtimes\,}$  Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ H²i Hyper-Heating performance
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filt
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor



Energy Star® rated (could qualify for Tax Gedit)

Indoor Unit 12 = MSZ-GE12NA-8 Indoor Unit 15 = MSZ-GE15NA-8 Indoor Unit 18 = MSZ-GE18NA-8



Optional units: Floor Mount, Ceiling Inset Ceiling Ducted



To substitute the MSZ-GE Indoor Snit with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- \*BTUs are approximate and are calculated using Mitsubishi's Product Guides.

Licensed to The Best Heating & Airunder the Grant of License terms of the Home Comfort User License Agreement.



**16,503** 19.0 / 11.0

19.0 / 11.0

19.0 / 11.0

19.0 / 11.0

16,732

16,782

16,961

# MULTI-ZONE Hyper-Heating HP - 4 ZONES up to 4 TON

	<del>/</del>					
SYSTEM	INDCOR UNIT	CL / HT	INIVESTMENT	SEER /		
	COMBINATION	KBTU*	INVESTMENT	HSPF		
	$\times$ $\times$ $\times$	' /				
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless Heat Rump						
☑ Complete comfort with individual zone control	$\setminus \setminus \setminus$					
☑ Easily accessible and long lasting washable filters	6+6+6	24 / 29.5	\$ 16,359	18.9 / 11.0		
☑ Easy, low cost installation	6+6+6+9	27 / 33.4	\$ 16,435	18.9 / 11.0		
☑ One wireless remote controller for each Indoor unit	6+0+6+12	30 / 37.3	\$ 16,585	18.9 / 11.0		
☑ H²i Hyper-Heating performance	6+6+6+15	33 / 41.1	\$ 16,814	18.9 / 11.0		
✓ Variable-speed Compressor technology	6+6+6+18	36 / 45	\$ 16,864	18.9 / 11.0		
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+6+24	42 / 48	\$ 17,040	18.9 / 11.0		
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6+6+9+9	30 / 37.3	\$ 16,511	18.9 / 11.0		
Energy Star® rated (could qualify for Tax Credit)	6+6+9+12	33 / 41.1	\$ 16,660	18.9 / 11.0		
	6+6+9+15	36 / 45	\$ 16,889	18.9 / 11.0		
Indoor Ur it ( = MSZ-GE06NA-8	6+9+18	39 / 46.5	\$ 16,940	18.9 / 11.0		
Indoor Unit 9 = MSZ-GE09NA-8	6+6+9+24	45 / 51	\$ 17,115	18.9 / 11.0		
Indport init 12 = MSZ-GE12NA-8	6+6+12+12	36 / 45	\$ 16,810	18.9 / 11.0		
ind por Unit 15 = MSZ-GE15NA-8	6+6+12+15	39 / 46.5	\$ 17,039	18.9 / 11.0		
Indoor Unit 18 = MSZ-GE18NA-8	6+6+12+18	42 / 48	\$ 17,090	18.9 / 11.0		
indoor Unit 24 = MSZ-GE24NA	6+6+12+24	48 / 54	\$ 17,265	18.9 / 11.0		
$\sim$ \ \	6+6+15+15	42 / 48	\$ 17,268	18.9 / 11.0		
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+15+18	45 / 51	\$ 17,319	18.9 / 11.0		
	6+6+15+24	48 / 54	\$ 17,494	18.9 / 11.0		
	6+6+18+18	48 / 54	\$ 17,369	18.9 / 11.0		
MFZ SLZ PLA PEAD SEZ	6+6+18+24	48 / 54	\$ 17,545	18.9 / 11.0		
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+24+24	48 / 54	\$ 17,720	18.9 / 11.0		
please see the "Investment Option Worksheet"	6+9+9+9	33 / 41.1	\$ 16,586	18.9 / 11.0		
Other options available:	6+9+9+12	36 / 45	\$ 16,736	18.9 / 11.0		
To substitute the MSZ-GF with the	6+9+9+15	39 / 46.5	\$ 16,965	18.9 / 11.0		
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	6+9+9+18	42 / 48	\$ 17,016	18.9 / 11.0		
please see the "Investment Option Vorksheet".	6+9+9+24	48 / 54	\$ 17,191	18.9 / 11.0		
	6+9+12+12	39 / 46.5	\$ 16,886	18.9 / 11.0		
	6+9+12+15	42 / 48	\$ 17,115	18.9 / 11.0		
MITSUBISHI	6+9+12+18	45 / 51	\$ 17,165	18.9 / 11.0		
ELECTRIC	6+9+12+24	48 / 54	\$ 17,341	18.9 / 11.0		

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit

COOLING & HEATING

- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE Hyper-Heating HP - 4 ZONES up to 4 TON

To substitute the MSZ-GF with he 9+9+9+24 48 / 54 \$ 17,267   18.9 / 11.0 MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating 9+9+12+12 42 / 48 \$ 16,961   18.9 / 11.0		——————————————————————————————————————	<u> </u>		
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless ideat Pump  □ Complete comfort with individual zone control □ Easily accessible and long lasting washable filters □ Easy, low cost installation □ One wireless remote controller for each Indoor unit □ H² Hyper-Heating performance □ Variable-speed Compressor technology □ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter □	SYSTEM			INIVESTMENT	
□ Complete comfort with individual zone control □ Easily accessible and long lasting washable filters □ Easy, low cost installation □ One wireless remote controller for each Indoor unit □ H²i Hyper-Heating performance □ H²i Hyper-Heating performance □ Variable-speed Compressor technology □ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter □ 7-Year compressor, 5-Year parts, 1-Year labor □ 7-Year compressor, 5-Year parts, 1-Year labor □ 10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		COMBINATION	BIU	INVESTIVIENT	порг
□ Complete comfort with individual zone control □ Easily accessible and long lasting washable filters □ Easy, low cost installation □ One wireless remote controller for each Indoor unit □ H²i Hyper-Heating performance □ H²i Hyper-Heating performance □ Variable-speed Compressor technology □ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter □ 7-Year compressor, 5-Year parts, 1-Year labor □ 7-Year compressor, 5-Year parts, 1-Year labor □ 10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	M Ocales (MVZ 0040NAUZ) Molti Zana Ocali docales	$\Delta \Delta $	7		
Easily accessible and long lasting washable filters  ☑ Easy, low cost installation ☑ One wireless remote controller for each Indoor unit ☑ H²i Hyper-Heating performance ☑ Variable-speed Compressor technology ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter ☑ 7-Year compressor, 5-Year parts, 1-Year labor ☑ Farsy Star® rated (could qualify for Tax Cfedit) ☐ Indoor Unit 9 ∈ MSZ-GE00NA-8 Indoor Unit 9 ∈ MSZ-GE00NA-8 Indoor Unit 9 ∈ MSZ-GE00NA-8 Indoor Unit 1 = MSZ-GE00NA-8 Indoor Unit 1 = MSZ-GE01NA-8 Indoor Unit 1 = MSZ-GE1SNA-8 Indoor Unit 1 = MSZ-	·	leat Rump	/		
✓ Easy, low cost installation       6+9+15+18       48/54       \$ 17,394       18.9/11.0         ✓ One wireless remote controller for each Indoor unit       6+9+15+24       48/54       \$ 17,570       18.9/11.0         ✓ H²i Hyper-Heating performance       0+9+16+18       48/54       \$ 17,445       18.9/11.0         ✓ Variable-speed Compressor technology       6+9+18+24       48/54       \$ 17,620       18.9/11.0         ✓ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter       6+9+12+12+12       42/48       \$ 17,035       18.9/11.0         ✓ 7-Year compressor, 5-Year parts, 1-Year labor       6+12+12+15       45/51       \$ 17,264       18.9/11.0         Energy Star® rated (could qualify for Tax C fedit)       6+12+12+18       48/54       \$ 17,315       18.9/11.0         Indoor Unit 9 = MSZ-GEONA-8 Indoor Unit 9 = MSZ-GEONA-8 Indoor Unit 18 = MSZ-GEONA-8 Indoor Unit 18 = MSZ-GETSNA-8 Indoor Unit 18	•	$\mathcal{N} \mathcal{N} \mathcal{N}$		1	
☑ One wireless remote controller for each Indoor unit         6+9⋅15⋅24         48/54         \$ 17,570         18.9/11.0           ☑ H²i Hyper-Heating performance         0 49+16⋅18         48/54         \$ 17,445         18.9/11.0           ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter         6+9+18+24         48/54         \$ 17,020         18.9/11.0           ☑ 7-Year compressor, 5-Year parts, 1-Year labor         6+12+12+15         45/51         \$ 17,264         18.9/11.0           ☑ Energy Star® rated (could qualify for Tax Q edit)         6+12+12+12         48/54         \$ 17,315         18.9/11.0           ☐ hobor Unit 1 = MSZ-GEONN-8 Indoor Unit 1 = MSZ-GEONN-8 Indoor Unit 1 = MSZ-GETENN-8 Indoor Unit 24 = MSZ-GETENN-8 Indoor Unit 24 = MSZ-GEDENN-8 In					
✓ H²i Hyper-Heating performance       6+9+16+18       48/54       \$ 17,445       18.9/11.0         ✓ Variable-speed Compressor technology       6+9+18+24       48/54       \$ 17,620       18.9/11.0         ✓ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter       6+9+18+24       48/54       \$ 17,035       18.9/11.0         ✓ 7-Year compressor, 5-Year parts, 1-Year labor       6+12+12+115       45/51       \$ 17,264       18.9/11.0         Indoor Lift for Tax Credity       6+12+12+12       42/48       \$ 17,315       18.9/11.0         Indoor Lift for Tax Credity       6+12+12+12       48/54       \$ 17,315       18.9/11.0         Indoor Lift for My Lift for Tax Credity       6+12+15+15       48/54       \$ 17,490       18.9/11.0         Indoor Lift for My Lift for Tax Credity       6+12+15+15       48/54       \$ 17,490       18.9/11.0         Indoor Lift for My Lift for Tax Credity       6+12+15+15       48/54       \$ 17,490       18.9/11.0         Indoor Lift for My Lift for Tax Credity       6+12+15+15       48/54       \$ 17,793       18.9/11.0         Indoor Lift for My Lift for Tax Credity       6+12+18+18       48/54       \$ 17,779       18.9/11.0         Indoor Lift for Tax Credity       6+12+18+18       48/54       \$ 17,773       18.9/11.0	· · · · · · · · · · · · · · · · · · ·	<b>— 1</b> — 1			
☑ Variable-speed Compressor technology       6 9+18+24       48 / 54       \$ 17,620       18.9 / 11.0         ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter       6 + 12+12+12       42 / 48       \$ 17,035       18.9 / 11.0         ☑ 7-Year compressor, 5-Year parts, 1-Year labor       6 + 12+12+15       45 / 51       \$ 17,264       18.9 / 11.0         Energy Star® rated (could qualify for Tax C fedit)       6 + 12+12+18       48 / 54       \$ 17,315       18.9 / 11.0         Indoor Unit 6 = MSA_GE00NA8       6 12+15+15       48 / 54       \$ 17,490       18.9 / 11.0         Indoor Unit 9 = MSZ-GE09NA8       6 12+15+15       48 / 54       \$ 17,743       18.9 / 11.0         Indoor Unit 1 = MSZ-GE18NA8       6 + 12+15+24       48 / 54       \$ 17,779       18.9 / 11.0         Indoor Unit 1 = MSZ-GE18NA8       6 + 12+18+24       48 / 54       \$ 17,779       18.9 / 11.0         Indoor Unit 24 = MSZ-GE24NA       6 + 12+18+24       48 / 54       \$ 17,773       18.9 / 11.0         Optional units: Floor Mount, Celling Inset, Celling Ducted       6 + 15+15+15       48 / 54       \$ 17,773       18.9 / 11.0         MFZ       SLZ       PLA       PEAID       EZ       9 + 9 + 9 + 9 + 3       36 / 45       \$ 17,874       18.9 / 11.0         Optional units: Floor Mount, Celling In	1 🗪	_ \ \		, ,	
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter ☑ 7-Year compressor, 5-Year parts, 1-Year labor ☐ Energy Star® rated (could qualify for Tax Ofedit) ☐ Energy Star® rated (could qualify for Tax Ofedit) ☐ Energy Star® rated (could qualify for Tax Ofedit) ☐ Energy Star® rated (could qualify for Tax Ofedit) ☐ Energy Star® rated (could qualify for Tax Ofedit) ☐ 6+12+12+18	The second secon				
Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Indoor Hait t = MSZ-GE00NA-8 Indoor Unit 9 = MSZ-GE00NA-8 Indoor Unit 9 = MSZ-GE00NA-8 Indoor Unit 12 = MSZ-GE18NA-8 Indoor Unit 12 = MSZ-GE18NA-8 Indoor Unit 13 = MSZ-GE18NA-8 Indoor Unit 14 = MSZ-GE18NA-8 Indoor Unit 18 = MSZ-GE18NA-8 Indoor Unit 24 = MSZ-GE24NA  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could qualify for Tax C edit)  Energy Star® rated (could edit)  Energy Star® rate date for 17,400 las.9/11.0  Energy Star® rated (could edit)  Energy Star® rated (could edit)  Energy Star® rate date for 17,400 las.9/11.0  Ener			48 / 54	, ,	
Energy Star® rated (could qualify for Tax Credit)    6+12+12+18	<b>,</b> ,	/ /	42 / 48	<u> </u>	
Indoor Unit 9 = MSZ-GEONA-8   6+12+15+15   48 / 54   \$ 17,490   18.9 / 11.0	☑ 7-Year compressor, 5-Year parts, 1-Year labor		45 / 51	\$ 17,264	18.9 / 11.0
Indoor Unit 9 = MSZ-GEDNA-8 Indoor Unit 9 = MSZ-GEDNA-8 Indoor Unit 12 = MSZ-GEDNA-8 Indoor Unit 12 = MSZ-GEDNA-8 Indoor Unit 13 = MSZ-GEDNA-8 Indoor Unit 15 = MSZ-GEDNA-8 Indoor Unit 15 = MSZ-GEDNA-8 Indoor Unit 18 = MSZ-GE1SNA-8 Indoor Unit 18 = MSZ-GE1SNA-8 Indoor Unit 24 = MSZ-GE24NA Indoor Unit 24 = MSZ-	Energy Star® rated (could qualify for Tax Credit)	<b>—</b>		, ,	
Indoor Unit 9 = MSZ-CE09NA-8   6+12+15+18   48 / 54   \$ 17,544   18.9 / 11.0	$\langle \wedge \rangle$		48 / 54		
Indoor	Indoor └└r it € = MSZ-GE0bNA-8	6+12+15+15	48 / 54	\$ 17,493	18.9 / 11.0
Include   Unit 1   = MSZ-GE15NA-8   6+12+18+18   48 / 54   \$ 17,594   18.9 / 11.0     Indoor Unit 18 = MSZ-GE18NA-8   6+12+18+24   48 / 54   \$ 17,770   18.9 / 11.0     Indoor Unit 24 = MSZ-GE24NA   6+15+15+15   48 / 54   \$ 17,773   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+18   48 / 54   \$ 17,773   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+18   48 / 54   \$ 17,949   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+18+18   48 / 54   \$ 17,949   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+18+18   48 / 54   \$ 17,824   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+18+18   48 / 54   \$ 17,824   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+18+18   48 / 54   \$ 17,824   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+18+18   48 / 54   \$ 17,824   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+15   48 / 54   \$ 17,949   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+15   48 / 54   \$ 17,949   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+15   48 / 54   \$ 17,949   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+15   48 / 54   \$ 17,949   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted   6+15+15+15   48 / 54   \$ 17,949   18.9 / 11.0     Optional units: Floor Mount, Ceiling Inset,	Indoor Unit 9 = MSZ-GE09NA-8	6+12+15+18	48 / 54	\$ 17,544	18.9 / 11.0
Indoor Unit 18 = MSZ_GE18NA-8   6+12+18+24   48 / 54   \$ 17,770   18.9 / 11.0   6+15+15+15   48 / 54   \$ 17,773   18.9 / 11.0   6+15+15+18   48 / 54   \$ 17,773   18.9 / 11.0   6+15+15+18   48 / 54   \$ 17,773   18.9 / 11.0   6+15+15+18   48 / 54   \$ 17,773   18.9 / 11.0   6+15+15+18   48 / 54   \$ 17,949   18.9 / 11.0   6+15+18+18   48 / 54   \$ 17,824   18.9 / 11.0   6+18+18+18   48 / 54   \$ 17,824   18.9 / 11.0   6+18+18+18   48 / 54   \$ 17,874   18.9 / 11.0   6+18+18+18   48 / 54   \$ 17,874   18.9 / 11.0   6+18+18+18   48 / 54   \$ 16,662   18.9 / 11.0   18.9 / 11.0   6+18+18+18   48 / 54   \$ 16,662   18.9 / 11.0   6+18+18+18   48 / 54   \$ 17,041	Ind or 15 nit 12 = MSZ-GE12NA-8	6+12+15+24	48 / 54	\$ 17,719	18.9 / 11.0
Optional units: Floor Mount, Ceiling Insel, Ceiling Ducted   6+15+15+18   48 / 54   \$ 17,773   18.9 / 11.0	indbor Unit 15 = MSZ-GE15NA-8	6+12+18+18	48 / 54	\$ 17,594	18.9 / 11.0
Optional units: Floor My unt, Ceiling Inset, Ceiling Ducted  6+15+15+18	Indoor Unit 18 = MSZ-GE18NA-8	6+12+18+24	48 / 54	\$ 17,770	18.9 / 11.0
Optional units: Floor My unt, Ceiling Insets Ceiling Ducted         6+15+15+24       48 / 54       \$ 17,949       18.9 / 11.0         6+15+18+18       48 / 54       \$ 17,824       18.9 / 11.0         6+18+18+18       48 / 54       \$ 17,874       18.9 / 11.0         6+18+18+18       48 / 54       \$ 17,824       18.9 / 11.0         6+18+18+18       48 / 54       \$ 17,874       18.9 / 11.0         6+18+18+18       48 / 54       \$ 17,874       18.9 / 11.0         9+9+9+9+9       36 / 45       \$ 16,662       18.9 / 11.0         9+9+9+12       39 / 46.5       \$ 16,812       18.9 / 11.0         9+9+9+15       42 / 48       \$ 17,041       18.9 / 11.0         9+9+9+15       42 / 48       \$ 17,041       18.9 / 11.0         MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating please see the "Investment Option Worksheet".       9+9+12+12       42 / 48       \$ 16,961       18.9 / 11.0         9+9+12+18       48 / 54       \$ 17,241       18.9 / 11.0         9+9+12+18       48 / 54       \$ 17,417       18.9 / 11.0         9+9+12+24       48 / 54       \$ 17,417       18.9 / 11.0         9+9+12+24       48 / 54       \$ 17,417       18.9 / 11.0         9+9+12+24       48 / 5	Indoor Unit 24 = MSZ-GE24NA	6+15+15+15	48 / 54	\$ 17,723	18.9 / 11.0
6+15+18+18	$\sim$ \ \	6+15+15+18	48 / 54	\$ 17,773	18.9 / 11.0
MFZ SLZ PLA PEAID SEZ  To substitute the MSZ-GE Indoor Snit with one of the above please see the "Invistment Option Worksheet"  Other options available:  To substitute the MSZ-GE with the MSZ-GE with the MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating please see the "Investment Option Worksheet"  MTSUBISH  6+18+18+18  48 / 54  \$ 17,874  18.9 / 11.0  9+9+9+9+  36 / 45  \$ 16,662  18.9 / 11.0  9+9+9+15  42 / 48  \$ 17,041  18.9 / 11.0  9+9+9+12+12  42 / 48  \$ 17,091  18.9 / 11.0  9+9+12+12  42 / 48  \$ 16,961  18.9 / 11.0  9+9+12+15  45 / 51  \$ 17,191  18.9 / 11.0  9+9+12+18  48 / 54  \$ 17,241  18.9 / 11.0  9+9+12+18  48 / 54  \$ 17,417  18.9 / 11.0  9+9+12+18  9+9+12+18  48 / 54  \$ 17,420  18.9 / 11.0	Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+15+15+24	48 / 54	\$ 17,949	18.9 / 11.0
MFZ       SLZ       PLA       PEAID SEZ       9+9+9+9       36 / 45       \$ 16,662       18.9 / 11.0         To substitute the MSZ-GE Indoor Unit with one of the above plc ase see the "Investment Ortion Worksheet"       9+9+9+12       39 / 46.5       \$ 16,812       18.9 / 11.0         Other options available:       9+9+9+15       42 / 48       \$ 17,041       18.9 / 11.0         To substitute the MSZ-GF with the MSZ-GF with the MSZ-FE or MSZ-FH with H²i Hyper-Heating please see the "Investment Ortion Worksheet".       9+9+9+24       48 / 54       \$ 16,961       18.9 / 11.0         9+9+12+15       45 / 51       \$ 17,191       18.9 / 11.0         9+9+12+18       48 / 54       \$ 17,241       18.9 / 11.0         9+9+12+24       48 / 54       \$ 17,417       18.9 / 11.0         9+9+12+18       48 / 54       \$ 17,417       18.9 / 11.0         9+9+12+24       48 / 54       \$ 17,417       18.9 / 11.0         9+9+12+15       48 / 54       \$ 17,417       18.9 / 11.0		6+15+18+18	48 / 54	\$ 17,824	18.9 / 11.0
To substitute the MSZ-GE Indoor Snit with one of the above please see the "Investment Ortion Worksheet"  Other options available:  To substitute the MSZ-GF with he  MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating please see the "Investment Ortion Worksheet"  MISUBISH  To substitute the MSZ-GF with he  9+9+9+15  42 / 48  17,041  18.9 / 11.0  9+9+9+24  48 / 54  17,267  18.9 / 11.0  9+9+12+12  42 / 48  16,961  18.9 / 11.0  9+9+12+15  45 / 51  9+9+12+15  45 / 51  17,191  18.9 / 11.0  9+9+12+18  48 / 54  17,241  18.9 / 11.0  9+9+12+24  48 / 54  17,417  18.9 / 11.0  9+9+12+24  48 / 54  17,417  18.9 / 11.0		6+18+18+18	48 / 54	\$ 17,874	18.9 / 11.0
plcase see the "Inv stinent Ortion Worksheet"         9+9+9+15         42 / 48         \$ 17,041         18.9 / 11.0           Other options available:         9+9+9+18         45 / 51         \$ 17,091         18.9 / 11.0           To substitute the MSZ-GF with the         9+9+9+24         48 / 54         \$ 17,267         18.9 / 11.0           MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating please see the "Investment Option Worksheet".         9+9+12+12         42 / 48         \$ 16,961         18.9 / 11.0           9+9+12+18         48 / 54         \$ 17,417         18.9 / 11.0           9+9+12+24         48 / 54         \$ 17,417         18.9 / 11.0           9+9+12+15         48 / 54         \$ 17,420         18.9 / 11.0	MFZ SLZ PLA PEAD SEZ	9+9+9+9	36 / 45	\$ 16,662	18.9 / 11.0
please see the "Investment Ortion Worksheet"       9+9+9+15       42 / 48       \$ 17,041       18.9 / 11.0         Other options available:       9+9+9+18       45 / 51       \$ 17,091       18.9 / 11.0         To substitute the MSZ-GF with the MSZ-GF with the MSZ-FF or MSZ-FH with H <sup>2</sup> i Hyper-Heating please see the "Investment Ortion Worksheet".       9+9+12+12       42 / 48       \$ 16,961       18.9 / 11.0         9+9+12+15       45 / 51       \$ 17,191       18.9 / 11.0         9+9+12+18       48 / 54       \$ 17,241       18.9 / 11.0         9+9+12+24       48 / 54       \$ 17,417       18.9 / 11.0         9+9+15+15       48 / 54       \$ 17,420       18.9 / 11.0	To substitute the MSZ-GE Indoor Unit with one of the above	9+9+9+12	39 / 46.5	\$ 16,812	18.9 / 11.0
To substitute the MSZ-GF with he  MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating please see the "Investment Option Worksheet".  9+9+9+24 48 / 54 \$ 17,267 18.9 / 11.0 9+9+12+12 42 / 48 \$ 16,961 18.9 / 11.0 9+9+12+15 45 / 51 \$ 17,191 18.9 / 11.0 9+9+12+24 48 / 54 \$ 17,241 18.9 / 11.0 9+9+12+24 48 / 54 \$ 17,417 18.9 / 11.0 9+9+15+15 48 / 54 \$ 17,420 18.9 / 11.0		9+9+9+15	42 / 48	\$ 17,041	18.9 / 11.0
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating 9+9+12+12 42 / 48 \$ 16,961 18.9 / 11.0 please see the "Investment Option Worksheet". 9+9+12+15 45 / 51 \$ 17,191 18.9 / 11.0 9+9+12+18 48 / 54 \$ 17,241 18.9 / 11.0 9+9+12+24 48 / 54 \$ 17,417 18.9 / 11.0 9+9+15+15 48 / 54 \$ 17,420 18.9 / 11.0	Other options available:	9+9+9+18	45 / 51	\$ 17,091	18.9 / 11.0
please see the "Investment Oution Worksheet".       9+9+12+15       45 / 51       \$ 17,191       18.9 / 11.0         9+9+12+18       48 / 54       \$ 17,241       18.9 / 11.0         9+9+12+24       48 / 54       \$ 17,417       18.9 / 11.0         9+9+15+15       48 / 54       \$ 17,420       18.9 / 11.0	To substitute the MSZ-GF with the	9+9+9+24	48 / 54	\$ 17,267	18.9 / 11.0
please see the "Investment Oution Worksheet".       9+9+12+15       45 / 51       \$ 17,191       18.9 / 11.0         9+9+12+18       48 / 54       \$ 17,241       18.9 / 11.0         9+9+12+24       48 / 54       \$ 17,417       18.9 / 11.0         9+9+15+15       48 / 54       \$ 17,420       18.9 / 11.0	MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	9+9+12+12	42 / 48	\$ 16,961	18.9 / 11.0
9+9+12+24 48 / 54 <b>\$ 17,417</b> 18.9 / 11.0 • MITSUBISHI 9+9+15+15 48 / 54 <b>\$ 17,420</b> 18.9 / 11.0	please see the "Investment Ortion Worksheet".	9+9+12+15	45 / 51	\$ 17,191	18.9 / 11.0
9+9+15+15 48 / 54 <b>\$ 17,420</b> 18.9 / 11.0		9+9+12+18	48 / 54	\$ 17,241	18.9 / 11.0
WII TOUBISTII		9+9+12+24	48 / 54	\$ 17,417	18.9 / 11.0
MITODOON	MITS IRISHI	9+9+15+15	48 / 54		18.9 / 11.0
	ELECTRIC "	9+9+15+18	48 / 54	\$ 17,470	18.9 / 11.0

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit

COOLING & HEATING

- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



## MULTI-ZONE Hyper-Heating HP - 4 ZONES up to 4 TON

OVOTEM	INDCOR UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	/KBTU*	INVESTMENT	HSPF
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless He	at Rump	/		
☑ Complete comfort with individual zone control	$\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$			
☑ Easily accessible and long lasting washable filters	9+9+15+24	48 / 54	\$ 17,646	18.9 / 11.0
☑ Easy, low cost installation	9+9+18+18	48 / 54	\$ 17,521	18.9 / 11.0
☑ One wireless remote controller for each Indoor unit	9+9+18+24	48 / 54	\$ 17,696	18.9 / 11.0
☑ H²i Hyper-Heating performance	9+12+12+12	45 / 51	\$ 17,111	18.9 / 11.0
☑ Variable-speed Compressor technology	9+12+12+15	48 / 54	\$ 17,340	18.9 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	9+12+12+18	48 / 54	\$ 17,391	18.9 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor	9+12+12+24	48 / 54	\$ 17,566	18.9 / 11.0
Energy Star® rated (could qualify for Tax Credit)	9+12+15+15	48 / 54	\$ 17,569	18.9 / 11.0
	9+12+15+18	48 / 54	\$ 17,620	18.9 / 11.0
	9)-12+15+24	48 / 54	\$ 17,795	18.9 / 11.0
Indoor Unit 9 = MSZ-GF09NA-8	9+12+18+18	48 / 54	\$ 17,670	18.9 / 11.0
Indoor Unit 12 = MSZ-GE12NA-8	9+15+15+15	48 / 54	\$ 17,798	18.9 / 11.0
indpor Unit 15 = MSZ-GE15NA-8	9+15+15+18	48 / 54	\$ 17,849	18.9 / 11.0
Indoor Unit 18 = MSZ-GE18NA-8	9+15+18+18	48 / 54	\$ 17,899	18.9 / 11.0
Indoor Unit 24 = MSZ-GE24NA	12+12+12+12	48 / 54	\$ 17,261	18.9 / 11.0
$\sim$ \ \	12+12+12+15	48 / 54	\$ 17,490	18.9 / 11.0
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	12+12+12+18	48 / 54	\$ 17,540	18.9 / 11.0
	12+12+12+24	48 / 54	\$ 17,716	18.9 / 11.0
	12+12+15+15	48 / 54	\$ 17,719	18.9 / 11.0
MFZ SLZ PLA PEAD SEZ	12+12+15+18	48 / 54	\$ 17,769	18.9 / 11.0
To substitute the MSZ-GE Indoor Unit with one of the above	12+12+18+18	48 / 54	\$ 17,820	18.9 / 11.0
please see the "Investment Ortion Worksheet"	12+15+15+15	48 / 54	\$ 17,948	18.9 / 11.0
Other options available:	12+15+15+18	48 / 54	\$ 17,998	18.9 / 11.0
To substitute the MSZ-GF with the	15+15+15+15	48 / 54	\$ 18,177	18.9 / 11.0

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Ortion Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




CVCTEM	INDCOP UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	∕KBTU*	INVESTMENT	HSPF
	\ \ \ \ / /	/		
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Hea	t Pulipp			
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>			
☑ Easily accessible and long lasting washable filters	6+6+6+6	23 / 24.4	\$ 14,354	15.0 / 8.7
☑ Easy, low cost installation	6+6+6+9	26 / 27.8	\$ 14,430	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	6+6+6+12	29 / 31.2	\$ 14,579	15.0 / 8.7
☑ Variable-speed Compressor technology	6+6+6+15	32 / 34.6	\$ 14,808	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-futer	6+6+6+18	35 / 38	\$ 14,859	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+6+24	41 / 44.9	\$ 15,034	15.0 / 8.7
$\sim$ / $^{\prime}$	6+6+9+9	29 / 31.2	\$ 14,505	15.0 / 8.7
	6+6+9+12	32 / 34.6	\$ 14,655	15.0 / 8.7
Indoor Unit 6 - MSZ-GE06NA-8	6+6+9+15	35 / 38	\$ 14,884	15.0 / 8.7
Indoor Light 9 = MSZ-GE09NA-8	6+9+18	38 / 41.5	\$ 14,935	15.0 / 8.7
Indoor Unit 12 = MSZ-GE12NA-8	6+6+9+24	44 / 48.3	\$ 15,110	15.0 / 8.7
Indoor Unit 15 = MSZ-GE10NA-8	6+6+12+12	35 / 38	\$ 14,805	15.0 / 8.7
indpor Unit 18 = MSZ-GE18NA-8	6+6+12+15	38 / 41.5	\$ 15,034	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA	6+6+12+18	41 / 44.9	\$ 15,084	15.0 / 8.7
	6+6+12+24	47 / 51.7	\$ 15,260	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+15+15	41 / 44.9	\$ 15,263	15.0 / 8.7
	6+6+15+18	44 / 48.3	\$ 15,313	15.0 / 8.7
	6+6+15+24	49.7 / 55.1	\$ 15,489	15.0 / 8.7
MFZ SLZ PLA PEA(D), SEZ	6+6+18+18	47 / 51.7	\$ 15,364	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+18+24	52.3 / 58.6	\$ 15,539	15.0 / 8.7
please see the "Investment option Worksheet"	6+6+24+24	54 / 60	\$ 15,715	15.0 / 8.7
Other options available:	6+9+9+9	32 / 34.6	\$ 14,581	15.0 / 8.7
To substitute the MSZ-GE with the	6+9+9+12	35 / 38	\$ 14,731	15.0 / 8.7
MSZ-FE with H Hyper Heat performance	6+9+9+15	38 / 41.5	\$ 14,960	15.0 / 8.7
please see "Investment Option Vorksheet".	6+9+9+18	41 / 44.9	\$ 15,010	15.0 / 8.7
//	6+9+9+24	47 / 51.7	\$ 15,186	15.0 / 8.7
	6+9+12+12	38 / 41.5	\$ 14,880	15.0 / 8.7
	6+9+12+15	41 / 44.9	\$ 15,109	15.0 / 8.7
♦ MITSUBISHI	6+9+12+18	44 / 48.3	\$ 15,160	15.0 / 8.7
ELECTRIC	6+9+12+24	49.7 / 55.1	\$ 15,335	15.0 / 8.7
COOLING & HEATING		-		•

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




CVCTEM	INDCOR UNIT	CL / HT		SEER /		
SYSTEM	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF		
		/				
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat Pump						
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>					
☑ Easily accessible and long lasting washable filters	6+9+15+15	44 / 48.3	\$ 15,338	15.0 / 8.7		
☑ Easy, low cost installation	6+9+15+18	47 / 51.7	\$ 15,389	15.0 / 8.7		
☑ One wireless remote controller for each Indoor unit	6+9+15+24	52.3 / 58.6	\$ 15,565	15.0 / 8.7		
☑ Variable-speed Compressor technology	6+9+16+18	49.7 / 55.1	\$ 15,440	15.0 / 8.7		
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-f <mark>i</mark> ter	6-9+18+24	54 / 60	\$ 15,615	15.0 / 8.7		
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6-9+24+24	54 / 60	\$ 15,791	15.0 / 8.7		
$\sim$ / $^{\prime}$	6+12+12+12	41 / 44.9	\$ 15,030	15.0 / 8.7		
	6+12+12+15	44 / 48.3	\$ 15,259	15.0 / 8.7		
Indoor Unit 6 MSZ-GE06NA-8	6+12+12+18	47 / 51.7	\$ 15,310	15.0 / 8.7		
Indoor <sup>⊔</sup> r it 9 = MSZ-GE09NA-8	6+12+12+24	52.3 / 58.6	\$ 15,485	15.0 / 8.7		
Indoor Unit 12 = MSZ-GF12NA-8	6+12+15+15	47 / 51.7	\$ 15,488	15.0 / 8.7		
Indoor Unit 15 = MSZ-GE10NA-8	6+12+15+18	49.7 / 55.1	\$ 15,539	15.0 / 8.7		
Indoor Unit 18 = MSZ-GE18NA-8	6+12+15+24	54 / 60	\$ 15,714	15.0 / 8.7		
Indoor Unit 24 = MSZ-GE24NA	6+12+18+18	52.3 / 58.6	\$ 15,589	15.0 / 8.7		
	6+12+18+24	54 / 60	\$ 15,765	15.0 / 8.7		
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+12+24+24	54 / 60	\$ 15,940	15.0 / 8.7		
	6+15+15+15	49.7 / 55.1	\$ 15,717	15.0 / 8.7		
	6+15+15+18	52.3 / 58.6	\$ 15,768	15.0 / 8.7		
MFZ SLZ PLA PLA(D), SEZ	6+15+15+24	54 / 60	\$ 15,943	15.0 / 8.7		
To substitute the MSZ-GE Indoor Unit with one of the above	6+15+18+18	54 / 60	\$ 15,818	15.0 / 8.7		
please see the "Investment Option Worksheet"	6+15+18+24	54 / 60	\$ 15,994	15.0 / 8.7		
Other options available:	6+15+24+24	54 / 60	\$ 16,169	15.0 / 8.7		
To substitute the MSZ-GE with the	6+18+18+18	54 / 60	\$ 15,869	15.0 / 8.7		
MSZ-FE with H Hyper Heat parforn ance	6+18+18+24	54 / 60	\$ 16,044	15.0 / 8.7		
please see "Investment Option Worksheet".	9+9+9+9	35 / 38	\$ 14,657	15.0 / 8.7		
//	9+9+9+12	38 / 41.5	\$ 14,807	15.0 / 8.7		
	9+9+9+15	41 / 44.9	\$ 15,036	15.0 / 8.7		
	9+9+9+18	44 / 48.3	\$ 15,086	15.0 / 8.7		
MITSUBISHI	9+9+9+24	49.7 / 55.1	\$ 15,262	15.0 / 8.7		
ELECTRIC	9+9+12+12	41 / 44.9	\$ 14,956	15.0 / 8.7		
COOLING & HEATING						

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



CVCTEM	INDCOP UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/ /		
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Hea	Pulnp 🗸 🤝			
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>			
☑ Easily accessible and long lasting washable filters	9+9+12+15	44 / 48.3	\$ 15,185	15.0 / 8.7
☑ Easy, low cost installation	9+9+12+18	47 / 51.7	\$ 15,236	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	9+9+12+24	52.3 / 58.6	\$ 15,411	15.0 / 8.7
☑ Variable-speed Compressor technology	9+9+15+15	47 / 51.7	\$ 15,414	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-futer	9+9+15+18	49.7 / 55.1	\$ 15,465	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	9-9+15+24	54 / 60	\$ 15,640	15.0 / 8.7
$\sim$ $\backslash$ $$	<b>9</b> +9+18+18	52.3 / 58.6	\$ 15,515	15.0 / 8.7
	9+9+18+24	54 / 60	\$ 15,691	15.0 / 8.7
	9+9+24+24	54 / 60	\$ 15,866	15.0 / 8.7
Indoor Unit 9 = MSZ-GE09NA-8	9-12+12+12	44 / 48.3	\$ 15,106	15.0 / 8.7
Indoor Unit 12 = MSZ-GF12NA-8	9+12+12+15	47 / 51.7	\$ 15,335	15.0 / 8.7
Indoor Unit 15 = MSZ-GE10NA-8	9+12+12+18	49.7 / 55.1	\$ 15,385	15.0 / 8.7
indpor Unit 18 = MS7-GE18NA-8	9+12+12+24	54 / 60	\$ 15,561	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA	9+12+15+15	49.7 / 55.1	\$ 15,564	15.0 / 8.7
	9+12+15+18	52.3 / 58.6	\$ 15,614	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	9+12+15+24	54 / 60	\$ 15,790	15.0 / 8.7
	9+12+18+18	54 / 60	\$ 15,665	15.0 / 8.7
	9+12+18+24	54 / 60	\$ 15,840	15.0 / 8.7
MFZ SLZ PLA PEA(D), SEZ	9+12+24+24	54 / 60	\$ 16,016	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	9+15+15+15	52.3 / 58.6	\$ 15,793	15.0 / 8.7
please see the "Investment opton Worksheet"	9+15+15+18	54 / 60	\$ 15,843	15.0 / 8.7
Other options available:	9+15+15+24	54 / 60	\$ 16,019	15.0 / 8.7
To substitute the MSZ-GE with the	9+15+18+18	54 / 60	\$ 15,894	15.0 / 8.7
MSZ-FE with H 1 Hyper Heat performance	9+15+18+24	54 / 60	\$ 16,069	15.0 / 8.7
please see "Investment Option Worksheet".	9+18+18+18	54 / 60	\$ 15,945	15.0 / 8.7
//	9+18+18+24	54 / 60	\$ 16,120	15.0 / 8.7
	12+12+12+12	47 / 51.7	\$ 15,255	15.0 / 8.7
	12+12+12+15	49.7 / 55.1	\$ 15,484	15.0 / 8.7
♦ MITSUBISHI	12+12+12+18	52.3 / 58.6	\$ 15,535	15.0 / 8.7
ELECTRIC	12+12+12+24	54 / 60	\$ 15,710	15.0 / 8.7
COOLING & HEATING		-	•	

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



SYSTEM	INDOOF UNIT COMBINATION	CL / HT KBTU*	INVESTMENT	SEER / HSPF
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Hea	t Pulipp	//		
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>			
☑ Easily accessible and long lasting washable filters	12+12+15+15	52.3 / 58.6	\$ 15,714	15.0 / 8.7
☑ Easy, low cost installation	12+12+15+18	54 / 60	\$ 15,764	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	12+12+15-24	54 / 60	\$ 15,940	15.0 / 8.7
☑ Variable-speed Compressor technology	12+12+18+18	54 / 60	\$ 15,815	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-fiter	12-12+18+24	54 / 60	\$ 15,990	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	12 <del>-</del> 15+15+15	54 / 60	\$ 15,943	15.0 / 8.7
$\sim$ / $^{\prime}$	12+15+15+18	54 / 60	\$ 15,993	15.0 / 8.7
	12+15+15+24	54 / 60	\$ 16,169	15.0 / 8.7
	12+15+18+18	54 / 60	\$ 16,044	15.0 / 8.7
	12+15+18+24	54 / 60	\$ 16,219	15.0 / 8.7
Indoor Unit 12 = MSZ-GE12NA-8	<b>1</b> 2+18+18+18	54 / 60	\$ 16,094	15.0 / 8.7

Ind oor Unit 15 = MSZ-GE10NA-8 Ind oor Unit 18 = MSZ-GE18NA-8

Indoor Unit 24 = MSZ-GE24NA

15+15+15+15

15+15+15+18

15+15+15+24

15+15+18+18

15+18+18+18

54 / 60

54 / 60

54 / 60

54 / 60

54 / 60

\$

\$

\$

\$

16.172

16,222

16,398

16,273

16,323

15.0 / 8.7

15.0 / 8.7

15.0 / 8.7

15.0 / 8.7

15.0 / 8.7

Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted



To substitute the MSZ-GE Indoor Unit 1 with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



CVCTEM	INDCOR UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	/\KBTU*	INVESTMENT	HSPF
	$\overline{}$	/ /		
M-Series (MXZ-5B42NA) Multi-Zone Split-ductless Heat	Pulnp \			
☑ Complete comfort with individual zone control	\ \ \ \ .			
☑ Easily accessible and long lasting washable filters	6+6+6+6+6	29.7 / 33.5	\$ 13,741	18.4 / 9.3
☑ Easy, low cost installation	6+6+6+6+9	32.7 / 37	\$ 13,816	18.4 / 9.3
☑ One wireless remote controller for each Indoor unit	6+6-6+6+12	35.8 / 40.5	\$ 13,966	18.4 / 9.3
☑ Variable-speed Compressor technology	6+6+6+6+15	38.8 / 44	\$ 14,195	18.4 / 9.3
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+6+6+18	41.8 / 47.5	\$ 14,246	18.4 / 9.3
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+6+24	43 / 53.6	\$ 14,421	18.4 / 9.3
$\sim$ $\setminus$ $\stackrel{\checkmark}{}$	<b>/</b> +6+6+9+9	35.8 / 40.5	\$ 13,892	18.4 / 9.3
	6+6+6+9+12	38.8 / 44	\$ 14,042	18.4 / 9.3
Indoor Unit 6 - MSZ-GE06NA-8	6+6+6+9+15	41.8 / 47.5	\$ 14,271	18.4 / 9.3
Indoor U∽it { = MSZ-GE05NA-8	6+6+9+18	43 / 51	\$ 14,321	18.4 / 9.3
Indoor Unit 12 = MSZ-GE12NA-8	6+6+6+9+24	43 / 53.6	\$ 14,497	18.4 / 9.3
Indoor Unit 15 = MSZ-GE15NA-8	6+6+6+12+12	41.8 / 47.5	\$ 14,191	18.4 / 9.3
ind por Unit 18 = MSZ-GE18NA-8	6+6+6+12+15	43 / 51	\$ 14,420	18.4 / 9.3
Indoor Unit 24 = MSZ-GE24NA	6+6+6+12+18	43 / 53.6	\$ 14,471	18.4 / 9.3
	6+6+6+15+15	43 / 53.6	\$ 14,649	18.4 / 9.3
Optional units: Floor or Ceiling Mount, Ceiling Inset, Ceiling Ducted	6+6+6+15+18	43 / 53.6	\$ 14,700	18.4 / 9.3
	6+6+9+9+9	38.8 / 44	\$ 13,968	18.4 / 9.3
	6+6+9+9+12	41.8 / 47.5	\$ 14,118	18.4 / 9.3
MFZ SLZ PLA PEA(D), SEZ PCA	6+6+9+9+15	43 / 51	\$ 14,347	18.4 / 9.3
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+9+9+18	43 / 53.6	\$ 14,397	18.4 / 9.3
please see the "Investment option Worksheet"	6+6+9+12+12	43 / 51	\$ 14,267	18.4 / 9.3
Other options available:	6+6+9+12+15	43 / 53.6	\$ 14,496	18.4 / 9.3
To substitute the MSZ-GE with the	6+6+9+12+18	43 / 53.6	\$ 14,547	18.4 / 9.3
MSZ-FE with H Hyper Heat performance	6+6+9+15+15	43 / 53.6	\$ 14,725	18.4 / 9.3
please see "Investment Option Worksheet".	6+6+12+12+12	43 / 53.6	\$ 14,417	18.4 / 9.3
(Note: PLA-A12 not an option)	6+6+12+12+15	43 / 53.6	\$ 14,646	18.4 / 9.3
	6+9+9+9+9	41.8 / 47.5	\$ 14,044	18.4 / 9.3
	6+9+9+9+12	43 / 51	\$ 14,193	18.4 / 9.3
MITSUBISHI	6+9+9+9+15	43 / 53.6	\$ 14,422	18.4 / 9.3
ELECTRIC	6+9+9+9+18	43 / 53.6	\$ 14,473	18.4 / 9.3
COOLING & HEATING				

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- $\ensuremath{\,\boxtimes\,}$  New electrical disconnect with power wire to outdoor unit
- $\ensuremath{\,\boxtimes\,}$  Line Hide® for all exterior exposed electrical/piping lines
- $\ensuremath{\,\boxtimes\,}$  Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



SYSTEM		INDCOP UNIT	CL / HT		SEER /
STOTEIN	Δ	COMBINATION	/KBTU*	INVESTMENT	HSPF

### M-Series (MXZ-5B42NA) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-fiter
- ☑ 7-Year compressor, 1-Year parts, 1-Year labor

LÌ	6+9	9+9+12+12	43 / 53.6	\$ 14,343	18.4 / 9.3
1	6+	9+9+12+15	43 / 53.6	\$ 14,572	18.4 / 9.3
	6+9	)+12+12+12	43 / 53.6	\$ 14,493	18.4 / 9.3
	9	+9+9+9+9	43 / 51	\$ 14,119	18.4 / 9.3
	9+	9+9+9+12	43 / 53.6	\$ 14,269	18.4 / 9.3
	9+	9+9+9+15	43 / 53.6	\$ 14,498	18.4 / 9.3
	9-	9+9+12+12	43 / 53.6	\$ 14,419	18.4 / 9.3

Indoor Unit 6 MSZ-GE06NA-8 Indoor Unit 9 = MSZ-GE09NA-8 Indoor Unit 12 = MSZ-GE12NA-8 Indoor Unit 15 = MSZ-GE15NA-8



Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance

please see "Investment Option Worksheet".

(Note: PLA-A12 not an option)



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection
- $^\star BTUs$  are approximate and are calculated using Mitsubishi's Product Guides.



CVCTEM	INDCOR UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF
	\ \ \	/		
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Hea	Pulnp \			
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>			
☑ Easily accessible and long lasting washable filters	6+6+6+6	29 / 31.2	\$ 15,609	15.0 / 8.7
☑ Easy, low cost installation	6+6+6+6+9	32 / 34.6	\$ 15,684	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	6+6-6+6+12	35 / 38	\$ 15,834	15.0 / 8.7
☑ Variable-speed Compressor technology	6+6+6+6+15	38 / 41.5	\$ 16,063	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-f <mark>i</mark> ter	6+6+6+18	41 / 44.9	\$ 16,114	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+6+24	47 / 51.7	\$ 16,289	15.0 / 8.7
$\sim$ / $^{\prime}$	<b>6</b> +6+6+9+9	35 / 38	\$ 15,760	15.0 / 8.7
	6+6+6+9+12	38 / 41.5	\$ 15,910	15.0 / 8.7
Indoor Unit 6 - MSZ-GE06NA-8	6+6+6+9+15	41 / 44.9	\$ 16,139	15.0 / 8.7
Indoor Light 9 = MSZ-GE09NA-8	6+6+9+18	44 / 48.3	\$ 16,189	15.0 / 8.7
Indoor Unit 12 = MSZ-GF12NA-8	6+6+6+9+24	49.7 / 55.1	\$ 16,365	15.0 / 8.7
Indoor Unit 15 = MSZ-GE15NA-8	6+6+6+12+12	41 / 44.9	\$ 16,059	15.0 / 8.7
indbor Unit 18 = MSZ-GE18NA-8	6+6+6+12+15	44 / 48.3	\$ 16,288	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA	6+6+6+12+18	47 / 51.7	\$ 16,339	15.0 / 8.7
	6+6+6+12+24	52.3 / 58.6	\$ 16,514	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+6+15+15	47 / 51.7	\$ 16,517	15.0 / 8.7
	6+6+6+15+18	49.7 / 55.1	\$ 16,568	15.0 / 8.7
	6+6+6+15+24	54 / 60	\$ 16,743	15.0 / 8.7
MFZ SLZ PLA PŁA(D), SEZ	6+6+6+18+18	52.3 / 58.6	\$ 16,619	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+6+24+24	54 / 60	\$ 16,970	15.0 / 8.7
please see the "Inves ment opton Worksheet"	6+6+9+9+9	38 / 41.5	\$ 15,836	15.0 / 8.7
Other options available:	6+6+9+9+12	41 / 44.9	\$ 15,986	15.0 / 8.7
To substitute the MSZ-GE with the	6+6+9+9+15	44 / 48.3	\$ 16,215	15.0 / 8.7
MSZ-FE with H Hyper Heat performance	6+6+9+9+18	47 / 51.7	\$ 16,265	15.0 / 8.7
please see "Investment Option Vorksheet".	6+6+9+9+24	52.3 / 58.6	\$ 16,441	15.0 / 8.7
//	6+6+9+12+12	44 / 48.3	\$ 16,135	15.0 / 8.7
	6+6+9+12+15	47 / 51.7	\$ 16,364	15.0 / 8.7
	6+6+9+12+18	49.7 / 55.1	\$ 16,415	15.0 / 8.7
♦ MITSUBISHI	6+6+9+12+24	54 / 60	\$ 16,590	15.0 / 8.7
ELECTRIC	6+6+9+15+15	49.7 / 55.1	\$ 16,593	15.0 / 8.7
COOLING & HEATING			•	-

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection




<sup>\*</sup>BTUs are approximate and are calculated using Mitsubishi's Product Guides.

CVCTEM	INDOOR UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF
	\ \ \ \ / \	/ /		
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat	Pulup \			
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>			
☑ Easily accessible and long lasting washable filters	6+6+9+15+15	49.7 / 55.1	\$ 16,593	15.0 / 8.7
☑ Easy, low cost installation	6+6+9+15+18	52.3 / 58.6	\$ 16,644	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	6+6+9+15-24	54 / 60	\$ 16,819	15.0 / 8.7
☑ Variable-speed Compressor technology	6-6+9+18+18	54 / 60	\$ 16,694	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+9+24+24	54 / 60	\$ 17,045	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+12+12+12	47 / 51.7	\$ 16,285	15.0 / 8.7
~ \ \	6+6+12+12+15	49.7 / 55.1	\$ 16,514	15.0 / 8.7
	6+6+12+12+18	52.3 / 58.6	\$ 16,564	15.0 / 8.7
Indoor Unit 6 - MSZ-GE06NA-8	6+6+12+12+24	54 / 60	\$ 16,740	15.0 / 8.7
Indoor Ur it ( = MSZ-GE09NA-8	6+6+12+15+15	52.3 / 58.6	\$ 16,743	15.0 / 8.7
Indoor Unit 12 = MSZ-GE12NA-8	6+6+12+15+18	54 / 60	\$ 16,793	15.0 / 8.7
Indoor Unit 15 = MSZ-GE16NA-8	6+6+12+15+24	54 / 60	\$ 16,969	15.0 / 8.7
nd por Unit 12 = MSZ-GE18NA-8	6+6+12+18+18	54 / 60	\$ 16,844	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA	6+6+12+18+24	54 / 60	\$ 17,019	15.0 / 8.7
\ \ \ \	6+6+15+15+15	54 / 60	\$ 16,972	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+15+15+18	54 / 60	\$ 17,022	15.0 / 8.7
	6+6+15+15+24	54 / 60	\$ 17,198	15.0 / 8.7
	6+6+15+18+18	54 / 60	\$ 17,073	15.0 / 8.7
MFZ SLZ PLA PEA(D), SEZ	6+6+15+18+24	54 / 60	\$ 17,248	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+18+18+18	54 / 60	\$ 17,123	15.0 / 8.7
please see the "Inves ment opt on Worksheet"	6+9+9+9+9	41 / 44.9	\$ 15,912	15.0 / 8.7
Other options available:	6+9+9+9+12	44 / 48.3	\$ 16,061	15.0 / 8.7
To substitute the MSZ-GE with the	6+9+9+9+15	47 / 51.7	\$ 16,290	15.0 / 8.7
MSZ-FE with H . Hyper Heat performance	6+9+9+9+18	49.7 / 55.1	\$ 16,341	15.0 / 8.7
please see "Investment Option Vorksheet".	6+9+9+9+24	54 / 60	\$ 16,516	15.0 / 8.7
//	6+9+9+12+12	47 / 51.7	\$ 16,211	15.0 / 8.7
	6+9+9+12+15	49.7 / 55.1	\$ 16,440	15.0 / 8.7
	6+9+9+12+18	52.3 / 58.6	\$ 16,490	15.0 / 8.7
MITSUBISHI	6+9+9+12+24	54 / 60	\$ 16,666	15.0 / 8.7
ELECTRIC	6+9+9+15+15	52.3 / 58.6	\$ 16,669	15.0 / 8.7
COOLING & HEATING			•	

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




CVCTEM	INDCOR UNIT	CL / HT		SEER /			
SYSTEM	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF			
	\ \ \ \ / /	/					
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat Pump							
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>						
☑ Easily accessible and long lasting washable filters	6+9+9+15+18	54 / 60	\$ 16,720	15.0 / 8.7			
☑ Easy, low cost installation	6+9+9+15+24	54 / 60	\$ 16,895	15.0 / 8.7			
☑ One wireless remote controller for each Indoor unit	6+9+9+18-18	54 / 60	\$ 16,770	15.0 / 8.7			
☑ Variable-speed Compressor technology	6+9+9+18+24	54 / 60	\$ 16,946	15.0 / 8.7			
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-futer	6+9+12+12+12	49.7 / 55.1	\$ 16,361	15.0 / 8.7			
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+9+12+12+15	52.3 / 58.6	\$ 16,590	15.0 / 8.7			
$\sim$ / $^{\prime}$	6+9+12+12+18	54 / 60	\$ 16,640	15.0 / 8.7			
	6+9+12+12+24	54 / 60	\$ 16,816	15.0 / 8.7			
Indoor Unit 6 - MSZ-GE06NA-8	6+9+12+15+15	54 / 60	\$ 16,819	15.0 / 8.7			
Indoor Lirit 9 = MSZ-GE09NA-8	6+))+12+15+18	54 / 60	\$ 16,869	15.0 / 8.7			
Indoor Unit 12 = MSZ-GE12NA-8	6+9+12+15+24	54 / 60	\$ 17,045	15.0 / 8.7			
Indoor Unit 15 = MSZ-GE10NA-8	6+9+12+18+18	54 / 60	\$ 16,920	15.0 / 8.7			
indpor Unit 18 = MSZ-GE18NA-8	6+9+12+18+24	54 / 60	\$ 17,095	15.0 / 8.7			
Indoor Unit 24 = MSZ-GE24NA	6+9+15+15+15	54 / 60	\$ 17,048	15.0 / 8.7			
	6+9+15+15+18	54 / 60	\$ 17,098	15.0 / 8.7			
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+9+15+15+24	54 / 60	\$ 17,274	15.0 / 8.7			
	6+9+15+18+18	54 / 60	\$ 17,149	15.0 / 8.7			
	6+9+18+18+18	54 / 60	\$ 17,199	15.0 / 8.7			
MFZ SLZ PLA PEA(D), SEZ	6+12+12+12+12	52.3 / 58.6	\$ 16,510	15.0 / 8.7			
To substitute the MSZ-GE Indoor Unit with one of the above	6+12+12+12+15	54 / 60	\$ 16,739	15.0 / 8.7			
please see the "Investment option Worksheet"	6+12+12+12+18	54 / 60	\$ 16,790	15.0 / 8.7			
Other options available:	6+12+12+12+24	54 / 60	\$ 16,965	15.0 / 8.7			
To substitute the MSZ-GE with the	6+12+12+15+15	54 / 60	\$ 16,968	15.0 / 8.7			
MSZ-FE with H Hyper Heat performance	6+12+12+15+18	54 / 60	\$ 17,019	15.0 / 8.7			
please see "Investment Option Vorksheet".	6+12+12+15+24	54 / 60	\$ 17,194	15.0 / 8.7			
//	6+12+12+18+18	54 / 60	\$ 17,069	15.0 / 8.7			
	6+12+15+15+15	54 / 60	\$ 17,197	15.0 / 8.7			
	6+12+15+15+18	54 / 60	\$ 17,248	15.0 / 8.7			
♦ MITSUBISHI	6+12+15+18+18	54 / 60	\$ 17,298	15.0 / 8.7			
ELECTRIC	6+15+15+15+15	54 / 60	\$ 17,426	15.0 / 8.7			
COOLING & HEATING		-					

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




OVOTEM	INDCOR UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	/KBTU*	INVESTMENT	HSPF
(		/ )		•
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Hea	t Pulmp			
☑ Complete comfort with individual zone control	<i>\\\</i>			
☑ Easily accessible and long lasting washable filters	0+15+15+15+18	54 / 60	\$ 17,477	15.0 / 8.7
☑ Easy, low cost installation	9+9+9+9	44 / 48.3	\$ 15,987	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	9+9-9+9+12	47 / 51.7	\$ 16,137	15.0 / 8.7
☑ Variable-speed Compressor technology	9+9+9+9+15	49.7 / 55.1		15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-fitter	9+9+9+9+18	52.3 / 58.6		15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	9+9+9+9+24	54 / 60	\$ 16,592	15.0 / 8.7
	9-9+9+12+12	49.7 / 55.1	\$ 16,287	15.0 / 8.7
	9+9+9+12+15	52.3 / 58.6	\$ 16,516	15.0 / 8.7
Indoor Unit 6 = MSZ-GE06NA-8	9+9+9+12+18	54 / 60	\$ 16,566	15.0 / 8.7
Indoor Urit 9 = MSZ-GE09NA-8	9+9+9+12+24	54 / 60	\$ 16,742	15.0 / 8.7
Indoor Unit 12 = MSZ-GE12NA-8	9+9+9+15+15	54 / 60	\$ 16,745	15.0 / 8.7
Indoor Snit 15 = MSZ-GE10NA-8		54 / 60	\$ 16,795	15.0 / 8.7
ndpor Unit 13 = MSZ-GE18NA-8	9+9+9+15+24	54 / 60	\$ 16,971	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA	9+9+9+18+18	54 / 60	\$ 16,846	15.0 / 8.7
	9+9+9+18+24	54 / 60	\$ 17,021	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	9+9+12+12+12	52.3 / 58.6	\$ 16,436	15.0 / 8.7
	9+9+12+12+15	54 / 60	\$ 16,665	15.0 / 8.7
	9+9+12+12+18	54 / 60	\$ 16,716	15.0 / 8.7
MFZ SLZ PLA PEA(D), SEZ	9+9+12+12+24	54 / 60	\$ 16,891	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	9+9+12+15+15	54 / 60	\$ 16,894	15.0 / 8.7
please see the "Investment opt on Worksheet"	9+9+12+15+18	54 / 60	\$ 16,945	15.0 / 8.7
Other options available:	9+9+12+15+24	54 / 60	\$ 17,120	15.0 / 8.7
To substitute the MSZ-GE with the	9+9+12+18+18	54 / 60	\$ 16,995	15.0 / 8.7
MSZ-FE with H Hyper Heat performance	9+9+15+15+15	54 / 60	\$ 17,123	15.0 / 8.7
please see "Investment Option Worksheet".	9+9+15+15+18	54 / 60	\$ 17,174	15.0 / 8.7
//	9+9+15+18+18	54 / 60	\$ 17,225	15.0 / 8.7
	9+12+12+12+12	54 / 60	\$ 16,586	15.0 / 8.7
	9+12+12+12+15	54 / 60	\$ 16,815	15.0 / 8.7
MITSUBISHI	9+12+12+12+18	54 / 60	\$ 16,866	15.0 / 8.7
ELECTRIC "	9+12+12+12+24	54 / 60	\$ 17,041	15.0 / 8.7
COOLING & HEATING		-		

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



SYSTEM	INDOOR UNIT CL / HT	SEER /
STSTEIVI	COMBINATION (KBTU* INVESTME	NT HSPF

### M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- $\ensuremath{\square}$  Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-fiter
- ☑ 7-Year compressor, 1-Year parts, 1-Year labor

washable lillers	9 12 17 10 10	54 / 60	Ð	17,044	15.0 / 6.7
	9+12+12+15+18	54 / 60	\$	17,095	15.0 / 8.7
r each Indoor unit 🏻 🆊 🔔	9+12+12+18+18	54 / 60	\$	17,145	15.0 / 8.7
chnology 📈 🦯	9+12+15+15+15	54 / 60	\$	17,273	15.0 / 8.7
brid Catechin" Pre-filter	9+12+15+15+18	54 / 60	\$	17,324	15.0 / 8.7
1-Year labor	9+15+15+15+15	54 / 60	\$	17,502	15.0 / 8.7
$\sim$ / '	12+12+12+12	54 / 60	\$	16,736	15.0 / 8.7
	12+12+12+12+15	54 / 60	\$	16,965	15.0 / 8.7
	12+12+12+12+18	54 / 60	\$	17,015	15.0 / 8.7
Indoor Unit 9 = MSZ-GE09NA-8	12+12+15+15	54 / 60	\$	17,194	15.0 / 8.7
Indoor Unit 12 = MSZ-GF12NA-8	12+12+15+18	54 / 60	\$	17,244	15.0 / 8.7
Indport Smit 15 = MSZ-GE15NA-8	12+12+15+15+15	54 / 60	\$	17,423	15.0 / 8.7
Al (					

**17 044** 15 0 / 8 7

indpor Unit 18 = MSZ-GE18NA-8

Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment opton Worksheet"

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H Hyper Heat performance


please see "Investment Option Worksheet".



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



### MULTI-ZONE Hyper-Heating HP - 5 ZONES up to 3.5 TON

SYSTEM	INDCOR UNIT	CL / HT		SEER /
STOTEIN	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF
	<b>\ \ '</b> //	′ /		
M-Series (MXZ-5C42NAHZ) Multi-Zone Split-ductless	eat Rump	/		
☑ Complete comfort with individual zone control	ノノノノ			
☑ Easily accessible and long lasting washable filters	6+6+6+6+6	30 / 37.3	\$ 16,856	19.0 / 11.0
☑ Easy, low cost installation	6+6+6+6	33 / 41.2	\$ 16,932	19.0 / 11.0
☑ One wireless remote controller for each Indoor unit	6+6+6+12	36 / 45	\$ 17,081	19.0 / 11.0
☑ H²i Hyper-Heating performance	6+6+6+6+15	39 / 46.5	\$ 17,311	19.0 / 11.0
☑ Variable-speed Compressor technology	6+6+6+18	42 / 48	\$ 17,361	19.0 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+6+24	42 / 48	\$ 17,537	19.0 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor	<b>6</b> +6+6+9+9	36 / 45	\$ 17,008	19.0 / 11.0
Energy Star® rated (could qualify for Tax Credit)	6+6+6+9+12	39 / 46.5	\$ 17,157	19.0 / 11.0
	6+6+6+9+15	42 / 48	\$ 17,386	19.0 / 11.0
Indoor Ltr it { = MSZ-GE0t NA-8	6+6+9+18	42 / 48	\$ 17,437	19.0 / 11.0
Indoor Unit 9 = MSZ-CE09NA-8	6+6+6+9+24	42 / 48	\$ 17,612	19.0 / 11.0
Indport Unit 12 = MSZ-GE12NA-8	6+6+6+12+12	42 / 48	\$ 17,307	19.0 / 11.0
ind por Unit 15 = MSZ-GE15NA-8	6+6+6+12+15	42 / 48	\$ 17,536	19.0 / 11.0
Indoor Unit 18 = MSZ-GE18NA-8	6+6+6+12+18	42 / 48	\$ 17,586	19.0 / 11.0
Indoor Unit 24 = MSZ-GE24NA	6+6+6+12+24	42 / 48	\$ 17,762	19.0 / 11.0
$\sim$ \ \	6+6+6+15+15	42 / 48	\$ 17,765	19.0 / 11.0
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+6+15+18	42 / 48	\$ 17,815	19.0 / 11.0
	6+6+6+18+18	42 / 48	\$ 17,866	19.0 / 11.0
	6+6+9+9+9	39 / 46.5	\$ 17,083	19.0 / 11.0
MFZ SLZ PLA PEAD SEZ	6+6+9+9+12	42 / 48	\$ 17,233	19.0 / 11.0
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+9+9+15	42 / 48	\$ 17,462	19.0 / 11.0
please see the "Investment Option Worksheet"	6+6+9+9+18	42 / 48	\$ 17,513	19.0 / 11.0
Other options available:	6+6+9+9+24	42 / 48	\$ 17,688	19.0 / 11.0
To substitute the MSZ-GF with the	6+6+9+12+12	42 / 48	\$ 17,383	19.0 / 11.0
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	6+6+9+12+15	42 / 48	\$ 17,612	19.0 / 11.0
please see the "Investment Option Norksheet".	6+6+9+12+18	42 / 48	\$ 17,662	19.0 / 11.0
	6+6+9+15+15	42 / 48	\$ 17,841	19.0 / 11.0
	6+6+9+15+18	42 / 48	\$ 17,891	19.0 / 11.0
MITSUBISHI	6+6+12+12+12	42 / 48	\$ 17,532	19.0 / 11.0
ELECTRIC	6+6+12+12+15	42 / 48	\$ 17,761	19.0 / 11.0

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit

COOLING & HEATING

- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

 $^\star BTUs$  are approximate and are calculated using Mitsubishi's Product Guides.



## MULTI-ZONE Hyper-Heating HP - 5 ZONES up to 3.5 TON

			<u> </u>		
SYSTEM	_	INDCOR UNIT	/ CL/HT		SEER /
STOTEW	$\Delta$	COMBINATION		INVESTMENT	HSPF
	( )	\ \ \ /	//		
M-Series (MXZ-5C42NAHZ) Multi-Zone Split-ductles	s Heat	Rump 🔷	//		
☑ Complete comfort with individual zone control					
☑ Easily accessible and long lasting washable filters		S+6+12+12+18	42 / 48	\$ 17,812	19.0 / 11.0
☑ Easy, low cost installation		6+6+12+15+15	42 / 48	\$ 17,990	19.0 / 11.0
☑ One wireless remote controller for each Indoor unit	_ \	6+9+9+9-9	42 / 48	\$ 17,159	19.0 / 11.0
☑ H²i Hyper-Heating performance		6+9+9+9+12	42 / 48	\$ 17,309	19.0 / 11.0
☑ Variable-speed Compressor technology		6+9+9+9+15	42 / 48	\$ 17,538	19.0 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	ヘワ	6+9+9+9+18	42 / 48	\$ 17,588	19.0 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor		6/9+9+12+12	42 / 48	\$ 17,458	19.0 / 11.0
Energy Star® rated (could qualify for Tax Credit)	· 7	6+9+9+12+15	42 / 48	\$ 17,687	19.0 / 11.0
_ /^ /		<b>6</b> +9+9+12+18	42 / 48	\$ 17,738	19.0 / 11.0
Indoor Unit ( = MSZ-GE06)	A-8	6+9+9+15+15	42 / 48	\$ 17,917	19.0 / 11.0
Indoor Unit 9 = MSZ-GF09N	A-8	6+9+12+12+12	42 / 48	\$ 17,608	19.0 / 11.0
Indoor Unit 12 = MSZ-GE12N	A-8	6+9+12+12+15	42 / 48	\$ 17,837	19.0 / 11.0
ind por Unit 15 = MSZ-GE15N	A-8 6	6+12+12+12+12	42 / 48	\$ 17,758	19.0 / 11.0
Indoor Unit 18 = MSZ-GE18N	A-8	9+9+9+9+9	42 / 48	\$ 17,235	19.0 / 11.0
\ \ \ \		9+9+9+9+12	42 / 48	\$ 17,385	19.0 / 11.0
$\sim$ 1 1		9+9+9+9+15	42 / 48	\$ 17,614	19.0 / 11.0
Optional units: Floor Mount, Ceiling Insel, Ceiling Ducted		9+9+9+12+12	42 / 48	\$ 17,534	19.0 / 11.0





To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GF with he

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Norksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



## MULTI-ZONE Hyper-Heating HP - 5 ZONES up to 4 TON

	INDCOR UNIT	CL / HT		SEER /	
SYSTEM	COMBINATION	CL7H1 <b>↑ KBTU*</b>	INVESTMENT	HSPF	
		<del>/ )                                     </del>			
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless Heat Rump					
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>				
☑ Easily accessible and long lasting washable filters	6+6+6+6+6	30 / 37.3	\$ 17,614	18.9 / 11.0	
☑ Easy, low cost installation	6+6+6+6+9	33 / 41.1	\$ 17,690	18.9 / 11.0	
☑ One wireless remote controller for each Indoor unit	6+6-6+6+12	36 / 45	\$ 17,839	18.9 / 11.0	
☑ H²i Hyper-Heating performance	6+6+6+6+15	39 / 46.5	\$ 18,068	18.9 / 11.0	
☑ Variable-speed Compressor technology	6+6+6+18	42 / 48	\$ 18,119	18.9 / 11.0	
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+6+24	48 / 54	\$ 18,294	18.9 / 11.0	
☑ 7-Year compressor, 5-Year parts, 1-Year labor	<b>6</b> +6+6+9+9	36 / 45	\$ 17,765	18.9 / 11.0	
Energy Star® rated (could qualify for Tax Credit)	6+6+6+9+12	39 / 46.5	\$ 17,915	18.9 / 11.0	
	6+6+6+9+15	42 / 48	\$ 18,144	18.9 / 11.0	
Indoor Unit 6 = MSZ-GE06NA-8	6-6+6+9+18	45 / 51	\$ 18,195	18.9 / 11.0	
Indoor Unit 9 = MSZ-GE09NA-8	6+6+6+9+24	48 / 54	\$ 18,370	18.9 / 11.0	
Ind or Unit 12 = MSZ-GE12NA-8	6+6+6+12+12	42 / 48	\$ 18,065	18.9 / 11.0	
ind por Unit 15 = MSZ-GE15NA-8	6+6+6+12+15	45 / 51	\$ 18,294	18.9 / 11.0	
Indoor Unit 18 = MSZ-GE18NA-8	6+6+6+12+18	48 / 54	\$ 18,344	18.9 / 11.0	
indoor Unit 24 = MSZ-GE24NA	6+6+6+12+24	48 / 54	\$ 18,520	18.9 / 11.0	
$\sim$ \ \	6+6+6+15+15	48 / 54	\$ 18,523	18.9 / 11.0	
Optional units: Floor Mount, Ceiling Insel, Ceiling Ducted	6+6+6+15+18	48 / 54	\$ 18,573	18.9 / 11.0	
	6+6+6+15+24	48 / 54	\$ 18,749	18.9 / 11.0	
	6+6+6+18+18	48 / 54	\$ 18,624	18.9 / 11.0	
MFZ SLZ PLA PEAD SEZ	6+6+9+9+9	39 / 46.5	\$ 17,841	18.9 / 11.0	
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+9+9+12	42 / 48	\$ 17,991	18.9 / 11.0	
please see the "Investment Option Worksheet"	6+6+9+9+15	45 / 51	\$ 18,220	18.9 / 11.0	
Other options available:	6+6+9+9+18	48 / 54	\$ 18,270	18.9 / 11.0	
To substitute the MSZ-GF with the	6+6+9+9+24	48 / 54	\$ 18,446	18.9 / 11.0	
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	6+6+9+12+12	45 / 51	\$ 18,140	18.9 / 11.0	
please see the "Investment Option Norksheet".	6+6+9+12+15	48 / 54	\$ 18,370	18.9 / 11.0	
	6+6+9+12+18	48 / 54	\$ 18,420	18.9 / 11.0	
	6+6+9+12+24	48 / 54	\$ 18,596	18.9 / 11.0	
♦ MITSUBISHI	6+6+9+15+15	48 / 54	\$ 18,599	18.9 / 11.0	
ELECTRIC	6+6+9+15+18	48 / 54	\$ 18,649	18.9 / 11.0	

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit

COOLING & HEATING

- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



## MULTI-ZONE Hyper-Heating HP - 5 ZONES up to 4 TON

	INDCOR UNIT	CL / HT		SEER /	
SYSTEM	COMBINATION	CL/HI	INVESTMENT	HSPF	
(		<del>/ )</del>			
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless Heat Rump					
☑ Complete comfort with individual zone control	$\setminus \setminus \setminus \setminus$		_	_	
☑ Easily accessible and long lasting washable filters	6+6+9+15+24	48 / 54	\$ 18,825	18.9 / 11.0	
☑ Easy, low cost installation	6+6+9+18+18	48 / 54	\$ 18,700	18.9 / 11.0	
☑ One wireless remote controller for each Indoor unit	6+6+12+12+12	48 / 54	\$ 18,290	18.9 / 11.0	
☑ H²i Hyper-Heating performance	6+6+12+12+15	48 / 54	\$ 18,519	18.9 / 11.0	
☑ Variable-speed Compressor technology	6+6+12+12+18	48 / 54	\$ 18,570	18.9 / 11.0	
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+12+12+24	48 / 54	\$ 18,745	18.9 / 11.0	
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6+6+12+15+15	48 / 54	\$ 18,748	18.9 / 11.0	
Energy Star® rated (could qualify for Tax Credit)	6+6+12+15+18	48 / 54	\$ 18,799	18.9 / 11.0	
	6+6+12+18+18	48 / 54	\$ 18,849	18.9 / 11.0	
Indoor Unit 6 = MSZ-GE06NA-8	6+6+15+15+15	48 / 54	\$ 18,977	18.9 / 11.0	
Indoor Unit 9 = MSZ-GF09NA-8	6+6+15+15+18	48 / 54	\$ 19,028	18.9 / 11.0	
Indoor lonit 12 = MSZ-GE12NA-8	6+9+9+9+9	42 / 48	\$ 17,917	18.9 / 11.0	
ing por Unit 15 = MSZ-GE15NA-8	6+9+9+9+12	45 / 51	\$ 18,067	18.9 / 11.0	
Indoor Unit 18 = MSZ-GE18NA-8	6+9+9+9+15	48 / 54	\$ 18,296	18.9 / 11.0	
Indoor Unit 24 = MSZ-GE24NA	6+9+9+9+18	48 / 54	\$ 18,346	18.9 / 11.0	
$\sim$ / /	6+9+9+9+24	48 / 54	\$ 18,522	18.9 / 11.0	
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+9+9+12+12	48 / 54	\$ 18,216	18.9 / 11.0	
	6+9+9+12+15	48 / 54	\$ 18,445	18.9 / 11.0	
	6+9+9+12+18	48 / 54	\$ 18,496	18.9 / 11.0	
MFZ SLZ PLA PEA(D) SEZ	6+9+9+12+24	48 / 54	\$ 18,671	18.9 / 11.0	
To substitute the MSZ-GE Indoor Unit with one of the above	6+9+9+15+15	48 / 54	\$ 18,674	18.9 / 11.0	
please see the "Investment Option Worksheet"	6+9+9+15+18	48 / 54	\$ 18,725	18.9 / 11.0	
Other options available:	6+9+9+18+18	48 / 54	\$ 18,775	18.9 / 11.0	
To substitute the MSZ-GF with the	6+9+12+12+12	48 / 54	\$ 18,366	18.9 / 11.0	
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	6+9+12+12+15	48 / 54	\$ 18,595	18.9 / 11.0	
please see the "Investment Ortion Vorksheet".	6+9+12+12+18	48 / 54	\$ 18,645	18.9 / 11.0	
	6+9+12+15+15	48 / 54	\$ 18,824	18.9 / 11.0	
	6+9+12+15+18	48 / 54	\$ 18,875	18.9 / 11.0	
♦ MITSUBISHI	6+9+15+15+15	48 / 54	\$ 19,053	18.9 / 11.0	
ELECTRIC "	6+12+12+12+12	48 / 54	\$ 18,515	18.9 / 11.0	

### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit

COOLING & HEATING

- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



### MULTI-ZONE Hyper-Heating HP - 5 ZONES up to 4 TON

SYSTEM	INDCOR UNIT	CL / HT		SEER /
	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF
	\ \ \ '/ /	( )		
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless	eat Rump	/		
☑ Complete comfort with individual zone control	ノノノノ		_	_
☑ Easily accessible and long lasting washable filters	6+12+12+12+15	48 / 54	\$ 18,745	18.9 / 11.0
☑ Easy, low cost installation	6+12+12+18	48 / 54	\$ 18,795	18.9 / 11.0
☑ One wireless remote controller for each Indoor unit	9+9+9+9	45 / 51	\$ 17,993	18.9 / 11.0
☑ H²i Hyper-Heating performance	9+9+9+9+12	48 / 54	\$ 18,142	18.9 / 11.0
☑ Variable-speed Compressor technology	9+9+9+15	48 / 54	\$ 18,371	18.9 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	9+9+9+18	48 / 54	\$ 18,422	18.9 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor	9+9+9+24	48 / 54	\$ 18,597	18.9 / 11.0
Energy Star® rated (could qualify for Tax Credit)	9+9+9+12+12	48 / 54	\$ 18,292	18.9 / 11.0
	9+9+9+12+15	48 / 54	\$ 18,521	18.9 / 11.0
Indoor Urit ( = MSZ-GE06NA-8	9+9+9+12+18	48 / 54	\$ 18,572	18.9 / 11.0
Indoor Unit 9 = MSZ-GE09NA-8	9+9+9+15+15	48 / 54	\$ 18,750	18.9 / 11.0
Indoor Unit 12 = MSZ-GE12NA-8	9+9+9+15+18	48 / 54	\$ 18,801	18.9 / 11.0
ind por Unit 15 = MSZ-GE15NA-8	9+9+12+12+12	48 / 54	\$ 18,442	18.9 / 11.0
Indoor Unit 18 = MSZ-GE18NA-8	9+9+12+12+15	48 / 54	\$ 18,671	18.9 / 11.0
Indoor Unit 24 = MSZ-GE24NA	9+9+12+12+18	48 / 54	\$ 18,721	18.9 / 11.0
$\sim$ \ \	9+9+12+15+15	48 / 54	\$ 18,900	18.9 / 11.0
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	9+12+12+12	48 / 54	\$ 18,591	18.9 / 11.0
	9+12+12+12+15	48 / 54	\$ 18,820	18.9 / 11.0
	12+12+12+12+12	48 / 54	\$ 18,741	18.9 / 11.0
MFZ SLZ PLA PEAID SEZ		-	-	-

Other options available:

To substitute the MSZ-GF with the

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".



### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit

To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"

- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE Hyper-Heating HP - 6 ZONES up to 4 TON

OVOTEM	INDCOR UNIT	CL / HT		SEER /
SYSTEM	COMBINATION	/KBTU*	INVESTMENT	HSPF
		$\sigma$		
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless He	at Rump	/		
☑ Complete comfort with individual zone control	$\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$			
☑ Easily accessible and long lasting washable filters	6+6+6+6+6	36 / 45	\$ 19,967	18.9 / 11.0
☑ Easy, low cost installation	6+6+6+6+6+9	39 / 46.5	\$ 20,043	18.9 / 11.0
☑ One wireless remote controller for each Indoor unit	6+6+6+6+6+12	42 / 48	\$ 20,193	18.9 / 11.0
☑ H²i Hyper-Heating performance	6+6+6+6+6+15	45 / 51	\$ 20,422	18.9 / 11.0
☑ Variable-speed Compressor technology	6+6+6+6+18	48 / 54	\$ 20,472	18.9 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+6+6+24	48 / 54	\$ 20,648	18.9 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6-6+6+9+9	42 / 48	\$ 20,119	18.9 / 11.0
Energy Star® rated (could qualify for Tax Cledit)	6+6+6+6+9+12	45 / 51	\$ 20,268	18.9 / 11.0
	6+6+6+6+9+15	48 / 54	\$ 20,497	18.9 / 11.0
Indoor Unit ( = MSZ-GE06NA-8	6+6+6+9+18	48 / 54	\$ 20,548	18.9 / 11.0
Indoor Unit 9 = MSZ-GE09NA-8	6+6+6+6+9+24	48 / 54	\$ 20,723	18.9 / 11.0
Indoor Unit 12 = MSZ-GE12NA-8	6+6+6+6+12+12	48 / 54	\$ 20,418	18.9 / 11.0
nd por Unit 15 = MSZ-GE15NA-8	6+6+6+6+12+15	48 / 54	\$ 20,647	18.9 / 11.0
Indoor Unit 18 = MSZ-GE18NA-8	6+6+6+6+12+18	48 / 54	\$ 20,698	18.9 / 11.0
Indoor Unit 24 = MSZ-GE24NA	6+6+6+6+12+24	48 / 54	\$ 20,873	18.9 / 11.0
$\sim$ \ \	6+6+6+6+15+15	48 / 54	\$ 20,876	18.9 / 11.0
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+6+6+15+18	48 / 54	\$ 20,927	18.9 / 11.0
	6+6+6+6+18+18	48 / 54	\$ 20,977	18.9 / 11.0
	6+6+6+9+9+9	45 / 51	\$ 20,195	18.9 / 11.0
MFZ SLZ PLA PEAD SEZ	6+6+6+9+9+12	48 / 54	\$ 20,344	18.9 / 11.0
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+6+9+9+15	48 / 54	\$ 20,573	18.9 / 11.0
please see the "Investment Ortion Worksheet"	6+6+6+9+9+18	48 / 54	\$ 20,624	18.9 / 11.0
Other options available:	6+6+6+9+9+24	48 / 54	\$ 20,799	18.9 / 11.0
To substitute the MSZ-GF with he	6+6+6+9+12+12	48 / 54	\$ 20,494	18.9 / 11.0
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	6+6+6+9+12+15	48 / 54	\$ 20,723	18.9 / 11.0
please see the "Investment Ortion Worksheet".	6+6+6+9+12+18	48 / 54	\$ 20,773	18.9 / 11.0
	6+6+6+9+15+15	48 / 54	\$ 20,952	18.9 / 11.0
$\checkmark$	6+6+6+9+15+18	48 / 54	\$ 21,002	18.9 / 11.0
MITSUBISHI	6+6+6+12+12+12	48 / 54	\$ 20,643	18.9 / 11.0
ELECTRIC "	6+6+6+12+12+15	48 / 54	\$ 20,872	18.9 / 11.0


#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit

COOLING & HEATING

- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



### MULTI-ZONE Hyper-Heating HP - 6 ZONES up to 4 TON

SYSTEM	INDOOR UNIT	CL / HT	INVESTMENT	SEER / HSPF				
		<del>/ ) </del>						
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless Heat Rump								
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>							
☑ Easily accessible and long lasting washable filters	6+6+6+12+12+18	48 / 54	\$ 20,923	18.9 / 11.0				
☑ Easy, low cost installation	6+6-6+12-15+15	48 / 54	\$ 21,102	18.9 / 11.0				
☑ One wireless remote controller for each Indoor unit	6+6+9+9+9+9	48 / 54	\$ 20,270	18.9 / 11.0				
☑ H²i Hyper-Heating performance	6+6+9+9+9+12	48 / 54	\$ 20,420	18.9 / 11.0				
☑ Variable-speed Compressor technology	6+6+9+9+9+15	48 / 54	\$ 20,649	18.9 / 11.0				
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+9+9+9+18	48 / 54	\$ 20,700	18.9 / 11.0				
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6+6+9+9+12+12	48 / 54	\$ 20,570	18.9 / 11.0				
Energy Star® rated (could qualify for Tax Credit)	6+6+9+9+12+15	48 / 54	\$ 20,799	18.9 / 11.0				
	6+6+9+9+12+18	48 / 54	\$ 20,849	18.9 / 11.0				
Indoor Unit ( = MSZ-GE06NA-8	6+6+9+9+15+15	48 / 54	\$ 21,028	18.9 / 11.0				
Indoor Unit 9 = MSZ-GE09N A-8	0+6+9+12+12+12	48 / 54	\$ 20,719	18.9 / 11.0				
Indoor built 12 = MSZ-GE12NA-8	6+6+9+12+12+15	48 / 54	\$ 20,948	18.9 / 11.0				
ind por Unit 15 = MSZ-GE15NA-8	6+6+12+12+12+12	48 / 54	\$ 20,869	18.9 / 11.0				
Indoor Unit 18 = MSZ-GE18NA-8	6+9+9+9+9	48 / 54	\$ 20,346	18.9 / 11.0				
	6+9+9+9+9+12	48 / 54	\$ 20,496	18.9 / 11.0				
$\sim$ \ \	6+9+9+9+9+15	48 / 54	\$ 20,725	18.9 / 11.0				
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+9+9+9+9+18	48 / 54	\$ 20,775	18.9 / 11.0				
	6+9+9+9+12+12	48 / 54	\$ 20,645	18.9 / 11.0				
	6+9+9+9+12+15	48 / 54	\$ 20,874	18.9 / 11.0				
MFZ SLZ PLA PEAID SEZ	6+9+9+12+12+12	48 / 54	\$ 20,795	18.9 / 11.0				
To substitute the MSZ-GE Indoor-Unit with one of the above	9+9+9+9+9	48 / 54	\$ 20,422	18.9 / 11.0				
please see the "Investment Option Worksheet"	9+9+9+9+12	48 / 54	\$ 20,572	18.9 / 11.0				
Other options available:	9+9+9+9+15	48 / 54	\$ 20,801	18.9 / 11.0				
To substitute the MSZ-GF with the	9+9+9+9+12+12	48 / 54	\$ 20,721	18.9 / 11.0				


MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Ortion Worksheet".



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




CVCTEM	INDCOR UNIT	INDOOR UNIT / CL / HT			
SYSTEM	COMBINATION	<b>/</b> KBTU*	INVESTMENT	HSPF	
		/			
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat	Pulipp \				
☑ Complete comfort with individual zone control	////				
☑ Easily accessible and long lasting washable filters	6+6+6+6+6	35 / 38	\$ 17,962	15.0 / 8.7	
☑ Easy, low cost installation	6+6+6+6+6	38 / 41.5	\$ 18,038	15.0 / 8.7	
☑ One wireless remote controller for each Indoor unit	6+6+6+6+6+12	41 / 44.9	\$ 18,187	15.0 / 8.7	
☑ Variable-speed Compressor technology	6+6+6+6+6+15	44 / 48.3	\$ 18,416	15.0 / 8.7	
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+6+6+18	47 / 51.7	\$ 18,467	15.0 / 8.7	
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+6+6+24	52.3 / 58.6	\$ 18,642	15.0 / 8.7	
~ \ \	6+6+6+9+9	41 / 44.9	\$ 18,113	15.0 / 8.7	
	6+6+6+6+9+12	44 / 48.3	\$ 18,263	15.0 / 8.7	
Indoor Unit 6 - MSZ-GE06NA-8	6+6+6+9+15	47 / 51.7	\$ 18,492	15.0 / 8.7	
Indoor Unit § = MSZ-GE09NA-8	6+6+6+9+18	49.7 / 55.1	\$ 18,543	15.0 / 8.7	
Indoor Unit 12 ≡ MSZ-GE12N A-8	6+6+6+6+9+24	54 / 60	\$ 18,718	15.0 / 8.7	
Indoor brit 15 = MSZ-GE10NA-8	6+6+6+6+12+12	47 / 51.7	\$ 18,413	15.0 / 8.7	
ing por Unit 18 = MSZ-GE18NA-8	6+6+6+6+12+15	49.7 / 55.1	\$ 18,642	15.0 / 8.7	
Indoor Unit 24 = MSZ-GE24NA	6+6+6+6+12+18	52.3 / 58.6	\$ 18,692	15.0 / 8.7	
\ \ \ \	6+6+6+6+12+24	54 / 60	\$ 18,868	15.0 / 8.7	
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+6+6+15+15	52.3 / 58.6	\$ 18,871	15.0 / 8.7	
	6+6+6+6+15+18	54 / 60	\$ 18,921	15.0 / 8.7	
	6+6+6+6+15+24	54 / 60	\$ 19,097	15.0 / 8.7	
MFZ SLZ PLA PEA(D), SEZ	6+6+6+6+18+18	54 / 60	\$ 18,972	15.0 / 8.7	
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+6+6+18+24	54 / 60	\$ 19,147	15.0 / 8.7	
please see the "Inves ment opt on Worksheet"	6+6+6+9+9+9	44 / 48.3	\$ 18,189	15.0 / 8.7	
Other options available:	6+6+6+9+9+12	47 / 51.7	\$ 18,339	15.0 / 8.7	
To substitute the MSZ-GE with the	6+6+6+9+9+15	49.7 / 55.1	\$ 18,568	15.0 / 8.7	
MSZ-FE with H Hyper Heat performance	6+6+6+9+9+18	52.3 / 58.6	\$ 18,618	15.0 / 8.7	
please see "Investment Option Vorksheet".	6+6+6+9+9+24	54 / 60	\$ 18,794	15.0 / 8.7	
//	6+6+6+9+12+12	49.7 / 55.1	\$ 18,488	15.0 / 8.7	
	6+6+6+9+12+15	52.3 / 58.6	\$ 18,717	15.0 / 8.7	
	6+6+6+9+12+18	54 / 60	\$ 18,768	15.0 / 8.7	
MITSURISHI	6+6+6+9+12+24	54 / 60	\$ 18,944	15.0 / 8.7	
ELECTRIC "	6+6+6+9+15+15	54 / 60	\$ 18,947	15.0 / 8.7	
COOLING & HEATING		•			

#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- $\ensuremath{\,\boxtimes\,}$  New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- $\ensuremath{\square}$  Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat Pulinp  ☑ Complete comfort with individual zone control  ☑ Easily accessible and long lasting washable filters  ☑ Leasy, low cost installation  ☑ One wireless remote controller for each Indoor unit  ☑ Variable-speed Compressor technology  ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter  ☑ 7-Year compressor, 1-Year parts, 1-Year labor  ☐ Indoor Unit 6 - MSZ-GE(6NNAs) ☐ Indoor Unit 8 - MSZ-GE(6NNAs) ☐ Indoor Unit 1 = MSZ-GE(6NNAs) ☐ Indoor Unit 1 = MSZ-GE(6NNAs) ☐ G+6+6+12+12+24 ☐ 54 / 60 ☐ \$19,098 ☐ 15,0 / 8. ☐ 6+6+6+12+12+12+15 ☐ 54 / 60 ☐ \$19,098 ☐ 15,0 / 8. ☐ 6+6+6+12+15+15 ☐ 54 / 60 ☐ \$19,098 ☐ 15,0 / 8. ☐ 6+6+6+12+15+15 ☐ 54 / 60 ☐ \$19,098 ☐ 15,0 / 8. ☐ 6+6+6+12+15+15 ☐ 54 / 60 ☐ \$19,098 ☐ 15,0 / 8. ☐ 6+6+6+12+15+15 ☐ 54 / 60 ☐ \$19,392 ☐ 15,0 / 8. ☐ 6+6+6+12+15+15 ☐ 54 / 60 ☐ \$19,392 ☐ 15,0 / 8. ☐ 6+6+6+12+15+15 ☐ 54 / 60 ☐ \$19,392 ☐ 15,0 / 8. ☐ 6+6+6+12+15+15 ☐ 54 / 60 ☐ \$19,322 ☐ 15,0 / 8. ☐ 6+6+6+12+15+15 ☐ 54 / 60 ☐ \$19,322 ☐ 15,0 / 8. ☐ 6+6+6+12+15+15 ☐ 54 / 60 ☐ \$19,322 ☐ 15,0 / 8. ☐ 6+6+6+15+15+18 ☐ 54 / 60 ☐ \$19,322 ☐ 15,0 / 8. ☐ 6+6+9+9+9+9 ☐ 52,3 / 58,6 ☐ \$18,644 ☐ 15,0 / 8. ☐ 6+6+9+9+9+12 ☐ 52,3 / 58,6 ☐ \$18,644 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$18,894 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$18,894 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$18,894 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$18,894 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$18,894 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$18,894 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$18,894 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$18,894 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$19,426 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$19,426 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$19,426 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$19,426 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$19,426 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$19,426 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$19,426 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$19,426 ☐ 15,0 / 8. ☐ 6+6+9+9+12+15 ☐ 54 / 60 ☐ \$19,426 ☐ 15,0 / 8. ☐ 6+	0)/07514	INDCOR UNIT	CL / HT		SEER /
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat Pump  ☑ Complete comfort with individual zone control ☑ Easily accessible and long lasting washable filters ☑ Easy, low cost installation ☑ One wireless remote controller for each Indoor unit ☑ Variable-speed Compressor technology ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter ☑ 7-Year compressor, 1-Year parts, 1-Year labor ☑ 7-Year compressor, 1-Year parts, 1-Year labor ☐ 1ndoor Unit 6 MSZ-GE08NA8	SYSTEM			INVESTMENT	_
☐ Complete comfort with individual zone control ☐ Easily accessible and long lasting washable filters ☐ Easily accessible and long lasting washable filters ☐ Easily accessible and long lasting washable filters ☐ One wireless remote controller for each Indoor unit ☐ Variable-speed Compressor technology ☐ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter ☐ 7-Year compressor, 1-Year parts, 1-Year labor ☐ Indoor Unit 6 = MSZ-GE06NA*2 ☐ Indoor Unit 6 = MSZ-GE06NA*3 ☐ Indoor Unit 12 = MSZ-GE16NA*3 ☐ Indoor Unit 12 = MSZ-GE16NA*3 ☐ Indoor Unit 13 = MSZ-GE18NA*3 ☐ Indoor Unit 14 = MSZ-GE18NA*3 ☐ Indoor Unit 15 = MSZ-GE18NA*3 ☐ Indoor Unit 16 = MSZ-GE18NA*3 ☐ Indoor Unit 17 = MSZ-GE18NA*3 ☐ Indoor Unit 18 = MSZ-GE18NA*3 ☐ Indoor Unit 18 = MSZ-GE18NA*3 ☐ Indoor Unit 19 = MSZ-GE18NA*3 ☐			/		
☐ Complete comfort with individual zone control ☐ Easily accessible and long lasting washable filters ☐ Easily accessible and long lasting washable filters ☐ Easily accessible and long lasting washable filters ☐ One wireless remote controller for each Indoor unit ☐ Variable-speed Compressor technology ☐ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter ☐ 7-Year compressor, 1-Year parts, 1-Year labor ☐ Indoor Unit 6 = MSZ-GE06NA*2 ☐ Indoor Unit 6 = MSZ-GE06NA*3 ☐ Indoor Unit 12 = MSZ-GE16NA*3 ☐ Indoor Unit 12 = MSZ-GE16NA*3 ☐ Indoor Unit 13 = MSZ-GE18NA*3 ☐ Indoor Unit 14 = MSZ-GE18NA*3 ☐ Indoor Unit 15 = MSZ-GE18NA*3 ☐ Indoor Unit 16 = MSZ-GE18NA*3 ☐ Indoor Unit 17 = MSZ-GE18NA*3 ☐ Indoor Unit 18 = MSZ-GE18NA*3 ☐ Indoor Unit 18 = MSZ-GE18NA*3 ☐ Indoor Unit 19 = MSZ-GE18NA*3 ☐	M-Series (MXZ-8B48NA) Multi-Zone Split-ductless He	t Pump			
☑ Easily accessible and long lasting washable filters       0+6+6+0+15+18       54 / 60       \$ 18,997       15.0 / 8.3         ☑ Easy, low cost installation       6+0+6+9+15+24       54 / 60       \$ 19,173       15.0 / 8.3         ☑ One wireless remote controller for each Indoor unit       0+0+0+9+15+18       54 / 60       \$ 19,173       15.0 / 8.3         ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter       6+6+9+12+12+12       52.3 / 58.6       \$ 18,938       15.0 / 8.3         ☑ 7-Year compressor, 1-Year parts, 1-Year labor       Indoor Unit 6+MSZ-GE08NA-8       6+6+6+12+12+12       54 / 60       \$ 18,948       15.0 / 8.3         Indoor Unit 12 = MSZ-GE08NA-8       1ndoor Unit 12 = MSZ-GE18NA-8       6+6+6+12+15+18       54 / 60       \$ 19,093       15.0 / 8.3         Indoor Unit 12 = MSZ-GE18NA-8       6+6+6+12+15+18       54 / 60       \$ 19,093       15.0 / 8.3         Indoor Unit 12 = MSZ-GE18NA-8       6+6+6+12+15+18       54 / 60       \$ 19,093       15.0 / 8.3         Indoor Unit 12 = MSZ-GE18NA-8       6+6+6+15+15+15       54 / 60       \$ 19,322       15.0 / 8.3         Indoor Unit 24 = MSZ-GE18NA-8       6+6+6+15+15+15       54 / 60       \$ 19,325       15.0 / 8.3         Indoor Unit 24 = MSZ-GE24NA       6+6+6+15+15+15       54 / 60       \$ 19,325       15.0 / 8.3		1			
☑ Easy, low cost installation       6+0+6+9+15+24       54 / 60       \$ 19,173       15.0 / 8.3         ☑ One wireless remote controller for each Indoor unit       0+6+0+9+18+18       54 / 60       \$ 19,048       15.0 / 8.3         ☑ Variable-speed Compressor technology       4+0+6+9+18+24       54 / 60       \$ 19,223       15.0 / 8.3         ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter       9+6+3+12+12+12       52.3 / 58.6       \$ 18,687       15.0 / 8.3         ☑ Frage Compressor, 1-Year parts, 1-Year labor       11ndoor Unit 6 - MSZ-GE06NA-8       6+6+6+12+12+15       54 / 60       \$ 18,918       15.0 / 8.3         Indoor Unit 12 - MSZ-GE08NA-8       1ndoor Unit 12 - MSZ-GE18NA-8       6+6+6+12+15+15       54 / 60       \$ 19,093       15.0 / 8.3         Indoor Unit 12 - MSZ-GE18NA-8       6+6+6+12+15+18       54 / 60       \$ 19,093       15.0 / 8.3         Indoor Unit 12 - MSZ-GE18NA-8       6+6+6+12+15+18       54 / 60       \$ 19,147       15.0 / 8.3         Indoor Unit 24 - MSZ-GE18NA-8       6+6+6+15+15+15       54 / 60       \$ 19,325       15.0 / 8.3         Indoor Unit 24 - MSZ-GE18NA-8       6+6+6+15+15+18       54 / 60       \$ 19,325       15.0 / 8.3         MFZ       SLZ PA PEA (D), SEZ       6+6+9+9+9+12       49.7 / 55.1       \$ 18,645       15.0 / 8.3	•	L 6+6+6+0+15+18	54/60	l¢ 18997 l	15 0 / 8 7
☑ One wireless remote controller for each Indoor unit ☑ Variable-speed Compressor technology ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter ☑ 7-Year compressor, 1-Year parts, 1-Year labor ☐ Indoor Unit 6 — MSZ-GE06NAR Indoor Unit 16 — MSZ-GE08NAR Indoor Unit 12 = MSZ-GE08NAR Indoor Unit 12 = MSZ-GE08NAR Indoor Unit 12 = MSZ-GE18NAR Indoor Unit 12 = MSZ-GE24NA Indoor Unit 12 =		<b>\</b>			
☑ Variable-speed Compressor technology       6+6+6+9+18+24       54 / 60       \$ 19,223       15.0 / 8.7         ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter       8+6+8+12+12+12       52.3 / 58.6       \$ 18,638       15.0 / 8.7         ☑ 7-Year compressor, 1-Year parts, 1-Year labor       4+6+8+12+12+12       52.3 / 58.6       \$ 18,918       15.0 / 8.7         Indoor Unit 6 - MSZ-GE06NA*e Indoor Unit 9 = MSZ-GE09NA*B Indoor Unit 12 = MSZ-GE09NA*B Indoor Unit 12 = MSZ-GE18NA*B Indoor Unit 13 = MSZ-GE18NA*B Indoor Unit 14 = MSZ-GE18NA*B Indoor Unit 16 = MSZ-GE18NA*B Indoor Unit 17 = MSZ-GE18NA*B Indoor Unit 18 = MSZ-GE18NA*B Indoor Unit 19 = MSZ-GE24NA       6+6+6+12+15+18       54 / 60       \$ 19,147       15.0 / 8.7         Optional units: Floor Moups, Ceviling Intet, Ceviling Ducted       6+6+9+15+15+18       54 / 60       \$ 19,322       15.0 / 8.7         MFZ       PLA       PEA(D), SEZ       6+6+9+9+9+9+9       47 / 51.7       \$ 18,265       15.0 / 8.7         Other options ava able:       6+6+9+9+9+12       52.3 / 58.6       \$ 18,644       15.0 / 8.7         To substitute the MSZ-GE with the MSZ-GE with H*       6+6+9+9+12+12       52.3 / 58.6       \$ 18,664       15.0 / 8.7         Other options ava able:       6+6+9+9+15+18       54 / 60       \$ 18,793       15.0 / 8.7         To substitute the MSZ-GE with the MSZ-GE with H*       6+6+9+9+15+18       54 / 60 <td< td=""><td>· · · · · · · · · · · · · · · · · · ·</td><td></td><td></td><td>, -, -</td><td></td></td<>	· · · · · · · · · · · · · · · · · · ·			, -, -	
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter       \$+6+3+12+12+12       \$52.3 / 58.6       \$ 18,638       \$15.0 / 8.7         ☑ 7-Year compressor, 1-Year parts, 1-Year labor       \$+6+6+12+12+15       \$54 / 60       \$ 18,918       \$15.0 / 8.7         Indoor Unit 6	1	_ \ \			
### T-Year compressor, 1-Year parts, 1-Year labor    1-6+6+6+12+12+15		<b>\</b>		7,	
Indoor Unit 6   MSZ-GE08NA   16   6+6+12+12+24   54   60   \$   18,918   15.0   8.1   15.0   8.	97 7			, -,	
Indoor Unit 6   MSZ-GE06NA   6   6+6+12+15+15   54   60   \$   19,093   15.0   8.3     Indoor Unit 6   MSZ-GE06NA   6   6+6+12+15+15   54   60   \$   19,096   15.0   8.3     Indoor Unit 12   MSZ-GE08NA   6+6+6+12+15+18   54   60   \$   19,147   15.0   8.3     Indoor Unit 12   MSZ-GE16NA   6+6+6+12+15+18   54   60   \$   19,147   15.0   8.3     Indoor Unit 12   MSZ-GE16NA   6+6+6+12+15+15   54   60   \$   19,322   15.0   8.3     Indoor Unit 12   MSZ-GE16NA   6+6+6+15+15   54   60   \$   19,325   15.0   8.3     Indoor Unit 12   MSZ-GE18NA   6+6+6+15+15   54   60   \$   19,325   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+6+15+15   54   60   \$   19,325   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+6+15+15   54   60   \$   19,325   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+9+9   47   75.1   \$   18,265   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+9+12   49.7   75.1   \$   18,415   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+9+12   49.7   75.1   \$   18,445   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+9+12   49.7   75.1   \$   18,445   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+9+12   49.7   75.1   \$   18,445   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+9+12   49.7   75.1   \$   18,445   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+9+12   52.3   58.6   \$   18,644   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+12+12   52.3   58.6   \$   18,644   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+12+12   52.3   58.6   \$   18,644   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+12+12   54   60   \$   18,644   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+12+12   54   60   \$   18,644   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+12+12   54   60   \$   18,644   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+12+12   54   60   \$   18,644   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+12+12   54   60   \$   18,644   15.0   8.3     Indoor Unit 24   MSZ-GE24NA   6+6+9+9+12+12   54   60   \$   18,644   15.0   8.3     Ind	™ 7-1eal compressor, 1-1eal parts, 1-1eal labor			· ·	
Indoor Unit 6 MSZ-GE08NA-8	$\sim$ \				
Indoor Unit 12 = MSZ-GE09NA-8   6+6+6+12+15+18   54 / 60   \$ 19,147   15.0 / 8.7				, ,,,,,,	
Indoor Unit 12 = MSZ-GE12NA-8					
Indoor Unit 15 = MSZ-GE16NA-8 6+6+6+12+18+18 54 / 60 \$ 19,197 15.0 / 8.7 Indoor Unit 12 = MSZ-GE18NA-8 6+6+6+15+15+15 54 / 60 \$ 19,325 15.0 / 8.7 Indoor Unit 24 = MSZ-GE24NA 6+6+6+15+15+18 54 / 60 \$ 19,376 15.0 / 8.7 Indoor Unit 24 = MSZ-GE24NA 6+6+6+15+15+18 54 / 60 \$ 19,376 15.0 / 8.7 Indoor Unit 24 = MSZ-GE24NA 6+6+6+15+18+18 54 / 60 \$ 19,426 15.0 / 8.7 Indoor Unit 24 = MSZ-GE24NA 6+6+9+9+9+9 47 / 51.7 \$ 18,265 15.0 / 8.7 Indoor Unit 24 = MSZ-GE24NA 6+6+9+9+9+9 47 / 51.7 \$ 18,265 15.0 / 8.7 Indoor Unit 24 = MSZ-GE Indoor Unit					
Note   Unit 12 = MSZ-GE18NA-8   6+6+6+15+15+15   54 / 60   \$ 19,325   15.0 / 8.7				, -,-	
Indoer Unit 24 = MSZ-GE24NA  6+6+6+15+18+18  54 / 60  \$ 19,376  15.0 / 8.7  6+6+6+15+18+18  54 / 60  \$ 19,426  15.0 / 8.7  6+6+9+9+9+9  47 / 51.7  \$ 18,265  15.0 / 8.7  6+6+9+9+9+12  49.7 / 55.1  \$ 18,415  15.0 / 8.7  6+6+9+9+9+15  52.3 / 58.6  \$ 18,644  15.0 / 8.7  6+6+9+9+9+18  54 / 60  \$ 18,894  15.0 / 8.7  6+6+9+9+9+18  54 / 60  \$ 18,870  15.0 / 8.7  6+6+9+9+12+12  52.3 / 58.6  \$ 18,644  15.0 / 8.7  6+6+9+9+12+12  52.3 / 58.6  \$ 18,644  15.0 / 8.7  6+6+9+9+12+12  52.3 / 58.6  \$ 18,844  15.0 / 8.7  6+6+9+9+12+12  54 / 60  \$ 18,793  15.0 / 8.7  6+6+9+9+12+15  54 / 60  \$ 18,844  15.0 / 8.7  6+6+9+9+12+15  54 / 60  \$ 18,793  15.0 / 8.7  6+6+9+9+12+15  54 / 60  \$ 19,019  15.0 / 8.7  6+6+9+9+15+15  54 / 60  \$ 19,019  15.0 / 8.7  6+6+9+9+15+15  54 / 60  \$ 19,019  15.0 / 8.7  6+6+9+9+15+18  54 / 60  \$ 19,022  15.0 / 8.7  6+6+9+9+15+24  54 / 60  \$ 19,023  15.0 / 8.7  6+6+9+9+15+24  54 / 60  \$ 19,023  15.0 / 8.7  6+6+9+9+15+18  6+6+9+9+15+24  54 / 60  \$ 19,023  15.0 / 8.7  6+6+9+9+15+18  54 / 60  \$ 19,023  15.0 / 8.7  6+6+9+9+15+18  6+6+9+9+15+18  54 / 60  \$ 19,023  15.0 / 8.7  6+6+9+9+15+18  6+6+9+9+18+18  54 / 60  \$ 19,023  15.0 / 8.7  6+6+9+9+18+18  54 / 60  \$ 19,023  15.0 / 8.7  6+6+9+9+18+18  6+6+9+9+18+18  54 / 60  \$ 19,023  15.0 / 8.7  6+6+9+9+18+18  6+6+9+9+18+18  54 / 60  \$ 19,023  15.0 / 8.7  6+6+9+9+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+9+18+18+18  6+6+18+18+18  6+6+18+18+18  6+6+18+18+18  6+6+18+18+18  6+6+18+18+18  6+6+18+18+18  6+6+18+18+18  6+6+18+18+18  6+6+18+18+18	_1 / \ \				
Optional units: Floor Mount, Ceiling Intet, Ceiling Ducted  6+6+6+15+18+18 54/60 \$ 19,426 15.0/8.7  6+6+9+9+9+9 47/51.7 \$ 18,265 15.0/8.7  6+6+9+9+9+12 49.7/55.1 \$ 18,415 15.0/8.7  6+6+9+9+9+15 52.3/58.6 \$ 18,644 15.0/8.7  6+6+9+9+9+18 54/60 \$ 18,694 15.0/8.7  6+6+9+9+9+12 54/60 \$ 18,870 15.0/8.7  6+6+9+9+12+12 52.3/58.6 \$ 18,564 15.0/8.7  6+6+9+9+12+12 52.3/58.6 \$ 18,564 15.0/8.7  6+6+9+9+12+15 54/60 \$ 18,793 15.0/8.7  6+6+9+9+12+18 54/60 \$ 18,844 15.0/8.7  6+6+9+9+15+18 54/60 \$ 19,019 15.0/8.7  6+6+9+9+15+18 54/60 \$ 19,019 15.0/8.7  6+6+9+9+15+18 54/60 \$ 19,022 15.0/8.7  6+6+9+9+15+18 54/60 \$ 19,023 15.0/8.7  6+6+9+9+15+18 54/60 \$ 19,023 15.0/8.7  6+6+9+9+15+18 54/60 \$ 19,023 15.0/8.7  6+6+9+9+15+18 54/60 \$ 19,023 15.0/8.7  6+6+9+9+18+18 54/60 \$ 19,023 15.0/8.7  6+6+9+9+18+18 54/60 \$ 19,023 15.0/8.7  6+6+9+9+18+18 54/60 \$ 19,023 15.0/8.7  6+6+9+9+18+18 54/60 \$ 19,023 15.0/8.7  6+6+9+9+18+18 54/60 \$ 19,023 15.0/8.7				, ,,,,	
Optional units: Floor Moune, Ceiling In. et, Ceiling Ducted  6+6+9+9+9+9  47 / 51.7 \$ 18,265 15.0 / 8.7 6+6+9+9+9+12 49.7 / 55.1 \$ 18,415 15.0 / 8.7 6+6+9+9+9+15 52.3 / 58.6 \$ 18,644 15.0 / 8.7 6+6+9+9+9+18 54 / 60 \$ 18,694 15.0 / 8.7 6+6+9+9+9+18 54 / 60 \$ 18,870 15.0 / 8.7 6+6+9+9+9+12+12 52.3 / 58.6 \$ 18,564 15.0 / 8.7 6+6+9+9+12+12 52.3 / 58.6 \$ 18,564 15.0 / 8.7 6+6+9+9+12+12 52.3 / 58.6 \$ 18,564 15.0 / 8.7 6+6+9+9+12+12 52.3 / 58.6 \$ 18,564 15.0 / 8.7 6+6+9+9+12+12 52.3 / 58.6 \$ 18,564 15.0 / 8.7 6+6+9+9+12+12 54 / 60 \$ 18,793 15.0 / 8.7 6+6+9+9+12+18 54 / 60 \$ 18,844 15.0 / 8.7 6+6+9+9+12+18 54 / 60 \$ 19,019 15.0 / 8.7 6+6+9+9+15+15 54 / 60 \$ 19,019 15.0 / 8.7 6+6+9+9+15+18 54 / 60 \$ 19,019 15.0 / 8.7 6+6+9+9+15+18 54 / 60 \$ 19,019 15.0 / 8.7 6+6+9+9+15+24 54 / 60 \$ 19	Indoor Unit 24 ≡ MSZ-GE24NA			, -,	
State   Stat	Ontional unite: Floor Mount Chiling Inset Coiling Ducted				
MFZ       SLZ       PLA       PEA(D), SEZ         To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"       6+6+9+9+9+18       54 / 60       \$ 18,694       15.0 / 8.7         Other options available:       6+6+9+9+12+12       52.3 / 58.6       \$ 18,694       15.0 / 8.7         To substitute the MSZ-GE with the MSZ-GE with the MSZ-GE with H1. Hyper Heat performance please see "Investment Option Worksheet".       6+6+9+9+12+18       54 / 60       \$ 18,844       15.0 / 8.7         6+6+9+9+15+15       54 / 60       \$ 19,019       15.0 / 8.7         6+6+9+9+15+15       54 / 60       \$ 19,022       15.0 / 8.7         6+6+9+9+15+18       54 / 60       \$ 19,073       15.0 / 8.7         6+6+9+9+15+18       54 / 60       \$ 19,073       15.0 / 8.7         6+6+9+9+15+24       54 / 60       \$ 19,073       15.0 / 8.7         6+6+9+9+18+18       54 / 60       \$ 19,022       15.0 / 8.7         6+6+9+9+18+18       54 / 60       \$ 19,123       15.0 / 8.7         6+6+9+9+18+18       54 / 60       \$ 19,123       15.0 / 8.7         6+6+9+9+12+12+12       54 / 60       \$ 19,123       15.0 / 8.7         6+6+9+9+12+12+12       54 / 60       \$ 19,123       15.0 / 8.7	Optional units. Floor mount, ceaning inter, ceaning bucted			, , , , , ,	
MFZ SLZ PLA PEA(D), SEZ  To substitute the MSZ-GE Indoor Unit both one of the above please see the "Inves ment Option Worksheet"  Other options available:  To substitute the MSZ-GE with the  MSZ-FE with His Hyper Heat performance please see "Investment Option Worksheet".  MSZ-FE with His Hyper Heat performance please see "Investment Option Worksheet".  MISUBISH  MISUBISH  6+6+9+9+12+12 54/60 \$ 18,694 15.0 / 8.7  6+6+9+9+12+12 52.3 / 58.6 \$ 18,564 15.0 / 8.7  6+6+9+9+12+15 54/60 \$ 18,793 15.0 / 8.7  6+6+9+9+12+18 54/60 \$ 19,019 15.0 / 8.7  6+6+9+9+15+15 54/60 \$ 19,022 15.0 / 8.7  6+6+9+9+15+18 54/60 \$ 19,023 15.0 / 8.7  6+6+9+9+18+18 54/60 \$ 19,023 15.0 / 8.7  6+6+9+9+18+18 54/60 \$ 19,123 15.0 / 8.7  6+6+9+9+18+18 54/60 \$ 19,123 15.0 / 8.7				·	
To substitute the MSZ-GE Indoor Unit with one of the above please see the "Investment Option Worksheet"  Other options available:  To substitute the MSZ-GE with the MSZ-FE with H1 Hyper Heat purformance please see "Investment Option Worksheet".  MSZ-FE with H2 Hyper Heat purformance please see "Investment Option Worksheet".  6+6+9+9+12+12 54 60 \$ 19,019 15.0 / 8.7 6+6+9+9+15+15 54 60 \$ 19,073 15.0 / 8.7 6+6+9+9+15+18 54 60 \$ 19,073 15.0 / 8.7 6+6+9+9+15+24 54 60 \$ 19,073 15.0 / 8.7 6+6+9+9+15+24 54 60 \$ 19,073 15.0 / 8.7 6+6+9+9+18+18 54 / 60 \$ 19,123 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18+18 15.0 / 8.7 6+6+9+9+18	MET OLD DAY ON THE			, -,-	
please see the "Inves ment Option Worksheet"         6+6+9+9+12+12         52.3 / 58.6         \$ 18,564         15.0 / 8.7           Other options avalable:         6+6+9+9+12+15         54 / 60         \$ 18,793         15.0 / 8.7           To substitute the MSZ-GE with the         6+6+9+9+12+18         54 / 60         \$ 18,844         15.0 / 8.7           MSZ-FE with H° Hyper Heat performance please see "Investment Option Worksheet".         6+6+9+9+15+15         54 / 60         \$ 19,019         15.0 / 8.7           6+6+9+9+15+18         54 / 60         \$ 19,073         15.0 / 8.7         6+6+9+9+15+24         54 / 60         \$ 19,073         15.0 / 8.7           6+6+9+9+15+24         54 / 60         \$ 19,073         15.0 / 8.7         6+6+9+9+18+18         54 / 60         \$ 19,123         15.0 / 8.7           6+6+9+9+18+18         54 / 60         \$ 19,123         15.0 / 8.7         6+6+9+9+12+12+12         54 / 60         \$ 19,123         15.0 / 8.7				, -,	
Other options available:       6+6+9+9+12+15       54 / 60       \$ 18,793       15.0 / 8.7         To substitute the MSZ-GE with the MSZ-FE with H° Hyper Heat performance please see "Investment Option Worksheet".       6+6+9+9+12+24       54 / 60       \$ 19,019       15.0 / 8.7         6+6+9+9+15+15       54 / 60       \$ 19,022       15.0 / 8.7         6+6+9+9+15+18       54 / 60       \$ 19,073       15.0 / 8.7         6+6+9+9+15+24       54 / 60       \$ 19,248       15.0 / 8.7         6+6+9+9+18+18       54 / 60       \$ 19,123       15.0 / 8.7         6+6+9+12+12+12       54 / 60       \$ 18,714       15.0 / 8.7				+ 10,000	
To substitute the MSZ-GE with the  MSZ-FE with H Hyper Heat performance please see "Investment Option Worksheet".  6+6+9+9+12+24 54 / 60 19,019 15.0 / 8.7 6+6+9+9+15+15 54 / 60 19,022 15.0 / 8.7 6+6+9+9+15+24 54 / 60 19,073 15.0 / 8.7 6+6+9+9+18+18 54 / 60 19,123 15.0 / 8.7 6+6+9+9+18+18 54 / 60 19,123 15.0 / 8.7 6+6+9+9+12+12+12 54 / 60 18,714 15.0 / 8.7					
MSZ-FE with H Hyper Heat performance please see "Investment Option Worksheet".  6+6+9+9+15+15 54 / 60 \$ 19,019 15.0 / 8.7 6+6+9+9+15+15 54 / 60 \$ 19,022 15.0 / 8.7 6+6+9+9+15+18 54 / 60 \$ 19,073 15.0 / 8.7 6+6+9+9+15+24 54 / 60 \$ 19,248 15.0 / 8.7 6+6+9+9+18+18 54 / 60 \$ 19,123 15.0 / 8.7 6+6+9+9+12+12+12 54 / 60 \$ 18,714 15.0 / 8.7 6+6+9+12+12+12 15 / 8.7 6+6+9+12+12+12+12 15 / 8.7 6+6+9+12+12+12+12+12+12 15 / 8.7 6+6+9+12+12+12+12+1				+ 10,100	
please see "Investment Option Worksheet".  6+6+9+9+15+15 54 / 60 \$ 19,022 15.0 / 8.7 6+6+9+9+15+18 54 / 60 \$ 19,073 15.0 / 8.7 6+6+9+9+15+24 54 / 60 \$ 19,248 15.0 / 8.7 6+6+9+9+18+18 54 / 60 \$ 19,123 15.0 / 8.7 6+6+9+12+12+12 54 / 60 \$ 18,714 15.0 / 8.7	_ 1			,-	
6+6+9+9+15+18 54 / 60 \$ 19,073 15.0 / 8.7 6+6+9+9+15+24 54 / 60 \$ 19,248 15.0 / 8.7 6+6+9+9+18+18 54 / 60 \$ 19,123 15.0 / 8.7 6+6+9+12+12+12 54 / 60 \$ 18,714 15.0 / 8.7					
6+6+9+9+15+24 54 / 60 \$ 19,248 15.0 / 8.7 6+6+9+9+18+18 54 / 60 \$ 19,123 15.0 / 8.7 6+6+9+12+12+12 54 / 60 \$ 18,714 15.0 / 8.7	please see "Investment Option Worksheet".			, -,-	
6+6+9+9+18+18 54 / 60 \$ 19,123 15.0 / 8.7 • MITSUBISHI 54 / 60 \$ 18,714 15.0 / 8.7	//				
MITSUBISHI 6+6+9+12+12+12 54 / 60 \$ 18,714 15.0 / 8.7				, ,, ,	
Y MITSOBISTII				, ,	15.0 / 8.7
<b>= 18,943</b>   15.0 / 8.7	MITSUBISHI				15.0 / 8.7
COOLING & HEATING	ELECTRIC .	6+6+9+12+12+15	54 / 60	\$ 18,943	15.0 / 8.7

#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




SYSTEM	INDCOR UNIT	CL / HT		SEER /
SISILIVI	COMBINATION	KBTU*	INVESTMENT	HSPF
	$\times \times $	/ /		
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Hea	t Pulipp	/		
☑ Complete comfort with individual zone control	ノノノノ			-
☑ Easily accessible and long lasting washable filters	6-6+9+12+12+18	54 / 60	\$ 18,993	15.0 / 8.7
☑ Easy, low cost installation	6+6-9+12-12+24	54 / 60	\$ 19,169	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	6-6+9-12+15+15	54 / 60	\$ 19,172	15.0 / 8.7
☑ Variable-speed Compressor technology	6+6+9+12+15+18	54 / 60	\$ 19,222	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+9+12+18+18	54 / 60	\$ 19,273	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	0+6+9+15+15+15	54 / 60	\$ 19,401	15.0 / 8.7
$\sim$ $\backslash$ $$	6+6+9+15+15+18	54 / 60	\$ 19,452	15.0 / 8.7
	o+6+12+12+12+12	54 / 60	\$ 18,863	15.0 / 8.7
Indoor Unit 6 - MSZ-GE06NA-8	6+6+12+12+12+15	54 / 60	\$ 19,093	15.0 / 8.7
Indoor Unit 9 = MSZ-GE09NA-8	6+6+12+12+12+18	54 / 60	\$ 19,143	15.0 / 8.7
Indoor Unit 12 = MSZ-GE12NA-8	6-6+12+12+15+15	54 / 60	\$ 19,322	15.0 / 8.7
Indoor Unit 15 = MSZ-GE10NA-8	6+6+12+12+15+18	54 / 60	\$ 19,372	15.0 / 8.7
ind por Unit 12 = MSZ-GE18NA-8	6+6+12+15+15+15	54 / 60	\$ 19,551	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA	6+9+9+9+9	49.7 / 55.1	\$ 18,341	15.0 / 8.7
	6+9+9+9+9+12	52.3 / 58.6	\$ 18,490	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+9+9+9+9+15	54 / 60	\$ 18,719	15.0 / 8.7
	6+9+9+9+9+18	54 / 60	\$ 18,770	15.0 / 8.7
	6+9+9+9+9+24	54 / 60	\$ 18,945	15.0 / 8.7
MFZ SLZ PLA PEA(D), SEZ	6+9+9+9+12+12	54 / 60	\$ 18,640	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	6+9+9+9+12+15	54 / 60	\$ 18,869	15.0 / 8.7
please see the "Investment option Worksheet"	6+9+9+9+12+18	54 / 60	\$ 18,920	15.0 / 8.7
Other options available:	6+9+9+9+12+24	54 / 60	\$ 19,095	15.0 / 8.7
To substitute the MSZ-GE with the	6+9+9+9+15+15	54 / 60	\$ 19,098	15.0 / 8.7
MSZ-FE with H Hyper Heat performance	6+9+9+9+15+18	54 / 60	\$ 19,149	15.0 / 8.7
please see "Investment Option Worksheet".	6+9+9+9+18+18	54 / 60	\$ 19,199	15.0 / 8.7
//	6+9+9+12+12+12	54 / 60	\$ 18,790	15.0 / 8.7
	6+9+9+12+12+15	54 / 60	\$ 19,019	15.0 / 8.7
	6+9+9+12+12+18	54 / 60	\$ 19,069	15.0 / 8.7
♦ MITSUBISHI	6+9+9+12+15+15	54 / 60	\$ 19,248	15.0 / 8.7
ELECTRIC	6+9+9+12+15+18	54 / 60	\$ 19,298	15.0 / 8.7
COOLING & HEATING				

#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




SYSTEM	INDOOR UNIT	CL / HT	INVESTMENT	SEER / HSPF
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Hea	t Pulm	7		<u> </u>
✓ Complete comfort with individual zone control	i dip			
,	6-9+9+15+15+15	54 / 60	\$ 19,477	15.0 / 8.7
<ul> <li>✓ Easily accessible and long lasting washable filters</li> <li>✓ Easy, low cost installation</li> </ul>	6+9+12+12+12+12	54 / 60	\$ 18,939	15.0 / 8.7
✓ One wireless remote controller for each Indoor unit	6+9+12+12+12+15	54 / 60	\$ 10,939	15.0 / 8.7
1 ~	6+9+12+12+12+18		, , , , , ,	
✓ Variable-speed Compressor technology	0+9+12+12+15+15	54 / 60 54 / 60	, , ,	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6-12+12+12+12	54 / 60	, -,	15.0 / 8.7 15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+12+12+12+12+15	54 / 60	, -,	
$\sim$ \	9+9+9+9+9	52.3 / 58.6	, ,,,,,,	15.0 / 8.7 15.0 / 8.7
		54 / 60	+ 10,111	
Indoor Unit 6 MSZ-GE06NA-	<del></del>	54 / 60	\$ 18,566 \$ 18.795	15.0 / 8.7 15.0 / 8.7
Indoor Light 9 = MSZ-GE08NA-8	\ / / · · · · · · · · · · · · · · · · ·		, ,,,,,,	
Indoor Unit 12 = MSZ-GE12NA-8		54 / 60		15.0 / 8.7
Indoor Brit 15 = MSZ-GE10NA-8		54 / 60	\$ 19,021	15.0 / 8.7
indpor Unit 13 = MSZ-GE18NA-8		54 / 60	\$ 18,716	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA		54 / 60	\$ 18,945	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	9+9+9+9+12+18	54 / 60	\$ 18,995	15.0 / 8.7
Optional units: Floor Mount, Cealing Intet, Cealing Ducted	9+9+9+9+15+15	54 / 60	\$ 19,174	15.0 / 8.7
	9+9+9+9+15+18	54 / 60	\$ 19,224	15.0 / 8.7
	9+9+9+12+12+12	54 / 60	\$ 18,865	15.0 / 8.7
MFZ SLZ PLA PLA(D), SEZ	9+9+9+12+12+15	54 / 60	\$ 19,094	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	9+9+9+12+12+18	54 / 60	\$ 19,145	15.0 / 8.7
please see the "Investment opt on Worksheet"	9+9+9+12+15+15	54 / 60	\$ 19,324	15.0 / 8.7
Other options available:	9+9+12+12+12+12	54 / 60	\$ 19,015	15.0 / 8.7
To substitute the MSZ-GE with the	9+9+12+12+12+15	54 / 60	\$ 19,244	15.0 / 8.7
MSZ-FE with H. Hyper Heat performance	9+12+12+12+12	54 / 60	\$ 19,165	15.0 / 8.7
please see "Investment Option Worksheet".				



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



# MULTI-ZONE Hyper-Heating HP - 7 ZONES up to 4 TON

SYSTEM	INDCOR UNIT	CL / HT		SEER /
OTOTEM	COMBINATION	KBTU*	INVESTMENT	HSPF
	\ \ \ '/ /	"		
M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless	eat Rump			
☑ Complete comfort with individual zone control	<b>\                                    </b>			
☑ Easily accessible and long lasting washable filters	6+6+6+6+6+6	42 / 48	\$ 21,565	18.9 / 11.0
☑ Easy, low cost installation	6+6+6+6+6+6+9	45 / 51	\$ 21,641	18.9 / 11.0
☑ One wireless remote controller for each Indoor unit	6-6+6-6+6+6+12	48 / 54	\$ 21,791	18.9 / 11.0
☑ H²i Hyper-Heating performance	6+6+6+6+6+6+15	48 / 54	\$ 22,020	18.9 / 11.0
☑ Variable-speed Compressor technology	6+6+6+6+6+18	48 / 54	\$ 22,070	18.9 / 11.0
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+6+6+6+24	48 / 54	\$ 22,246	18.9 / 11.0
☑ 7-Year compressor, 5-Year parts, 1-Year labor	6+6+6+6+9+9	48 / 54	\$ 21,717	18.9 / 11.0
Energy Star® rated (could qualify for Tax Credit)	0+6+6+6+6+9+12	48 / 54	\$ 21,867	18.9 / 11.0
_ /^ / /	6 6+6+6+6+9+15	48 / 54	\$ 22,096	18.9 / 11.0
Indoor Ur it f = MSZ-GE06NA-8	6+6-6+6+9+18	48 / 54	\$ 22,146	18.9 / 11.0
Indoor Unit 9 = MSZ-GE09NA-8	6+6+6+6+12+12	48 / 54	\$ 22,016	18.9 / 11.0
Indoor Unit 12 = MSZ-GE12NA-8	6+6+6+6+6+12+15	48 / 54	\$ 22,245	18.9 / 11.0
napor Unit 15 = MS7-GE15NA-8	6+6+6+6+6+12+18	48 / 54	\$ 22,296	18.9 / 11.0
Indoor Unit 18 = MSZ-GE18NA-8	6+6+6+6+6+15+15	48 / 54	\$ 22,474	18.9 / 11.0
Indoor Unit 24 = MSZ-GE24NA	6+6+6+6+9+9+9	48 / 54	\$ 21,793	18.9 / 11.0
$\sim$	6+6+6+6+9+9+12	48 / 54	\$ 21,942	18.9 / 11.0
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+6+6+9+9+15	48 / 54	\$ 22,172	18.9 / 11.0
	6+6+6+6+9+9+18	48 / 54	\$ 22,222	18.9 / 11.0
	6+6+6+6+9+12+12	48 / 54	\$ 22,092	18.9 / 11.0
MFZ SLZ PLA PEAID SEZ	6+6+6+6+9+12+15	48 / 54	\$ 22,321	18.9 / 11.0
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+6+6+12+12+12	48 / 54	\$ 22,242	18.9 / 11.0
please see the "Investment Ortion Worksheet"	6+6+6+9+9+9+9	48 / 54	\$ 21,869	18.9 / 11.0
Other options available:	6+6+6+9+9+9+12	48 / 54	\$ 22,018	18.9 / 11.0
To substitute the MSZ-GF with the	6+6+6+9+9+9+15	48 / 54	\$ 22,247	18.9 / 11.0
MSZ-FE or MSZ-FH with H <sup>2</sup> i Hyper-Heating	6+6+6+9+9+12+12	48 / 54	\$ 22,168	18.9 / 11.0
please see the "Investment Option Worksheet".	6+6+9+9+9+9+9	48 / 54	\$ 21,944	18.9 / 11.0
	6+6+9+9+9+9+12	48 / 54	\$ 22,094	18.9 / 11.0



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.




SYSTEM	INDCOR UNIT	CL / HT		SEER /
OTOTEN	COMBINATION	KBTU*	INVESTMENT	HSPF
	<b>\ \ '</b> '/ /	/ /		
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat	Pulnp \	/		
☑ Complete comfort with individual zone control	ノノノノ			
☑ Easily accessible and long lasting washable filters	6+6+6+6+6+6	41 / 44.9	\$ 19,560	15.0 / 8.7
☑ Easy, low cost installation	6+6+6+6+6+9	44 / 48.3	\$ 19,636	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	6-6+6-6+6+6+12	47 / 51.7	\$ 19,786	15.0 / 8.7
☑ Variable-speed Compressor technology	6+6+6+6+6+15	49.7 / 55.1	\$ 20,015	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter	6+6+6+6+6+18	52.3 / 58.6	\$ 20,065	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+6+6+6+24	54 / 60	\$ 20,241	15.0 / 8.7
$\sim$ $^{\prime}$	6+6+6+6+9+9	47 / 51.7	\$ 19,712	15.0 / 8.7
	0+6+6+6+6+9+12	49.7 / 55.1	\$ 19,861	15.0 / 8.7
Indoor Unit 6 - MSZ-GE06NA-8	6 6+6+6+6+9+15	52.3 / 58.6	\$ 20,090	15.0 / 8.7
Indoor Urit 9 = MSZ-GE09NA-8	6+6+6+6+9+18	54 / 60	\$ 20,141	15.0 / 8.7
Indoor Unit 12 = MSZ-CE12NA-8	0+6+6+6+9+24	54 / 60	\$ 20,316	15.0 / 8.7
Indoor brit 15 = MSZ-GE15NA-8	6+6+6+6+6+12+12	52.3 / 58.6	\$ 20,011	15.0 / 8.7
ind por Unit 18 = MSZ-GE18NA-8	6+6+6+6+6+12+15	54 / 60	\$ 20,240	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA	6+6+6+6+6+12+18	54 / 60	\$ 20,291	15.0 / 8.7
\ \ \	6+6+6+6+6+12+24	54 / 60	\$ 20,466	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+6+6+6+15+15	54 / 60	\$ 20,469	15.0 / 8.7
	6+6+6+6+6+15+18	54 / 60	\$ 20,520	15.0 / 8.7
	6+6+6+6+6+15+24	54 / 60	\$ 20,695	15.0 / 8.7
MFZ SLZ PLA PEA(D), SEZ	6+6+6+6+6+18+18	54 / 60	\$ 20,570	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+6+6+9+9+9	49.7 / 55.1	\$ 19,788	15.0 / 8.7
please see the "Inves ment opt on Worksheet"	6+6+6+6+9+9+12	52.3 / 58.6	\$ 19,937	15.0 / 8.7
Other options available:	6+6+6+6+9+9+15	54 / 60	\$ 20,166	15.0 / 8.7
To substitute the MSZ-GE with the	6+6+6+6+9+9+18	54 / 60	\$ 20,217	15.0 / 8.7
MSZ-FE with H Hyper Heat performance	6+6+6+6+9+9+24	54 / 60	\$ 20,392	15.0 / 8.7
please see "Investment Option Worksheet".	6+6+6+6+9+12+12	54 / 60	\$ 20,087	15.0 / 8.7
//	6+6+6+6+9+12+15	54 / 60	\$ 20,316	15.0 / 8.7
	6+6+6+6+9+12+18	54 / 60	\$ 20,366	15.0 / 8.7
	6+6+6+6+9+12+24	54 / 60	\$ 20,542	15.0 / 8.7
MITSI IRISHI	6+6+6+6+9+15+15	54 / 60	\$ 20,545	15.0 / 8.7
ELECTRIC "	6+6+6+6+9+15+18	54 / 60	\$ 20,595	15.0 / 8.7
COOLING & HEATING			. : I	

#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- $\ensuremath{\,\boxtimes\,}$  New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



SYSTEM	INDCOP UNIT	CL / HT		SEER/
OTOTEW	COMBINATION	KBTU*	INVESTMENT	HSPF
	$X \times Z$	′ /		
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Hea	t Pump	/		
☑ Complete comfort with individual zone control	$\mathcal{N} \mathcal{N} \mathcal{N}$			
☑ Easily accessible and long lasting washable filters	6+6+6+6+9+18+18	54 / 60	\$ 20,646	15.0 / 8.7
☑ Easy, low cost installation	6+6+6+6+12+12+12	54 / 60	\$ 20,236	15.0 / 8.7
☑ One wireless remote controller for each Indoor unit	6+6+6+6+12+12+15	54 / 60	\$ 20,465	15.0 / 8.7
☑ Variable-speed Compressor technology	6+6+6+6+12+12+18	54 / 60	\$ 20,516	15.0 / 8.7
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-f <mark>i</mark> ter	6+6+6+6+12+15+15	54 / 60	\$ 20,694	15.0 / 8.7
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6 <del>-</del> 6+6+6+12+15+18	54 / 60	\$ 20,745	15.0 / 8.7
$\sim$ / $^{\prime}$	6+6+6+6+15+15+15	54 / 60	\$ 20,924	15.0 / 8.7
	6+6+6+9+9+9+9	52.3 / 58.6	\$ 19,863	15.0 / 8.7
Indoor Unit 6 - MSZ-GE06NA-8	6-6+6+9+9+9+12	54 / 60	\$ 20,013	15.0 / 8.7
Indoor Unit 9 = MSZ-GE09NA-8	6+6-6+9+9+9+15	54 / 60	\$ 20,242	15.0 / 8.7
Indoor Unit 12 = MSZ-GE12NA-8	0+6+6+9+9+9+18	54 / 60	\$ 20,292	15.0 / 8.7
Indoor Unit 15 = MSZ-GE10NA-8	6+6+6+9+9+9+24	54 / 60	\$ 20,468	15.0 / 8.7
indoor Unit 18 = MSZ-GE18NA-8	6+6+6+9+9+12+12	54 / 60	\$ 20,163	15.0 / 8.7
Indoor Unit 24 = MSZ-GE24NA	6+6+6+9+9+12+15	54 / 60	\$ 20,392	15.0 / 8.7
	6+6+6+9+9+12+18	54 / 60	\$ 20,442	15.0 / 8.7
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+6+9+9+15+15	54 / 60	\$ 20,621	15.0 / 8.7
	6+6+6+9+9+15+18	54 / 60	\$ 20,671	15.0 / 8.7
	6+6+6+9+12+12+12	54 / 60	\$ 20,312	15.0 / 8.7
MFZ SLZ PLA PEA(D), SEZ	6+6+6+9+12+12+15	54 / 60	\$ 20,541	15.0 / 8.7
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+6+9+12+12+18	54 / 60	\$ 20,592	15.0 / 8.7
please see the "Investment opt on Worksheet"	6+6+6+9+12+15+15	54 / 60	\$ 20,770	15.0 / 8.7
Other options available:	6+6+6+12+12+12+12	54 / 60	\$ 20,462	15.0 / 8.7
To substitute the MSZ-GE with the	6+6+6+12+12+12+15	54 / 60	\$ 20,691	15.0 / 8.7
MSZ-FE with H Hyper Heat performance	6+6+9+9+9+9+9	54 / 60	\$ 19,939	15.0 / 8.7
please see "Investment Option Worksheet".	6+6+9+9+9+9+12	54 / 60	\$ 20,089	15.0 / 8.7
//	6+6+9+9+9+9+15	54 / 60	\$ 20,318	15.0 / 8.7
	6+6+9+9+9+9+18	54 / 60	\$ 20,368	15.0 / 8.7
	6+6+9+9+9+12+12	54 / 60	\$ 20,238	15.0 / 8.7
♦ MITSUBISHI	6+6+9+9+9+12+15	54 / 60	\$ 20,467	15.0 / 8.7
ELECTRIC	6+6+9+9+9+12+18	54 / 60	\$ 20,518	15.0 / 8.7


#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit

COOLING & HEATING

- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



SYSTEM	$\triangle$	COM	 	T N	CL / H	SEER / HSPF
-					/	

### M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ✓ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-fifter
- ☑ 7-Year compressor, 1-Year parts, 1-Year labor

r odom mador anne	0.00.00.12712.10	01700	Ψ	_0,0	10.07 0.1
chnology	6+6+9+12+12+12+12	54 / 60	\$	20,538	15.0 / 8.7
brid Catechin" Pre-fiter	6+9-9+9+9+9	54 / 60	\$	20,015	15.0 / 8.7
1-Year labor	6+9+9+9+9+9+12	54 / 60	\$	20,164	15.0 / 8.7
~ \	6+9+9+9+9+9+15	54 / 60	\$	20,394	15.0 / 8.7
/ / /	0+9+9+9+9+9+18	54 / 60	\$	20,444	15.0 / 8.7
Indoor Unit 6 - MSZ-GE06NA	6+9+9+9+12+12	54 / 60	\$	20,314	15.0 / 8.7
Indoor Unit 9 = MSZ-GE09NA	\ <sub>-8</sub> 6+9+9+9+9+12+15	54 / 60	\$	20,543	15.0 / 8.7
Indoor Unit 12 = MSZ-GF12N	\ <sub>-8</sub> 6 <del>-9-</del> 9+9+12+12+12	54 / 60	\$	20,464	15.0 / 8.7
Indoor Unit 15 = MSZ-GE15NA	\ <sub>-8</sub> 9+9+9+9+9+9	54 / 60	\$	20,091	15.0 / 8.7
indpor Unit 18 = MSZ-GE18NA	A-8 9+9+9+9+9+12	54 / 60	\$	20,240	15.0 / 8.7
$\langle \langle \langle \rangle \rangle \rangle$	9+9+9+9+9+15	54 / 60	\$	20,469	15.0 / 8.7
\ \ \ \	9+9+9+9+12+12	54 / 60	\$	20,390	15.0 / 8.7
ling Inset. Ceiling Ducted					

6+6+9+9+9+15+15

6+6+9+9+12+12+12

54 / 60

54 / 60

54 / 60

\$

Optional units: Floor Moupt, Ceiling Inset, Ceiling Ducted



To substitute the MSZ-GE Indoor Unit 1 with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H. Hyper Heat performance please see "Investment Option Worksheet".



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.

Licensed to The Best Heating & Airunder the Grant of License terms of the Home Comfort User License Agreement.



**20,696** 15.0 / 8.7

**20,617** 15.0 / 8.7

15.0 / 8.7

20,388

### MULTI-ZONE Hyper-Heating HP - 8 ZONES up to 4 TON

SYSTEM		INDCOR UNIT	CL / HT		SEER /
STSTEIN	$\triangle$	COMBINATION	/KBTU*	INVESTMENT	HSPF

6+6+6+6+6+6+6

6+6+6+6+6+6+9

6+6+6+6+6+6+12

6+6+6+6+6+6+15

6+6+6+6+6+6+18

6+6+6+6+6+9+9

6+6+6+6+6+9+12

<del>(+6+6+6+6+9+</del>15

6+6+6+6+6+12+12

6+6+6+6+9+9+9

6-6-6+6+6+9+9+12

6+6+6+6+9+9+9+9

48 / 54

48 / 54

48 / 54

48 / 54

48 / 54

48 / 54

48 / 54

48 / 54

48 / 54

48 / 54

48 / 54

48 / 54

\$

\$

\$

\$

\$

\$

\$

\$

\$

#### M-Series (MXZ-8C48NAHZ) Multi-Zone Split-ductless Heat Rump

- ☑ Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ H<sup>2</sup>i Hyper-Heating performance
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-filter
- ☑ 7-Year compressor, 5-Year parts, 1-Year labor



Energy Star® rated (could qualify for Tax Credit)



Indoor Unit 6 = MSZ-GE00NA-8 Indoor Unit 9 = MSZ-GE09NA-8 Indoor Unit 12 = MSZ-GE12NA-8

indpor Unit 15 = MSZ-GE15NA-8 Indoor Unit 18 = MSZ-GE18NA-8

Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted
MFZ %LZ PLA / PEAD %EZ
To substitute the MSZ-GE Indoor onit with one of the above
please see the "Investment Ortion Worksheet"

Other options available:

To substitute the MSZ-GF with the

MSZ-FE or MSZ-FH with H<sup>2</sup>i Hyper-Heating please see the "Investment Option Worksheet".




#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.

Licensed to The Best Heating & Airunder the Grant of License terms of the Home Comfort User License Agreement.



18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

18.9 / 11.0

22,797

22,873

23,023

23,252

23.302

22,949

23,099

23,328

23,248

23,025

23,174

23,101

SYSTEM	INDOOR UNIT	CL / HT		SEER /				
3131LIVI	COMBINATION	/KBTU*	INVESTMENT	HSPF				
	\ \ \ \ / \	/ /						
M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat Pump								
☑ Complete comfort with individual zone control	<i>\ \ \ \</i>							
☑ Easily accessible and long lasting washable filters	6+6+6+6+6+6+6	47 / 51.7	\$ 20,792	15.0 / 8.7				
☑ Easy, low cost installation	6+6+6+6+6+6+9	49.7 / 55.1	\$ 20,868	15.0 / 8.7				
☑ One wireless remote controller for each Indoor unit	6+6+6+0+6+6+6+12	52.3 / 58.6	\$ 21,018	15.0 / 8.7				
✓ Variable-speed Compressor technology	6+6+6+6+6+6+15	54 / 60	\$ 21,247	15.0 / 8.7				
☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-futer	1+6+6+6+6+6+6+18	54 / 60	\$ 21,297	15.0 / 8.7				
☑ 7-Year compressor, 1-Year parts, 1-Year labor	6+6+6+6+6+6+24	54 / 60	\$ 21,473	15.0 / 8.7				
$\sim$ / $^{\prime}$	6+6+6+6+6+9+9	52.3 / 58.6	\$ 20,944	15.0 / 8.7				
	0+6+6+6+6+6+9+12	54 / 60	\$ 21,093	15.0 / 8.7				
Indoor Unit 6 - MSZ-GE06NA-8	6+6+6+6+6+9+15	54 / 60	\$ 21,322	15.0 / 8.7				
Indoor Unit 9 = MSZ-GE09NA-8	6+6+6+6+6+9+18	54 / 60	\$ 21,373	15.0 / 8.7				
Indoor Unit 12 = MSZ-GF12NA-8	6+6+6+6+6+9+24	54 / 60	\$ 21,548	15.0 / 8.7				
Indoor brit 15 = MSZ-GE10NA-8	6+6+6+6+6+6+12+12	54 / 60	\$ 21,243	15.0 / 8.7				
inabor Unit 12 = MSZ-GE18NA-8	6+6+6+6+6+6+12+15	54 / 60	\$ 21,472	15.0 / 8.7				
Indoor Unit 24 = MSZ-GE24NA	6+6+6+6+6+6+12+18	54 / 60	\$ 21,522	15.0 / 8.7				
	6+6+6+6+6+6+15+15	54 / 60	\$ 21,701	15.0 / 8.7				
Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted	6+6+6+6+6+6+15+18	54 / 60	\$ 21,752	15.0 / 8.7				
	6+6+6+6+6+9+9+9	54 / 60	\$ 21,019	15.0 / 8.7				
	6+6+6+6+6+9+9+12	54 / 60	\$ 21,169	15.0 / 8.7				
MFZ SLZ PLA PEA(D), SEZ	6+6+6+6+6+9+9+15	54 / 60	\$ 21,398	15.0 / 8.7				
To substitute the MSZ-GE Indoor Unit with one of the above	6+6+6+6+6+9+9+18	54 / 60	\$ 21,449	15.0 / 8.7				
please see the "Inves ment opt on Worksheet"	6+6+6+6+6+9+12+12	54 / 60	\$ 21,319	15.0 / 8.7				
Other options available:	6+6+6+6+6+9+12+15	54 / 60	\$ 21,548	15.0 / 8.7				
To substitute the MSZ-GE with the	6+6+6+6+6+9+12+18	54 / 60	\$ 21,598	15.0 / 8.7				
MSZ-FE with H <sup>3</sup> . Hyper Heat performance	6+6+6+6+6+9+15+15	54 / 60	\$ 21,777	15.0 / 8.7				
please see "Investment Option Worksheet".	6+6+6+6+6+12+12+12	54 / 60	\$ 21,468	15.0 / 8.7				
//	6+6+6+6+6+12+12+15	54 / 60	\$ 21,697	15.0 / 8.7				
	6+6+6+9+9+9+9	54 / 60	\$ 21,095	15.0 / 8.7				
	6+6+6+6+9+9+9+12	54 / 60	\$ 21,245	15.0 / 8.7				
♦ MITSUBISHI	6+6+6+6+9+9+9+15	54 / 60	\$ 21,474	15.0 / 8.7				
ELECTRIC	6+6+6+6+9+9+9+18	54 / 60	\$ 21,524	15.0 / 8.7				


#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit

COOLING & HEATING

- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- $\ensuremath{\,\boxtimes\,}$  New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



CVCTEM		INDC OF UNIT	CL / HT		SEER /
SYSTEM	Δ	COMBINATION	<b>∕</b> KBTU*	INVESTMENT	HSPF

#### M-Series (MXZ-8B48NA) Multi-Zone Split-ductless Heat Pump

- ☑ Complete comfort with individual zone control
- ☑ Easily accessible and long lasting washable filters
- ☑ Easy, low cost installation
- ☑ One wireless remote controller for each Indoor unit
- ☑ Variable-speed Compressor technology
- ☑ Anti-allergy enzyme filter with "Hybrid Catechin" Pre-fiter
- ☑ 7-Year compressor, 1-Year parts, 1-Year labor

6+3+6+6+9+9+12+12	54 / 60	\$ 21,394	15.0 / 8.7
6+6+6+6+9+2+12+15	54 / 60	\$ 21,624	15.0 / 8.7
6+6+6+6-9+12-12+12	54 / 60	\$ 21,544	15.0 / 8.7
6+6+6+9+3+9+9+9	54 / 60	\$ 21,171	15.0 / 8.7
0+6+0+9+9+9+9+12	54 / 60	\$ 21,321	15.0 / 8.7
6+6+6+9+9+9+9+15	54 / 60	\$ 21,550	15.0 / 8.7
6+6+6+9+9+9+12+12	54 / 60	\$ 21,470	15.0 / 8.7
6+6+9+9+9+9+9+9	54 / 60	\$ 21,247	15.0 / 8.7
6+6+9+9+9+9+9+12	54 / 60	\$ 21,396	15.0 / 8.7
6+9-9+9+9+9+9	54 / 60	\$ 21,323	15.0 / 8.7

Indoor Unit 9 = MSZ-GE09NA-8

Indoor Unit 12 = MSZ-GE12NA-8 Indoor Jonit 15 = MSZ-GE15NA-8

Optional units: Floor Mount, Ceiling Inset, Ceiling Ducted



SLZ

PEA, SEZ

To substitute the MSZ-GE Indoor Unit 1 with one of the above please see the "Investment Option Worksheet"

Other options available:

To substitute the MSZ-GE with the

MSZ-FE with H . Hyper Heat performance


please see "Investment Option Worksheet".



#### All Systems Include (as needed):

- ☑ New equipment mounting pad & pump-up risers
- ☑ Set and level unit
- ☑ New 15ft line-set to each Branch Box and Indoor unit
- ☑ New condensate drain line
- ☑ New electrical disconnect with power wire to outdoor unit
- ☑ Line Hide® for all exterior exposed electrical/piping lines
- ☑ Equipment start-up and safety inspection

\*BTUs are approximate and are calculated using Mitsubishi's Product Guides.



INVESTMENT OPTION WORKSHEET						
Customer Name:		Date:				
A ((//A						
Equipment:		Investment Option #1	Investment Option #2			
Unit SEER: HSPF: Cooling KBTU: Heating KBTU:		Option #1	Option #2			
BASE INSTALLATION PRICE (from sele	cted system):	\$	\$			
Additional 1/4x3/8 Line-set, up to 50ft	\$335					
Additional 1/4x3/8 Line-set, up to 80ft	\$585					
Additional 1/4x1/2 Line-set, up to 50ft	\$354					
Additional 1/4x1/2 Line-set, up to 80ft	\$651					
Additional 3/8x5/8 Line-set, up to 50ft	\$441					
Additional 3/8x5/8 Line-set, up to 80ft	\$783					
Mini-Condensation Pump 120V/240V (C\-MINI)	\$228					
Line LEde on the English of Contract (ODMA)	0444					
Line Hide split line tube, 8-foot section (CD-140)	\$114					
Line Hide simple wall cover/inlet (NY-148)	\$74					
Line Hide socket/coupling joins 2 pieces together (NS-140)  Line Hide end socket can be reduced to accommodate line sets (NR-140)	\$54 \$60					
Line Hide 90-degree (NX-140)	\$73					
Miscellaneous unclassified 2-men labor LB(050	\$61					
Miscellaneous unclassified 2-rhen labor LB0100	\$99					
Miscellaneous unclass field 2-men labor LB0200	\$175					
Miscellaner us unclassified 2-men la sor LB0800	\$633					
Miscellaneous unclassified 2-men labor LB1600	\$1,243					
Miscellane ous unclassified parts/materials PM0050	\$120					
Miscellaneo is unclassified parts/materials PM0100	\$217					
Miscellaneous unclassif ed parts/materials PM0200	\$411					
Miscellaneous unclassified parts/materials PM0300	\$606					
Miscellaneous unclassified parts/materials PM0400	\$800					
Miscellaneous unclassified parts/materials PM0500	\$994					
Install optional i-see™ sensor for PCA ceiling-mounted unit	\$244					
Install optional i-see™ sensor for PLA ceiling-recessed unit	\$231					
Install and Program MHK1 Wireless Controller or PAR-21MAA Wired Controller	\$572					
Substitute MFZ-KA09 Floor-standing unit for MSZ-GE09	\$1,329					
Substitute MFZ-KA12 Floor-standing unit for MSZ-GE12	(\$908)					
Substitute MFZ-KA18 Floor-standing unit for MSZ-GE18	\$1,840					
Substitute MSZ-FE09 or FH09 with Hyper-Heat H2i for MSZ-GE(09	\$137					
Substitute MSZ-FE(12,15) or FH(12,15) with Hyper-Heat H2i for MSZ-GE(12,15) Substitute PCA-A24 Ceiling-mount unit for MSZ-GE24	\$153 \$1,157					
Substitute PEA-A12 for MSZ-GE12 (w/2 diffusers, 2-6" flex runs up to 12', 1-filter return)	\$2,015					
Substitute PEA-A12 for PKA-A12 (w/2 diffusers, 2-6" flex runs up to 12', 1-filter return)  Substitute PEA-A18 for MSZ-GE18 (w/2 diffusers, 2-8" flex runs up to 12', 1-filter return)	\$1,700 \$2,124					
Substitute PEA-A18 for PKA-A18 (w/2 diffusers, 2-8" flex runs up to 12', 1-fliter return)	\$1,837					
Substitute PEAD-A24 for MSZ-GE24 (w/3 diffusers, 3-8" flex runs up to 12', 1-filter return)	\$2,549					
Substitute PEAD-A(24,30) for PKA-A(24,30) (w/3 diffusers, 3-8" flex runs up to 12', 1-filter return)	\$2,024					
Substitute PEAD-A36 for PKA-A36 (w/3 diffusers, 3-10" flex runs up to 12', 1-filter return)	\$1,606					
Substitute PEAD-A42 for PKA-A42 (w/3 diffusers, 3-10" flex runs up to 12', 1-filter return)	\$1,381					
Substitute PLA-A18 Ceiling-recessed unit for MSZ-GE18	\$2,038					
Substitute PLA-A24 Ceiling-recessed unit for MSZ-GE24	\$2,458					
Substitute SEZ-KD(09,12) for MSZ-GE(09,12) (w/2 diffusers, 2-6" flex runs up to 12', 1-filter return)	\$1,346					
Substitute SEZ-KD(15,18) for MSZ-GE(15,18) (w/2 diffusers, 2-8" flex runs up to 12', 1-filter return)	\$1,555					
Substitute SLZ-KA(09,12) Ceiling-recessed unit for MSZ-GE(09,12)	\$1,152					
Substitute SLZ-KA15 Ceiling-recessed unit for MSZ-GE15	\$1,301					
Electrical power wiring subcontract adder if higher than average built-in price:	\$					
TOTAL INVESTMENT						
	s / Discounts					
	I Investment					
Monthly Finance Rate Calculator® Estima						
Net Monthly Ir	ivestment*					

<sup>\*</sup> Actual financed charges and energy savings are projected and may be different from those shown

Licensed to The Best Heating & Airunder the Grant of License terms of the Home Comfort User License Agreement.

# **FINANCE TABLES**



### Monthly Finance Rate Calculator® - Synchrony (2.5%/mo. payments)

Rate: 7.99%

					$\Delta$	$\mathcal{L}\mathcal{L}\mathcal{L}$
Fi	to nance	6 months	12 months	24 months	36 months	48 months
\$	2,500	\$426.43	\$217.46	\$113.06	\$78.33	\$61.02
\$	2,900	\$494.66	\$252.25	\$131.15	\$90.86	\$70.78
\$	3,300	\$562.89	\$287.05	\$149.24	\$103.39	\$80.55
\$	3,700	\$631.12	\$321.84	\$167.32	\$115.93	\$30.31
\$	4,100	\$699.35	\$356.63	\$185.41	<b>/</b> \$128.46	\$100.07
\$	4,500	\$767.57	\$391.43	\$203.50	\$140.99	\$109.84
\$	4,900	\$835.80	\$426.22	\$221.59	\$153.58	\$119.60
\$	5,300	\$904.03	\$461.01	\$239.68	166.06	\$129.36
\$	5,700	\$972.26	\$495.81	\$257.77	\$178.59	\$139.13
\$	6,100	\$1,040.49	\$530.60	\$275.86	\$191_12	\$148.89
\$	6,500	\$1,108.72	\$565.39	\$295.95	\$203.66	\$158.65
\$	6,900	\$1,176.95	\$600.19	\$312.04	\$216.19	\$168.42
\$	7,300	\$1,245.18	\$634.98	\$330.13	\$228.72	\$178.18
\$	7,700	\$1,313.41	\$669.78	\$343.22	\$241.25	\$187.94
\$	8,100	\$1,381.63	\$704.57	\$365.30	\$253.79	\$197.71
\$	8,500	\$1,449.86	\$739.36	\$384.39	\$266.32	\$207.47
\$	8,900	\$1,518.09	\$774.16	\$402.48	\$278.85	\$217.23
\$	9,300	\$1,586.32	\$808.9	\$420.57	\$291.39	\$227.00
\$	9,700	\$1,654.55	\$843.74	\$438.66	\$303.92	\$236.76
_	10,100	\$1,722.78 \$1.791.01	\$878.54 \$913.33	\$456.73	\$316.45	\$246.52
	10,500	\$1,791.01		\$174.84	\$328.98	\$256.29
	10,900	\$1,859.24	\$948.12 \$982.92	\$492.93 \$511.02	\$341.52 \$354.05	\$266.05 \$275.81
	11,700	\$1,927.47		\$517.02 \$529.11	\$366.58	\$285.58
_	12.100	\$2,063.92	\$1,017.71	\$547.20	\$379.11	\$295.34
_	12,500	\$2,132.15	\$1,052.50 \$1,087.30	\$565.28	\$391.65	\$305.10
	12,900	\$2,200.38	\$1,122.09	\$583.37	\$404.18	\$314.87
	13,300	\$2,268.61	\$1,150.23	\$601.46	\$416.71	\$324.63
_	13,700	\$2,336.84	\$1,191.68	\$619.55	\$429.25	\$334.39
	14,100	\$2,405.07	\$1,226.47	\$637.64	\$441.78	\$344.16
_	14,500	\$2,473.30	\$1,261.27	\$655.73	\$454.31	\$353.92
-	14,900	\$2,541.53	\$1296.06	\$673.82	\$466.84	\$363.68
	15,300	\$2,609.75	\$1,330.85	\$691.91	\$479.38	\$373.45
	15,700	\$2,677.98	\$1,365.65	\$710.00	\$491.91	\$383.21
	16,100	\$2,746.21	\$1,400.44	\$728.09	\$504.44	\$392.97
_	16,500	\$2,814.44	\$1,435.23	\$746.18	\$516.97	\$402.74
	16,900	\$2,882.67	\$1,470.03	\$764.26	\$529.51	\$412.50
\$	17,300	\$2,950.90	\$1,504.82	\$782.35	\$542.04	\$422.26
\$	17,700	\$3,019.13	\$1,539.61	\$800.44	\$554.57	\$432.03
	18,100	\$3,087.36	\$1,574.41	\$818.53	\$567.10	\$441.79
\$	18,500	\$3,155.59	\$1,609.20	\$836.62	\$579.64	\$451.55
\$	18,900	\$3,223.81	\$1,643.99	\$854.71	\$592.17	\$461.32
_	19,300	\$3,292.04	\$1,678.79	\$872.80	\$604.70	\$471.08
	19,700	\$3,360.27	\$1,713.58	\$890.89	\$617.24	\$480.84
	20,100	\$3,428.50	\$1,748.37	\$908.98	\$629.77	\$490.61
	20,500	\$3,496.73	\$1,783.17	\$927.07	\$642.30	\$500.37
	20,900	\$3,564.96	\$1,817.96	\$945.16	\$654.83	\$510.13
	21,300	\$3,633.19	\$1,852.76	\$963.24	\$667.37	\$519.90
_	21,700	\$3,701.42	\$1,887.55	\$981.33	\$679.90	\$529.66
_	22,100	\$3,769.65	\$1,922.34	\$999.42	\$692.43	\$539.42
	22,500	\$3,837.87	\$1,957.14	\$1,017.51	\$704.96	\$549.19
	22,900	\$3,906.10	\$1,991.93	\$1,035.60	\$717.50	\$558.95
	23,300	\$3,974.33	\$2,026.72	\$1,053.69	\$730.03	\$568.71
	23,700	\$4,042.56	\$2,061.52	\$1,071.78	\$742.56	\$578.48
\$	24,100	\$4,110.79	\$2,096.31	\$1,089.87	\$755.10	\$588.24

Licensed to JAB Propertiesunder the Grant of License terms of the Home Comfort User License Agreement.

### Monthly Finance Rate Calculator® - Synchrony (3.0%/mo. payments)

Rate: 5.99%

					$-\Delta$	
Fi	to nance	6 months	12 months	24 months	36 months	48 months
\$	2,500	\$423.98	\$215.15	\$110.79	\$76.04	\$58.70
\$	2,900	\$491.81	\$249.58	\$128.52	\$88.21	\$63.09
\$	3,300	\$559.65	\$284.00	\$146.24	\$100.38	\$77.49
\$	3,700	\$627.49	\$318.43	\$163.97	\$112.54	\$86.88
\$	4,100	\$695.32	\$352.85	\$181.70	\$124.71	\$96 27
\$	4,500	\$763.16	\$387.28	\$199.42	\$436.88	\$105.66
\$	4,900	\$830.99	\$421.70	\$217.15	\$149.05	\$115.05
\$	5,300	\$898.83	\$456.13	\$234.88	\$161.21	\$124.45
\$	5,700	\$966.67	\$490.55	\$252.60	\$173.38	\$133.84
\$	6,100	\$1,034.50	\$524.98	\$270.33	\$185.55	\$143.23
\$	6,500	\$1,102.34	\$559.40	\$285.05	\$197.71	\$152.62
\$	6,900	\$1,170.17	\$593.83	\$305.78	\$209.88	\$162.02
\$	7,300	\$1,238.01	\$628.25	\$323.54	\$222.05	\$171.41
\$	7,700	\$1,305.85	\$662.68	\$341.23	\$234.21	\$180.80
\$	8,100	\$1,373.68	\$697.10	\$353.96	\$246.38	\$190.19
\$	8,500	\$1,441.52	\$731.53	\$376.69	\$258.55	\$199.58
\$	8,900	\$1,509.36	\$765.95_	\$394.4	\$270.71	\$208.98
\$	9,300	\$1,577.19	\$800.3	\$4\2.14	\$282.88	\$218.37
\$	9,700	\$1,645.03	\$834.80	\$429.87	\$295.05	\$227.76
\$	10,100	\$1,712.86	\$869.22	\$447.59	\$307.22	\$237.15
\$	10,500	\$1,780.70	\$903.65	\$465.32	\$319.38	\$246.54
\$	10,900	\$1,848.54	\$938.07	\$483.05	\$331.55	\$255.94
\$	11,300	\$1,916.37	\$972.50	\$500.77	\$343.72	\$265.33
\$	11,700	\$1,984.21	\$1,008.92	\$518.50	\$355.88	\$274.72
	12,100	\$2,052.05	\$1,0,11.35	\$536.22	\$368.05	\$284.11
\$	12,500	\$2,119.88	\$1,075.77	\$553.95	\$380.22	\$293.51
\$	12,900	\$2,187.72	\$1,110.20	\$571.68	\$392.38	\$302.90
\$	13,300	\$2,255.55	\$ ,144.62	\$589.40	\$404.55	\$312.29
\$	13,700	\$2,323.39	\$1,179.05	\$607.13	\$416.72	\$321.68
\$	14,100	\$2,301.23	\$1,213.47	\$624.86	\$428.89	\$331.07
\$	14,500	\$2,459.06	\$1247.90	\$642.58	\$441.05	\$340.47
\$	14,900	\$2,526.90	\$1 282.32	\$660.31	\$453.22	\$349.86
	15,300	\$2,594.74	\$1,316.75	\$678.04	\$465.39	\$359.25
\$	15,700	\$2,662.57	\$1,351.17	\$695.76	\$477.55	\$368.64
	16,100	\$2,730.41	<b>\$1,385.60</b>	\$713.49	\$489.72	\$378.04
	16,500	\$2,798.24	\$1,420.02	\$731.22	\$501.89	\$387.43
	16,900	\$2,866.08	\$1,454.44	\$748.94	\$514.05	\$396.82
	17,300	\$2,933.92	\$1,488.87	\$766.67	\$526.22	\$406.21
	17,700	\$3,001.75	\$1,523.29	\$784.40	\$538.39	\$415.60
	18,100	\$3,069.59	\$1,557.72	\$802.12	\$550.56	\$425.00
	18,500	\$3,137.43	\$1,592.14	\$819.85	\$562.72	\$434.39
_	18,900	\$3,205.26	\$1,626.57	\$837.57	\$574.89	\$443.78
	19,300	\$3,273.10	\$1,660.99	\$855.30	\$587.06	\$453.17
	19,700	\$3,340.93	\$1,695.42	\$873.03	\$599.22	\$462.56
	20,100	\$3,408.77	\$1,729.84	\$890.75	\$611.39	\$471.96
	20,500	\$3,476.61	\$1,764.27	\$908.48	\$623.56	\$481.35
	20,900	\$3,544.44	\$1,798.69	\$926.21	\$635.72	\$490.74
_	21,300	\$3,612.28	\$1,833.12	\$943.93	\$647.89	\$500.13
	21,700	\$3,680.12	\$1,867.54	\$961.66	\$660.06	\$509.53
	22,100	\$3,747.95	\$1,901.97	\$979.39	\$672.22	\$518.92
_	22,500	\$3,815.79	\$1,936.39	\$997.11	\$684.39	\$528.31
	22,900	\$3.883.62	\$1,970.82	\$1,014.84	\$696.56	\$537.70
	23.300	\$3,951.46	\$2.005.24	\$1,032.57	\$708.73	\$547.09
	23,700	\$4,019.30	\$2,039.67	\$1.050.29	\$720.89	\$556.49
	24,100	\$4,087.13	\$2,039.07	\$1,068.02	\$733.06	\$565.88
Ψ	,100	ψ-τ,υυ1.10	Ψ2,017.00	ψ1,000.02	ψ1 00.00	ψυυυ.υυ

Licensed to JAB Propertiesunder the Grant of License terms of the Home Comfort User License Agreement.